

II

3249/1416

151-

Liston

C
6



S. 4. 10 SH. 3.

3249. *The same.* Historiæ sive Synopsis methodicæ Conchyliorum et Tabularum anatomicarum ed. altera. Recensuit et indicibus auxit Gulielmus Huddesford. fol. Oxon., 1770.

A few of the plates are omitted and some are misbound. 22 'Tabulæ anatomicæ' and some notes of Lister's are added. The indexes have a sep. title-page &c. Bk. plate of John, Lord Somers.


3249

FROM
THE LIBRARY
OF
SIR WILLIAM OSLER, BART.
OXFORD

187. Dec 5. 1910

15.5

no.



MARTINI LISTER, M.D.

HISTORIÆ SIVE SYNOPSIS METHODICÆ

C O N C H Y L I O R U M

ET

TABULARUM ANATOMICARUM

EDITIO ALTERA.

RECENSUIT ET INDICIBUS AUXIT
GULIELMUS HUDDSFORD, S.T.B.

COLL. SS. TRINITATIS SOCIUS

ET

MUSEI ASHMOLEANI CUSTOS.

O X O N I A,

E T Y P O G R A P H E O C L A R E N D O N I A N O.

M D C C L X X.

MARTINI LESTER, M.D.

HISTORIA SIVE SYNOPSIS METHOICE

CONCISE

ET

TABULARUM ANATOMICARUM

EDITIO ALTERA

RECENSUIT ET INDICIBUS AUXIT

GULIELMUS HUBBERTUS, M.D.

COLL. & TRINITATIS SOCIUS

MUSEI ASIMOLEANI CUSTOS

OXONIA

IN THEATRO CLAUDELLIANO

MDCCLXX

PRÆFATIO EDITORIS.

BIENNIUM fere elapsum est, ex quo Præli Oxoniensis Curatoribus placuit ut nova Synopsis Methodicæ Conchyliorum a LISTERO conscriptæ in lucem prodiret Editio. Dignum sane Viris eruditis gratoque animo præditis consilium, seu Naturalium Rerum studiosorum votis satisfacere, five Auctoris egregii famæ et munificentiae monumenta hæc renovare et seræ posteritati consecrare, voluerint. Eundem enim celeberrimum Virum, quem cum Medicinæ praxi tum Historiæ Naturalis scientia præstantissimum Homines sui seculi libenter agnoverunt, Museum nostrum ASHMOLEANUM istis, quotquot in hoc Opere inveniuntur, Tabulis æneis variaque rerum pretiosarum supellectili ornavisse, paucis forsan innotuit.

QUAMVIS autem in promptu multa fuerint quæ ad minuendum Editoris laborem contulerunt, non pauca studium ejus et festinationem remorata sunt. Veteres Editiones evolventibus manifestum erit plurima, ex Chalcographi incuria, vernaculi forsan sermonis tantum periti, in descriptiones irrepsisse errata. Prima itaque cura fuit, ut Textus, si eo vocabulo uti liceat, emendatior aliquantulum prodiret.

OPTANDUM quidem fuit hoc tantummodo vitium Tabulis hisce posse objici: at multis etiam displicuisse novimus istum, quo disponuntur Conchylia, varium et perturbatum ordinem. Parcius tamen, et leniori animo, id calumnientur quod principia scientiæ et via nullis profectionibus aucta non tantum excusant sed et defendunt. Huic, cujuscunque generis sit, infortunio præsens excogitare remedium in votis licet præcipuum, factu tamen difficillimum erat. Cum enim Tabulæ jampridem Numeris signatæ essent, cunctis ad loca sibi destinata adaptatis; nec raro diversi generis Conchylia una eademque Tabella posita; methodum de novo statuere penes nos non fuit. Constat, interea, egregium Auctorem partes hujus operis separatim, nec nisi longis annorum intervallis, edidisse, unde factum est ut perfecta rarissime occurrant exemplaria. Quanquam vero paucissima ista sint, grato tamen animo recolligimus nos, ex amicorum ope, plura vidisse quam uspiam extare suspicati sumus. Nec deerant insuper, qui studium summum eamque, qua pollebant, Historiæ Naturalis scientiam in auxilium nobis impenderunt, tenuitati nostræ vires benigne subministrantes.


HIS demum freti subsidiis, statuimus experiri saltem, utrum ex Indicibus varie compositis rudi huic et indigestæ moli formam quandam restituere potuerimus. Experientiæ fructus ad calcem subjunximus. Quorum Indicum ratio et natura paucissimis jam exponendæ sunt.

PRIMUS ordine alphabetico disposita complectitur Conchylia, iisdem Titulis insignita quos iis assignare LISTERO visum est, et in suas Classes, secundum vel figuræ vel coloris differentiam, distributa.

ALTER varias Vermium Testaceorum Species et varietates exhibet, ad celeberrimi CAROLI A LINNE' methodum ordinatas; quibus etiam nomina Anglicana usitata adjecimus, eo consilio ut hujusmodi Cimelia conquirentibus melius innotescerent, Fœminis præsertim nobilissimis illis et ornatissimis quas cultrices suas et patronas hæc Physiologiæ pars gaudet agnoscere.

UTRISQUE errores multos et graves inesse verendum est, quos prorsus evitare Editorem penes non fuit, vitam procul a Mari, procul a Museis instructoribus, agentem. Horum tamen veniam impetrari posse sperat, quod libera datur occasio per quam magis in his studiis versatus Lector vacuas paginarum partes aptiori materiâ, currente quidem calamo, suppleat, et, si nostra displiceat sententia, suam, quæ potior videbitur, in ejusdem locum substituatur.

E COLL. TRIN.
Junii 1. 1770.



Martini Lister,
Historia sive Synopsis Methodicæ
Conchyliorum
quorum Omnium Picturæ, ad vivum
delineatæ, exhibentur
Liber Primus,
qui est de
Cochleis Terrestribus.



Londini,
are incisus, Sumptibus authoris.

1685.
Susanna et Anna Lister Figuras pin.



Martinus Lister

has ludentis otij Tabulas

illustri admodum Viro

D. Gulielmo C. medij Templi, Londinij,


Quod

e rebus ad Historiam Naturalem pertinentibus

maxime Suis

depictæ fuerint

Lubens Merito D. D. D.





HISTORIÆ CONCHYLIORUM

Libri Primi

Pars Prima

de

Turbinibus Terrestribus.





L. S.

Cum forte animi causa Musea aliquot hujus urbis inviserem, inter spolia marina aliquammodum Turbines Exotico, adveni, quorum alios Terrestres, alios aque dulcis sive Fluviatiles esse probe cognovi; sc. ex analogia nostrorum Anglica norum olim a me editorum. Cum autem nemo quid sciam (non qui vel data opera de his rebus scripserunt, quod tamen ijs vitio vertendum est) hos a marinis distingueret, operæ pretium esse duxi, ut qui in nostris manibus haberentur (qui sunt non pauci) aliorumq. in hac urbe Musæis reperi sunt, ipse breviter enarrerem, literisq. et Chalcographiæ fideliter mandarem.

Virorum autem à quibus plerosq. mutuo accepi, ut par est, mentionem fecimus; ut non mea tantum ea de re, sed et publice gratia ijs merito agerentur. At præ cæteris laude dignus est D.G. Courtein. tam ob summam industriam, quâ hæc maximis impensis colligit, nitide reponit, diligenter servat; quam ob singularem suam humanitatem, quâ mihi alijsq. rerum nature inquisitoribus facilem aditum præstat, nobisq. e penu suo locupletissimo, libenter copiam facit hæc aliq. id genus delineandi describendiq.

Certum autem et amplius Cochlearum Terrestrium genera (ut de Fluviatilibus nunc taceam) jam edidi: adeo haud verum est, quod nuper alicui tameri visum est, Terram ad Testacea generanda aquis minus aptam esse: imo rix dubito quin Terrestres Cochleæ etiam Marinas specierum numero æquent, si non superent. At hæc, opinor, in causâ sunt, cur nonnulli aliter senserint; nimirum, Terrestres Cochleas, si Marinis referantur, magnitudine exiguas esse: Deinde harum testa fere leves et tenues sunt, sc. propter expeditum motum,

41

et sic suis bestiolis nimio oneri sint; adeoq. brevi pereant et dissipantur: cum Marinx propter plerarumq. crassitiam, vel extincto anonali, in ævum durent. Porro Marinx Testæ continuas fluctibus in litus rejici solent: cumq. fere valide et crassæ sint, in unum locum assidue accumulantur: at hæc causa Terrestribus Cochleis deficit; unde non nisi sparsim inveniuntur, densiq. repribus et sylvis maxime occultantur. His accedit, ex omni parte Orbis Marinas Cochleas ex industria, facile, et ex otio colligunt maris cujusq. accolæ et nautæ, at Terrestres non nisi raro et casu ex ullâ transmarinâ regione nobis afferuntur, et propter difficultatem appulsus, et quod sylvis et campi inter feros populos, imò mansuetos, Terre cæcè continentis, non sine summo vitæ periculo adeantur, nedum perscrutantur. Quod autem Terrestres Cochleæ Marinis et colorum varietate et pulchritudine non cedant (idq. etiam contra quorundam sensum) ex descriptionibus nostris, ut opinor, abundè constabit. Præterea duo sunt, Lector, quæ te scire volui. Unum, ex his testis aliquot posse esse marinas; ejusq. adeo rei, ubi aliqua suspicio est, notam fere adpono; Alterum, in aliquibus colorem naturalem fere perijisse credibile esse, sc. ubi ex toto albide sunt: at mihi ex vivis rebus ipsæ perfectæ descriptiones concinnasse fas non fuit; hanc felicitatem alijs relinquo. Hæc autem pauca et exigua literarum commodo et incremento, maxime Historiæ Naturalis, cui vehementer studeo, litavi.

5

Cochleæ

Terrestres sunt vel,

Buccina, s. e. productione testæ,

tortilia,

a sinistra dextrorsum

levia, apertura

striata. N.

plana. N.

dentata. N.

a dextra sinistrorsum, apert.

plana. N.

dentata. N.

Cochleæ-formes, s. e. compactiore testæ. N.

Compressæ, ipsius teste apertura

plana spe edentula

ipso ambitu

acuto. N.

ambitu minus

acuto. N.

dentata

tortilia

a sinistra dextrorsum N.

a dextra sinistrorsum N.



*He Abbreviationes sic intelligende sunt ,
de Locis Conchyliorum natalibus.*

<i>A.</i>	<i>Angliam denotat .</i>	<i>F. Magellanica .</i>
<i>M. M.</i>	<i>Mare Mediterraneum .</i>	<i>harb. Barbados.</i>
<i>M. A.</i>	<i>Mare Adriaticum .</i>	
<i>Afr.</i>	<i>Africam .</i>	
<i>Vir.</i>	<i>Virginiam .</i>	
<i>Iam</i>	<i>Iamaicam .</i>	
<i>Car.</i>	<i>Carolinam .</i>	
<i>Ind. Or</i>	<i>Indiam Orientalem .</i>	
<i>M. Nor.</i>	<i>Mare Norvegicum .</i>	
<i>Call n.</i>	<i>Galliam Narbonensem .</i>	
<i>I maur.</i>	<i>Insulam Mauritiā .</i>	
<i>I Ascen.</i>	<i>Insulam Ascentio .</i>	



Sectio 1. de
Buccinis Terrestribus . . . a sinistra
dextrorsum tortilibus, laevibus, edentulis.



1. Buccinum parvum, sex Spirarum,
circiter tribus fascijs latiusculis, subrufis,
depictum.


2. Buccinum fasciatum siue radiatum,
clavicula productiore.



barb.

3. Buccinum admodum tenue, sub-
flavum, circiter quinque spirarum.





4 *Buccinum majus* septem spirarum,
ex rufo radiatum.

9




5. an idem cum superiore? at minus
radiatum.

10



6. *Buccinum radiatum*, medio
primo orbe leuiter acuto.

11




Buccinum septem spirarum, cuius
superiores spirae fasciatae, inferiores,
undatae.

12



8 *Buccinum quinq; spirarum*, albidum,
quarum primae circumducitur unica angustior
fascia nigricans; imae tumidiores sunt.


13



9 *Buccinum productius album* Sex
spirarum. è Museo Oxoniensi.

14






Barbad.

10 *Buccinum septem orbium*,
fasciis fere bicoloribus interdum
tricoloribus, iridis instar,
depictum.


15



11. *Buccinum sex orbium*, Superiore
tantum orbe bifasciatum ex rufo.

16

13. *Buccinum album*, pellucidum
decem orbium, orbis primi medio
leviter acuto, orbe ultimo obtuso
et proxime superiore paulo majore.



Call. nar.



Call. nar.

12 *Buccinum album*, clauicula productiore,
fere abrupta.

17

18

15 *Buccinum tenue*, album, octo
minimum orbium.

16 *Buccinum exiguum*, tenue,
ore circinato.



Call. nar.

Aldernensi Insula.

A. Wallia, FLOID.

14. *Buccinum exiguum fasciatum et
radiatum.*



15



16

barb.

19

20

19 *Buccinum exiguum* RUFUM
quinq; orbium.

19
urg.

17 *Buccinum ventricosius*, undecem
orbium, ore subrotundo.



Lamas.

18 *Buccinum ventricosius*
stryis undatis & radiatis distinctum.




21

20 *Buccinum paruum*, ventricosius,
ad modum doliohi, ore angusto.



22

22 *Buccinum* admodum crassum, ingens, quinq; orbium, leuiter Tab. 6.
purpurascens a Surinam. Oviparum.



ovum vere TESTACEUM .i. e.
putamine duro fragiliq; contextum.



pullus recentior exclusus


23

22 an idem cum proximè superiore?



22


Ind. Or.



24

Sectio 2. de
Buccinis terrestribus \ \ \ , à sinistra
dextrorsum tortilibus, edentulis, Striatis.

23



23 Buccinum umbilicatum,
quinq; orbium, admodum tenuiter
striatum et cancellatum, ipso ore
rotundo.

25



25 Cochlea terrestris turbinata et striata Fab. Col.



24



Jamaic.

24 *Buccinum tenuissimum* striatum, ipso ore circinato, cui etiam limbus latus et striatus.

26

A




25

27



26



27

27 *Buccinum variegatum* ipsa columella et oris limbo ex nigro purpurascens: ad imos orbos radij aliquot pulvinati, quibus siq; quicq; sinu respondent.

26 *Buccinum umbilicatum*.

28

29

28 *Buccinum subliundum*, stris nodosis et interdum muricatis exasperatum.

28



N.B. hanc cochleam a jamaica allatam a d. sloane habui et diu, certe per aestatem, in

hortulo meo londini iuxit; tamen existimo illam amphibiam esse

30



Sectio . 3 .

de

*Buccinis terrestribus, à sinistra dextrorsum
tortilibus, apertura dentata .*

29



*29 Buccinum octo orbium, duobus
dentibus ad columellam, et totidem
ex aduerso in oris labro donatum .*

31

30



*30 Buccinum quatuor orbium, ualde
crassum et ponderosum, 2 dentibus
ad columellam, ore admodum longo
et angusto . .*

32



Sectio. 4. de
Buccinis terrestribus \ \ \ \ \ a dextra
sinistrosum tortilibus, apertura plana.

31




32



- 31 *Buccinum subflatum* superiore
 orbis primi parte fasciatum, et deinceps
 variegatum.
 32. *Buccinum album compactile,*
 sive brevioris clavicula.







33. *Buccinum citrinum*, sex orbium,
ore albo.

34


34 *Buccinum citrinum*, è rufo
radiatum.



35



36




36. *Buccinum ingens*, c fusco
 rufescens; in primo orbe circum.
 datum duabus eminentibus strys :
 c MUSEO OXONIENSI . 37



37 Buccinum quinq; toruuum
et ualde productorum orbium,
è rufo radiatum.



38



39

Sectio .5. de
Buccinis terrestribus \ \ \ \ a dextra
 sinistrorsum torilibus, apertura dentata .

Gall. narb.  38

38. *Buccinum exiguum album*
cylindraceum, Septem orbium.



40.

A  39

39 *Buccinum exiguum*
pullum, duodecim
orbium.

41.





41. cochlea leuiter umbilicata,
quatuor orbium, quorum tres
infimi exigui sunt.



41




42

42 cochlea parua pallide
rufescens; an marina? ab ins.
Mauritio. 44.

43 cochlea latis et nigricantibus
fascijs donata.



43




43.

44. an eadem cum 41?



44


45 Cochlea Virginiana, Subalbida,
mediocris, circiter quinque orbibus
parum altis ad claviculam circumscripta.



45

45.


46. cochlea cinereo rufescens,
fasciata, leuiter umbilicata.
POMATIA GRESNII.



46


A

48.



47. cochlea hortensis nostra,
fusca, maculata, et fasciata.

48. cochlea umbilicata majuscula, ore sive
testae apertura ferè circinata, fasciata, ex
fusco variegata.



17 48


49. cochlea fasciata, clauicula
compressiore, labrum repando, ex
fusco variegata et fasciata.

50. Cochlea majuscula, et ore, et Umbilico
circinatis, ex fusco variegata et fasciata.



Iamac

51



52






Figura. 1. exhibet Cochleam testa sua denudatam.
a. Caput Cochleae.
b.b.b. Dorsum.
c.c.c.c. Apophysis sive Pes latus.
d.d. Cornua majora cum punctulis nigricantibus.
e.e. Cornua minora.
f.f. Elix tortuosus.
g. Foramen Pupilliforme.
h.h. membrana nigricans ventrem obtegens.
i.j. lobulus cinereus per membranam transparentem.
k.k. locus substantiae albicantis, glutinosae.
l.l. locus Sacculi lactei Spiralis.

Figura. 2.
a.a. Elix tortuosus.
b. foramen pupilliforme.
c.c.c. membrana nigricans Scalpello separata.
d.d. lobus cinereus.
e. Cor.
f.f. arteria e corde egrediens.
g.g. ramus alius, quasi ex lobulo prodiens.
h.h.h.h.h. rami minores, ab hisce dispersi.
i.j. substantia Cochleae interna.

Figura. 3.
a. Corpus cylindraceum.
b.b. vasculum cuneiforme.

Tabula Anatomica Cochleae alicujus Terrestris Domiportae, earumque explicatio.



- c.c.c.* plexus nervosi laterales.
d.d. vasculum Coliforme.
e.e.e. vasculum lacteum Coliformi arte connexum.
f. glandula rubella.
g. processus dermiformis.
h.h. ramus teres processus hujus, qui ad partes inferiores spargitur.
i.i. ramus alius, qui versus superiora reflexus, dehinc in vas coliforme pergit.
k.k. substantia glutinosa.
l.l. plexus Tortuosus.
m.m. Sacculus lacteus Spiralis.
n.n. vascula ab hoc in plexum tortuosum sparsa.
o.o.o. vascula à vase coliformi prodeuntia.

Figura. 4.

- a.a.* Cornua intus retracta cum punctis nigricantibus.
b.b. Corpus nigricans cornibus conjunctum.
c.c. dentium sedes.
d.d. Substantia cartilaginea seu larynx.
e. Glandula albicans.
f.f. asophagus.
g.g. locus maxillae superioris.

Figura. 5.

- a.* Corpus cylindraceum discissum.
b. valvula ad radicem hujus sita.

- c.c.* vasculum cuneiforme discissum.
d.d. ossiculum acuminatum.

Figura. 6.

- a.a.a.* vas coliforme cum lacteo sibi affixo.
b.b. portio Tubi intestinalis.
c.c. vascula in vas coliforme abeuntia.
d.d. Ventriculus.

Figura. 7.

- monstrat esophagi et Ventriculi discissorum
 faciem internam, fibrosam, plicisq; pluri-
 mis donatam.

Figura. 8.

- a.a.a.* Tubus intestinalis ab hepate segregatus.
b.b.b.b.b. Tubi hujus propagines hepar findentes.
c.c.c.c.c. Hepatis substantia.
d.d. ramj à Tubo intestinali in hepatis partem
 Spiralem disseminati.
e.e.e. Hepatis pars Spiralis.
f.f. Vena insignis ex hepate cor pergens.
g.g. ramj qui in venam hanc feruntur.
h. Cor.
i.i.i.i. ramj à tubo intestinali per hepar dispersi.
k.k.k. ramj ab eodem in hepatis parterri
 cavam abeunt.





50

50 cochlea citrina, ipsa
oris margine pulla, unica
tenui fascia in medio
primi orbis donata.



51



Lamar.

Sloane

51 cochlea umbilicata, minor
subrufa, ore circinato, et operculato.

54

55


54. cochlea interdum unicolor,
interdum variegata; item uarijs fascijs
depicta.

54



A



54




54



A



53





53. cochlea maculata, unica
fascia fusca, per medium orbem
inignita.

56



57



55

55. cochlea albidā, senis
fascijs angustis circumscripta,
clauicula compressa.

58

56. cochlea alba, leuiter
umbilicata, pluribus fascijs
circumdata, clauicula productiore.

A

Scip




56

Gall. narb



59


Cochlea à majoribus modo rufescens, modo citrina,
compressior, unica fascia alba ad ipsam marginem
primi orbis insignita.



57

60





60. Cochlea alba Sex orbium,
 margine primi orbis pulvinata;
 siue trochus jamaicensis.




Jamac.

a D. SLOANE.



65

Sectio. 8. de
Turbinibus Terrestribus n. *Compressis,*
edentulis, ipso ambitu acuto.



61 cochlea ingens, Pulla.



62. cochlea alba, umbilicata,
limbo acuto circumdata, clauicula
omnino plana siue compressa.



63 cochlea umbilicata,
medio orbe leuiter eminente
undiq; à margine.




Iamac.

64

65

64. cochlea umbilicata, utrinq;
ad marginem acutam fascia lata
uormiculata eleganter depicta.




66 cochlea alba, fascia lata
nigra insignita.

66

67

67. an eadem cum proxima
superiore?



68

69. cochlea umbilicata,
 fusca, siue variegata,
 capillaribus strijs leuiter
 exasperata.



68. cochlea nostras, umbilicata,
 pulla.



69 . .



Call. narb.

72



72



71

73



Sectio 9.^a
*Turbinibus Terrestribus, compressi, ambitu
 obtusiore,, apertura edentula.*







73. turbo subrufus, alba
 fascia ad marginem depictus.



74 turbo variegatus.





79. cochlea subfusca,
umbilicata, clausula
modicè producta.

900

1000

1100

1200

81. cochlea alba, umbilicata,
 margine acuta, clauicula plana.



80

80.a



81

Call. Nar.

79


80



virginia

82

81




83

Lama.

82

Sectio. 10. de
*Turbinibus Terrestribus, Compressa sinistra
 dextrorsum tortilibus, apertura dentata.*



Iam.

*87 cochlea bidens, ex parte
 tantum columella, margine
 obtusiore, clavicula compressa.*



Iam.



84

Call. Nar.



85

84

85

88. an' eadem cum superiore?
labro minus promisso.

Call. narb.



86

Iam.



88

86

87

89. cochleâ subrufa, Bidens, unus
ex parte columella, alter sub labro,
contra quem extra conspicitur
profundus Sinus, margine obtusiore.

Iam.



89

88

90. cochlea leuiter umbilicata,
marginē ualdē acuta, clauicula
compressiore, Bidentis ex parte
tantum columella.



Iam.



Virg.

91. cochlea umbilicata,
capillacū strig. per obliquum
donata, Unico dente ad
fundum oris.

90

91

92. cochlea parua, umbilicata,
tenuiter striata, Tridentis sc:
in triangulo positi, nōpe
unus ad fundum oris, alter
ad columellam, tertius ad labrum.



Virg.



uirgin.

93



uirgin.

94

92

93

95. cochlea trident, ex parte columellae,
omnes juxta posit, labro promisso.




Iam.

95

94

96. cochlea et fascijs, et ipso
ore nigricante, Unico dente, columella
distincta.



Iam.

96

95

turbo DENTATUS, margine acuta.




97

ind. ORIEN.

97. cochlea bident, subrufa,
clavicula paululum exserta.

96

98. cochlea subrufa, Quatuor
dentibus ex parte columellae donata,
aduersus quos extra totidem sinus
conspicij.



barb.

Iam.

98

97

99. cochlea subrufa, Quatuor
dentibus donata, quibus tamen extra
tantum duo sinus respondent.



barb.

Iam.

99

98


Sectio. 11. de
*Turbinibus Terreſtribus. Compreſſis, apertura
 dentata, a dextra ſiniſtrorſum tortilibus, apice
 inverſo ex ipſa apertura parte.*




100. cochlea variegata, Septem
 dentibus donata, ſcilicet duobus
 in fundo oris, et quinque ad
 labrum, clavicula Inverſa.







Limax, succini colore, albidis maculis insignitus.



101.b.

Tabula .1.

F. Redi Limacum
Cochlearum Anatomia
quatuor Tabulis exhibita.

Fig: I.

Fig II.

Fig III.

Fig IV

Fig: I. *Limaces nudi ipso* :
coitu conjuncti .

Fig: II. *Limacis Cor cum suis* :
vasis in ramos diductis .


Fig: III. *Capitis Officulum* .

Fig: IV. *Limacis dens, magnitudine*
microscopio auctus .

Tabula 2 .

Fig: I, *Limacis* Penis cum suis membranis et ligamentis .

Fig: II, *Limacis* Penis exertus, et flatu artificialiter repletus .



Tabula 3.

Fig. I. a. intestini Limacis initium. f. Gula. b. Ventriculus. ccc. Intestinum. d. intestini exitus, qui aperitur exiguo quodam foramine sub limbo majoris illius Foraminis, quo Pulmo respirat. Fig. II. g. Penis Limac. h. locus, ubi exierit Penis et cū vasculo Spermatico conjungitur. iiii. vas Spermaticum. k. Testiculus. l. Vasculum quoddam album intortum, ex una parte ipsi testiculo, ex altera gl. andi prope jecur cum ramificationibus insertum. n. limacis pellis. o. intestina.



104

Tabula 4.



Fig. I. Cor Cochleæ alicujus Terrestriis cum vasis. a. Fig. II. ejusdem Cochleæ Dens ex Microscopio. Fig. III. a. initium intestinorum. b. Gula, siue Cavitas, ubi dens Cochleæ ponitur. cc. Ventriculus. ccc. intestina. f. exitus intestini ad pulmonis foramen. Fig. IV. a. exitus Penis. b. Tubulus in quo conditur corpus glandulosum. Fig. V. depictum e. Penis Cochleæ. h. locus ubi conditur officulum pyramidale. ddd. vasa spermatica. g. Testiculus. eeee. Tubulus a vasis Spermaticis ortus et insertus. f. corpus quoddam rufum glandulosum, medys vi. eribus absconditum. m m. Tubulus alius, venerens. l. Saccus ubi iste Tubulus desinit, Humor quoddam rufus plenus saponis mollioris amulo. Fig. V. corpus Glandulosum.

105



HISTORIÆ CONCHYLIORUM
Liber . II .
Qui est
de Turbinibus et Bivalvibus
aqua dulcis.




Londini,
are incisus, sumptibus Authoris.
1686.

Susanna et Anna Lister Figuras delin.



Testaceorum Fluviatilium
Pars prima
de
Turbinibus.



A¹⁰⁷
F



Sectio 1.
de
Buccinis \\\ \ \ \ \ *Fluviatilibus.*



i Fluvio Rodano propè Viennam Allobrogum .

*1. Buccinum Septem orbium,
leviter umbilicatum, medijs
orbibus paululum tumidis .*

Iam.



2. Buccinum subviride, brevibus lineolis subrufis, velut fasciatum, depictum.

109

3. Buccinum ex viridi subflavum, brevioris clavicula.

vir.



vir.



4. Buccinum ex viridi subflavum, tenuiore et longiore clavicula.

110

5. Buccinum ex viridi subflavum, Trochoeides, limbo quodam acuto in medio orbe circumscriptum.

vir.



111

6. Buccinum ex viridi subflavum, Trochoeides, Tribus fasciis atro-purpureis distinctum, item in primo orbe medio limbus quidam acutus.

vir.



112

7. Buccinum ex viridi subflavum, duabus tantum fasciis atropurpureis circumdatum, clavicula productiore,

vir.



113

virginia.



9


jama.



9


114

10. *Buccinum Atropurpureum*, laeve,
oris vertice siue rostro paululum sinuato.



10

115



11

116

12. *Buccinum longum*, tenuiter
striatum, secundum orbem.



12

117



13

118



14

14. *Buccinum atropurpureum*, fasciatum et striatum;
item in medio quoque orbe nodis quibusdam obliquis
distinctum.

119



15

15. *Buccinum fuscum*, fascijs atropurpureis ex ore
videndis donatum, striatum, et limbis quibusdam acutis
circundatum, maxime in prioribus orbibus.


120

16. *Buccinum fasciatum*, medijs orbibus Muricatis.




16

18. *Buccinum fuscum*, Nodosis strys distinctum.



18



17

17. *Buccinum fuscum*, striatum et muricatum.



19




20

21. *Buccinum subflavum*, pellucidum, sex orbium, clavicula admodum tenui, productiore.

20. *Buccinum fuscum*, primis orbibus muricatum, ceterum strys nodosis exasperatum.

122



21

22. *Buccinum subflavum*, pellucidum, quatuor orbium, ore amplissimo, mucrone acuto.



22

23. *Buccinum subflavum*, pellucidum, trium orbium.



23



24

an idem cum 21?

Sectio. 2.
Cochleis ^{di} *Fluviatilibus.*



25. cochlea maxima, è viridi
nigricans.



26 Cochlea vivipara Fasciata .
Fluviatilis .

26.



27. cochlea virginiana,
è flauo uiridescens, Non
Fasciata .

27


Vir.



126

127

28. cochlea maxima, Fasciata.




128.

a Surinam .

29. cochlea è uiridi subflaua,
fasciata, Umbilicata .


29



129

30

Lat.



30. cochlea è uiridi subflaua, clausula
leuiter compressa, fascijs angustis donata .

130





31

A



32

32. cochlea parva, pellucida,
operculo testaceo, cochleatoq, clausa.

131

132



33

33. cochlea subrysa, Muricata.

34.

Buccinum Fluviale à dextra sinistrorsum
tortile,
triung, orbium, sive
NERITOIDES.

A



34

133

134

rir.



35

35. cochlea neritoides,
crassiuscula testa.

135

Sectio. 3.
Cochleis Fluvialibus Compressis.



40



40 *cochlea maxima, compressa,*
Fasciata. "

1136



*Purpure Lacustres, coccum
fundentes.*



41 cochlea pulla, quatuor orbium.

137



42 cochlea fusca, Limbo circum scripta.



43. cochlea exigua, quinque orbium.

138

46. cochlea, trium orbium.



139

140

38. *Nerites Fluvialis* è. caeruleo
virescens, maculatus, operculo sub-



-croceo, aculeatoq, donatus.

39 *Patella Fluvialis*, origua
Subflava, vertice mucronato inflexoq.



39



36

36. *Nerites Fasciatus*.
e Musco Oxoniensi.

141

142





37




143







Sectio. I.
^{de}
Musculis Fluvialibus,
Cardine dentato.




a Danubio.

1. musculus ex flavo viridescens, medio dorso leviter
Radiatus, admodum crassus.







Musculus Fluvialis, è Fluvio Tamesi ad
Battersey.




2. *musculus angustior*, ex flavo viridescens, medio dorso leviter
radiatus, cardinis pinnæ siue denticulo birido.




3. *musculus angustus*, subflavus,
siue citrinus.



4. *musculus niger*, omnium longe crassissimus, conchæ longæ species gesn. aldrou.




4.



5

5 musculus brevis, admodum crassus, ex interna parte subrosus, cardine incisuris minutis exasperato.

150



7.




6

7 musculus fuscus, angustior, ex altera parte cuneatim protensus.


151






7. musculus latior, subfuscus, Carulis lineis Radiatus.

152



7ir.




9

9. musculus angustior, subfuscus, paulo crassior.

154


7ir.



10

10. musculus lator, ex flavo subviridis, duplici striatura ad cuneum.

155





11

A

11 musculus latus, maximus et tenuissimus, e caeruleo viridescens fere, palustris.

156








14. *pectunculus subviridis parvus, subglobosus.*
 15. *pectunculus perpusillus, rostratus.*




14




15

159

16. *pectunculus subviridis, Triquetrus.*



16



e Museo Oecumenico.

160

HISTORIÆ
Conchyliorum

Liber III.

qui est

De Bivallibus marinis, in quibus
Conchæ Anatiferæ dictæ, Balaniq,

numerantur :

item


Huic accedit Appendix

de

Conchis

i.e.

De Fossilibus Sive Lapidis Bivallibus.



Londini.


are incisus, Sumptibus authoris.

161


1687.

Susanna {
Anna { Lf Delin.

Sectio 5. cap. 2.
De
musculis marinis Polyproglanis.




Barb.



205

205. musculus parvus, subulatus, angustus, leviter
striatus.

206. musculus parvus, latus, tenuiter striatus,
ex fusco purpurascens.




366

207. Balanus Bellonij, tenuiter
striatus.




367



musculus MATTHIOLI. 208



208. musculus striatus, fasciis undatis subfuscis depictus

Barbad.





368

209. musculus angustior, crassioribus stryis donatus, und-
atim depictus.




369




A Carolina.

214 *pura nigra, imbricata sive mucicata.*



Sectio 7. Cap. 2.

Pinnis margine producta, et acutiore.




215. pinna ingens, strijs undatis sive. dentatis transver-
-sim exasperata.

mar. med.


215

374




217. tellina subfusca, argutior, intus purpurascens.


220. tellina magna intus purpurea, extra strijs exasperata.



218. an eadem cum superiore n. 216?




219. tellina purpurascens, margine sinuosa.



377

222. tellina lata, laevis, radiata.



Ind. Orien.

221

221. tellina latior fasciata, et undata, quadam
pictura conspicua.



Ind. Orien.

222

378


379



223

Ind. Orien.

223. tellina lata, laevis, undatis fascijs eleganter
depicta.



224

Ind. Orien.


224. tellina lata, radiata; an eadem cum su-
periore. n. 222?

380


381



226. tellina parva, rubra, angusta, radiata




A
J. Garncy.



232

232. *tellina lata* albida, ex rubro radiata.




233

a. Madagascar.

385


386

234. *tellina maxima*, latissima, subrubra, radiata, ad al-
rum latus sinuosa.



234

387



235


235. *tellina subalbida*, an eadem cum proximo
superiore?

388




228 tellina parva albida, ex purpura na
culata sine radiata.

389




229 tellina lata, rugosa.

390



230. tellina major, intus et extra purpuras
con.

391




Ind. Orien.

231. tellina lata, subrefa radiata.


392

240 tellina magna, albida ex rubro latè rad.
-data.




jamaic.

393



241. tellina ex rufomaculata,
fasciis exasperata. 394

242. tellina pallide admodum rufescens, lata, ex
altiora parte sinuosa.




395



243 tellina parva, ex rufo maculata, pau-
lulum cana, strijs fasciatis ualde exasperata.


396



236

Tamari.


236. tellina tenuis, ad umbram, extra ma-
xime rubescens.



237


397

398.




238

238. tellina major, intus lutescens, fascijs exasperata, radiata.
399



239



239. tellina major, Reticulata.


400

244. tellina triangularis, albida, tenui,
fasciata.



244

245. tellina magna lutescent, tenuiter fasciata,
undatum depicta.



245


246. tellina triangularis, admodum crassa,
ferè lauior.



246

401

402



A

247

J. GARNIER.

247. tellina fasciata, ex rubro variegata.

403



248

248. tellina fasciata, angustior, intus lutescent,
extra radiata.

A




249

249. tellina fasciata, compactis, subaurca,
radiata.


404

250. tellina parva, intus rubra, ad alterum
latus sinuosa.

251. tellina levis, intus et extra rubra, ad latus
sinuosa.



252. tellina ualde tenuis, alba, ad alterum latus ualde sinuosa.



405

406

253. tellina lata, alba.



Jamaic.



254. tellina crasso, ad rostrum extra pur-
purascens.

407

408

Sectio. g.

Solenis i. d. est, Conchae tenuibus longissimis q, ab utraq parte naturaliter hiantibus.




A

255

255 Solen major, Subfusus, Rectus.


409



256

256. Solen rectus breuior, ex. purpurea radiatus.

410



257

Solen curvus.

411



*Solen Mas, virgatus et subcæruleus Athenæi. eæ verò virgæ
sunt lineæ sive fasciæ rubentes per transversum ductæ.*



Solen femina, unicolor Athenæi. Plin.



412



413


Sectio . 19 . cap . I . de

Chamae, ab altero tantum latere ferè naturaliter Hiantibus.

Chama Glycymeris Aldrovandi.




259. *chama fusca, lata, planior.*




415

261. *chama lutescens, ex rubro radiata.*



Chama nigra .Rondeletij.



mar, mediter.


260

260. *chama angusta, rubrubra, oblique striata, duobus radijs medio dorso insignita.*

416

417

262. *chama lata, sinuosa, cardine productione intercedente.*



mar. norueg.

262

418



mar. norueg.

263

419

A



264

264 *chama subfusca, angustissima, ad Solenes quodam modo accedens.*

420

265. *chama angustior*, ex altera parte sinuosa.




Barb.



265

421




266

266 *Chama tenuis* Violacea, radiata, Costa
unica ex interna parte firmata.

422


271. *chama fusca*, strijs tenuissimis donata.



A

271

423



272

272 *chama rotundior*, striata, atq; ex purpura radiata.

424

273 *chama diffusior*, intus violacea, striata, ex purpura
radiata.



273

S. mauritii.
Barb.

425

267. *chamae-pholas angusta*, parva, sinu
utrinque leviter mucato conspicua.




268. *Pholas nigre* magnis radicibus corallij albi
Indie occidentalis exemptis.




426

427

Sect. 19. Cap. 2.
de *Chamae-Pholadibus*.




269. *chamae-pholas latus*, ex alterâ parte
obtusius, scaber siue rugosus.




270. *chamae-pholas fasciatus*, ex alterâ parte
intus violacea.

428

429







275

275. *pholas angustus*, albus, *strijs tenuibus exasperatus*.

432.




276

pholas Striatas, Sinuatus ex A. alterâ parte.



433.

Pholas Virginiana. Sect. I. cap. 2. de
pholadibus, cardine IN T. negro



277


277 *pholas maximus*, albus, *strijs raris et imbricatis exasperatus.*

434



pholas parvus, asper.

278



pholas latus,

rugosus ex dimidio dorso et asper,

279

Pholadum tertia testa, aliarum cardini Superinjecta.



Saxum pholadibus foratum.




437.





• 283. concha anatifera, margine levi.







285. *balanus major, angustus, purpurascens, capitis
apertura ualde patente.*



jamaic.

285



286

286. *balanus majusculus, ventriosior, capitis apertura
anousiore.*



A




287

287. *balanus parvus, Striatus.*

443

444

288. *Balanus balanae cuclam
occeani septentrionalis adhærens.*



mar, Septentrion.

288



445.

Appendix


ad

Librum III.

de

Conchitis

*ſive Lapidibus, qui quandam ſimilitudinem
cum Conchis marinis habeant.*



Londini,

a. et incisa, ſumptibus authoris.

1688.

Suſanna et Anna Liſter figuras delineaverunt




44.



447



448



4. *Pectunculus nitidus, triquetrus, altius striatus, rostro acuto ultra cardines producto*. Ed: Floid.



449


450



451

452

Concha anomia, uertice rostrato Fab. Col.




a.d. Woodward.




altera Cyclorhos ejusdem.

453



454



a.d. Woodward.




Conchites Bulgam referens, sive Sacculus lapideus Ed: Floid.


456

455

16.b.



457




18 conchites triquetra, rostro columbino; an tell-
inis lapideis numerandis. Froid.

458

459




460



461

462



a. D. Woodward.

464

463

25.6.



a. D. Woodward.



466

26.b.



467




468



27. b.

469



28

470



A



29

471

31. *pectinatus flabelli-formis, tuberculosa commissura; seu pec-
tinales semi-circularis compressis, minute admodum striatus.*
Ed. Roid.



Lhan didno, in aruonia
Wallia.

472




474

475

A



476



A

34.6.

477



gall. pictaviens.

35


478



36

A

479



37

A

480

a. d. Woodward



481



39

482



a. d. g. d. f. l. o. i. d.


40

483



40.6.

484




A
Rastellum Lapis Ed. Floid.

485

486





487



488

489


an concha fasciata Fab. Cox?



490



491

48.6.



492


493




à D. Woodward.

494



495



496



52.b.




*gallia, non longe' parisys; ex
dono d. Turnrore.*

497

498



53





499



500

601


57. *conchites rugosus*, major, rugis vel *scissis*,
rarioribus et bullatis cinctus Ed. Floid.



conchites majusculus, bullatis rugis insignitus Ed. Floid.


502.

603




504


505




506



507



62



63

Languedonia propæ Castor.

508

509




64




510.




511




512




512 +



513




514




515

71. hippoccephaloides Plot. Conchites
admodum rostro. d. g. d. fluid.

anomalus, subluteus, hinc




516



72

A



73

Ed. Flo. d.

Pholas mytiloides marmoreus.

517

518


74 *Solenites, i rupibus juxta Philo,
agri Eboracensis.*

A




74

519



620



621



pinnules.



HISTORIÆ CONCHYLIORUM

Liber IV.

qui est
De Buccinis Marinis;
Etiam Vermiculj, Dentalia, et Patellæ

numerantur
ibidem.



Londini.

ære incisus, Sumptibus authoris.

1688.

Swanna et Anna Lister Pin.
f. 24.

Buccina Marina

Sunt vel,

minime Tortilia

brevia, discoidea; Patella.

pauculum curva, tenuia; Dentalia.

Tortilia quidem, at sine aliquo certo volutarum ordine, Vermiculj.

Intorta, sive Turbines.

Oris hiatu integro, aut parum sinuato.

Compressi; plerisq; Nautili.

Cochleæ plerisq;.

Spiris vix amplius duabus donati,

integri; plerisq; Neritæ.

perforati; Aures marinae.

capitis depresso, lato, basi conoide; plerisq; Trochi.

Rostro sinuato, sive canaliculato.

utroq; latere se Colligentes; Conchæ Veneris.

Cylindraces; aliquibus Rhombj, sive Strombi.

Columella ex interna parte striata sive dentata.

L. abris fere repandis, purpurascensibus; quibus

etiam alter sinus præter canaliculationem rostrum;

adcoq; quibusdam purpuræ bilingues audiunt.

Ventricoli, rostro protenso, basi brevi

quibus Et basis et caput sive rostrum productius.

quibus rostrum breve, oris hiatum non excedens.

PATELLE sunt uel
uertice

Perforato .

Integro .

laues .

Striata .

Adunco .

marginē aequali .

obliqua .

longa, compressa, Cavitate

Arcuata insignita .

Acuto, Stilo quoddam donata .

PATELLIS uertice Perforato.


patella
ANCELLATA.




Iamae.

Barbad.

patella cancellata, Densè
admodum Striata.



627



3. patella admodum Depressa,
sinu quodā ad marginem
donata.



3

4. patella lauior Striata,
Intus uiridis, extra ex
fusco rufescent.



Afric.

4

5. patella Viridis, stryis raris,
majusculis, albidis, insignitis;
foramine utriusq. nigricante.



Bab.

5


6. patella stryis Nodosis
donata.



Barb.


6

7. patella foramine Circ.
innato conspicua,
maculata.




Barb.


7




9. patella ingens, nigris latiq, maculis insignita.









12. Lepas maxima striata Fa. Col.






13. *patella ingens*, variegata, ferè s. strigibus radiata, caeterò laevi.

534



14. *patella maculosa*, ferè striata, modò lauior.


535



15. *patella subfusca*, exiguis tuberculis, secundum strias, exasperata.


§36

Patella nigra, major, admodum striata.




Afric.

Patella nigricans, minor, accis, stris insignita.




Afric.

Patella albida, intus citrina, raris puncturis San. elegantè depicta.



Barbad.

Patella nuda, stris raris, fundis et inequalibus, vertice fore acuto.



Bar.

Patella albida, cancellata, paululum compres-




Barbad.

§37



21. *patella miniata*, oblonga, dense striata.



§38

22. patella stryis nigris donata, ipso vertice albo,
nigraque fere linea cincto.



22


Barbad.



23

23. patella nigra, stryis majusculis albis alterna.
in fere inaequalibus distincta.

539




24

24. patella ingens, intus alba, extra maculosa, 5. sulci, ad magna intervalla, donata, cetera laevi.
apud Van. MILDERT prostat.

540

Sect. 1. cap. 4.
de

Patellis uorticis adunco, margine aequali.



25

*25. patella magna, fulva, lateribus paululum compressis,
dense et leviter striata.*



25



26. patella laevis, fusca.

542



27

27. patella minima, laevis, pellucida, aliquot lineis
rubeis lineis eleganter insignita.



28

28. patella exigua, alba, cancellata, Fissura
notabili in margine.

543

Sect. 1. Cap. 3.
de Patellis uertice Avunco, margine Obliqua.



29. patella,
 striata, uertice acuto, admodum
 oblique præcisa.



31


32. patella alba hirsuta,
 striata, uertice intorto.



30

31. patella rugosa, alba, admodum crassa.

B. Lind.



32


30 patella subrufa uertice striata, siue cancellata, uertice intorto.

Barb.

644.



Sept. 1. Cap. 6.
 le Patellis uertice adunco; quibus ex interna parte
 cavitas quedam quasi arcuata, longis, compressis,



33 patella crassa, maculis exiguis rufis distincta.



34 patella levis, dense
 maculata, admodum compressa.

barbad.
 35 patella striata, aspera,
 maculosa.



37 patella alba, compressa,
 levis.

36 patella levis, ex purpura nigricans,
 elegantior reticulata, rostra paululum inflexo.



Sect . 1 . cap . 7 .
do

Patellis vertice Acuto, Stilo quodam interno
donatis.

38. patella
striata,
alba,
sine quodam
ad lunulae
figuram
donata .



38

Barb.




39. patella
rotunda, laevis
ad altum latius, ma-
culis qui-busda^m spira-
libus donata, pro ver-
tice mucronato .

39

Sectio. II.
2.
Dentalibus.



1



1. Dentale viride, striatum; maximè Stria rara, majuscula,
admodum extantes; minimè Stria densa et tenuiores.

4 vermiculus rufescens, leuiter striatus sive
cancellatus.



2



barb.

4

barustable. A

2 Dentale laeue, album, alterà extremitate rufescens.

Sectio. III.
de
Vermiculis.





libri .IV. Sectio .IV.

de

Polypis Testaceis, siue Nautilus.

Nautilus Sunt uel


Caudati, e plurimis Tabulatis confecti.

Vacui, i.e. integri, et non ullo
diaphragmate disjuncti.



Sectio. IV.
caput. 1.
de

Nautilus CAUDATIS.



1 nautilus umbilicatus minor, atq, auriculatus,
Dorso latiore et minus compresso.




2 nautilus exiguus, albus,
pellucidus, Terres.



3. nautilus magnus, fasciatus, ipsa puppe
nigra, Cochlea peregrina ~~calceol~~ calceol!
560




4 Nautilus umbilicatus .



4

662



S. vermiculus exiguus, albus, nautiloides, algæ ferè adherens.

663

Sect. IV. Cap. 2.
de nautilus Vaevis, siue non Tabulatis.

S. a.



S. a. nautilus, strijs paucioribus distinctus, Non Auritus.

554




*6. Nautilus minor, Auritus, magnis
 et eminentibus Strijs donatus.*

555



7 *Nautilus Maximus, Densè striatus, auritus. Nautilus Calceol.*
nautili primum genus Aristoteli secundum Belloniet Aldr.



566

idem cum pisce, ex Aldrou.



567



Buccinorum Marinorum

Sectio V.

Cocleis Marinis.
Cochleæ Marinæ sunt vel.

Figura compactili, sive apice claviculæ brevi.

Umbilicatæ, sinu

aurito.

plano.

centro integro, et minimè sinuato.

apice ad oris initium parum elato.

mediocriter producta Clavicula.

ore dentato.

edentulo.

laevæ.


striatæ.

apice tenui et longissimo.

striatæ.

laevæ.

Sectio .V. Cap. 1
Cochleis ^{de} *Marinis apice breui,*
umbilicatis, Sinu Avari.



3. cochlea alba, & lineis ex candido nigro,
conspicuis insignita.

cochlea, usque, cum
spirales aliquot
ultra, et inter
conspicuos
mudam nigri.



3



4

us
per-
ulum
bratum.



5. cochlea, clausura paulim producta, lineis
punctatis subnigris depicta.



5

560



7



8

561

9. cochlea alba, umbilico Pulvinata margine
conspicua.



9

in Campeche, ind. Occ.

562

10. cochlea altera limidiore, ore interno et ipsa auro ex fusco
nigricante, umbilico acuta margine circumscripto.



ilidem cum Superiora.

563

11. cochlea, clauicula compressa, punctis rufis dense depicta.



h. 1. 3.

12. cochlea auranti mali flauodinam imitans, ex albo nebulata.



13

13. cochlea subflaua, in a parte uolutae primae leuiter sinuata, quem sinum alba linea circumscribit.

h. 66

14. cochlea subflaua, unicolor.

barbad.
jamae.



14

15. cochlea tenuis et pollicucida, lineis aliquot latis depictis, praecore et umbilico nigricante.




15



16

16. cochlea variegata, cancellata.

h. 66




19. cochlea sublimda, ore fusca, ad basin cuiusq;
orbis velut funiculus depingitur.



669

668





22 cochlea Nuxa nuda rarior, Fab. Col.





Sect. V. Cap. 4.

de

Cochleis marinis, basi, brachii, apice
ad ortu Initium parum Elato.

23 cochlea è cæruleo purpurascens.



24. Cochlea marina Iantina Tab. Col.



25. cochlea
ex rufis
fuscata,
lineis
aliquot
ex longis
albisq,
maculis
cateratis
depicta.





26. cochlea, ad medium orbis, unica rufescente linea
depicta.



26



à fretto Magellanico.

23. †



27

27 cochlea umbilicata, depregata, medio orbe acuto,
variegata.


673

574

28. cochlea striata et muricata.




28



29

29. cochlea subviridis,
umbilicata, variegata.



30

30. cochlea striata, guttata depicta.

575

576

Sect. v. Cap. 5.
 31

*Cochleis marinis apice mediocriter
 producta, ore DENTATO.*



31. cochlea compressa Verrucata, lateribus acutis,
 senis, minimum, dentibus donata.



32 ^h Cochlea compressa fusca, fasciata, brevior, sinu
 longo ad rostrum notabili.





46 Rhombus maculatus, cancellatus, et . . .



44

44. Rhombus parvus tenuis, subpurpureus, maculatus fuscis fasciatis depictus.



46




45

45. Rhombus parvus, tenuis, subfuscus, bifasciatus.

749

750



46. a

751



Historia Conchyliorum

libri IV. Sect. x.

Pars Secunda

de

Rhombis Cylindro-Pyramidalibus

Rhombi cylindro-piramidales sunt uel
orepudentulo, fere longo et angusto;

Unius Coloris, certe minus variegati.

strijs, aut verruculis exasperati.

quibus lineæ Maculatæ circum inijciuntur.

Vndari.

Fasciari.

Reticulatim depicti.

labro, aut columella, aut utroq DENTATO.




Libri. IV. Sect. x. Par. 2.
Cap. 1.
De Rhombis Vnius Coloris.



1. Rhombus Cylindro-pyramidalis laevis, albidus, clauicula
acuta.

767





2. Rhombus C.P. leucophæus, ipso rostro violaceo.

764




8. Rhombus parvus, albus, bullatus.



7. Rhombus, C. R. stry capillaceis punctatisq circumscriptus, clausula intora.

756

756




3 Rhombus. Cap. similis, paulo coloratior, rictus fere toto nuda.

4 Rhombus. Cap. subroceum, bullatis fasciis ad rostrum, clausula muricata.




Ino. Mauritio.



Ino. Mauritio.

768

769




766





10 Rhombus. C.P. puncturis exiguis linealim circumscriptus, clavicula muricata.

- 16 -




11 Rhombus. C.P. magnus, lineis intersectis, ex rufo alboq. circumscriptus, clavicula plana.

- 16 -

à Sinu Bengal.



12 Rhombus. C.P. sublimidus, lineis ex rufo alboq. intersectis circumscriptus, clavicula paulum exserta.




13 Rhombus. C.P. ex rufo nebulatus, lineis quibusdam intersectis circumscriptus.



14


14. Rhombus. C.P. tenuis et nebulatus, et lineis intersectis circumscriptus, clavicula acuta.

766



15

766



16



17

16. Rhombus. C.P. subrugosus, lineis ex albo nigroq. pulchre intersectis, clavicula acuta.

17. Rhombus. C.P. albus, lineis latis croceis intersectis circumscriptus, ipso rostro purpurascente.


767



17. a.


768






17.6.

769



17.c.

770




17.d.

771




18. Rhombus, C.P. ex rufo refulgens, et hic et illic aliquot lineis interpunctatis descriptus.



18

772



19

19. Rhombus, C.P. similis, at in hoc linea punctata velut quidam
caractores ignoti conspiciuntur.




20

20. Rhombus maximus, C.P. albus quadratis maculis nigri-
cantibus circumscriptus in medio tamen duae plagulae lu-
cae conspiciuntur.

773


774



21


21 Rhombus ex rufo nebulatus, angustior, lineis tenui-
bus bullatis sive punctatis exasperatus, clavicu-
la productione, leviter muricata.

775



22

776



23



24

24 Rhombus ex rufo nebulatus, exiguis lineolis ad rostrum bulla-
tis exasperatus, clavicula muricata.

777



24 . a .



24 . b .

778



libri. IV. Sect. x. cap. 4.
de Rhombis Vndatis.



Ins. Mauritio.

25. Rhombus albus. C. P. ex nigro
re. C. P. rubus maculis undatis cir
ca nigro.

Ins. Mauritio.



26. Rhombus por. u. C. P. maculis ex ru
se nigricantibus undatis depictus.

77



27

27. Rhombus subulatus. C. P. lineis quibusdam punctatis et foveis
undatis depictus.

780

Jamaica.




28

28. Rhombus major. C. P. undatis, secundum longitu
dinem, depictus, clavicula compressa.

781





29

29. Rhombus. C. P. ex rufo undatus, clauicula acuta, sulcata.


782



30

30. Rhombus. C. P. tenuis, albus, raris cordis sub
 11. 12. punctis.

783



libri. IV. Sect. x.
 Cap. 5.
 De Rhombis Fasciatis.


a barbad.

31

31. Rhombus. C. P. fuscus, albida fascia insignitus, clauicula recta,
 albis maculis distinctus.

784





32. Rhombus. C. P. lineis integris subrufis dense circumdata =
tus.

33 Rhombus ex rufis fasciatus et undatus, clavicula
tenui et acuta.

34. Rhombus. C. P. fasciatis et radialibus, rostro
late nigricante.



36. Rhombus. C. P. fuscus aspers et fasciatus

37. Rhombus. C. P. leuifuscus, ex albo fasciatus, clavi-
cula p. ducta.



785

35 Rhombus fasciatus et undatus, clavi tenui,
786



libri. IV. Sect. x.

Cap. 8.

de Rhombis RETICULATIS.

39. Rhombus C. P. reticulatus,
clavicula nodosa.


39

ad explar Rambr. V. rym.

787



Ins. Mauritio,



40. *Rhombus major*. C.
P. ex rufo vermiculatus.



41. *Rhombus parvus*. C.P.
ex rufo minutis maculis reticu-
latus et fasciatus.


42. *Rhombus*. C.P. parvus, ex rufo dense reticu-
latus.



42

788

789



43

43. *Rhombus*. C.P. ex rufo vermiculatus, sine maculis inaequali-
bus reticulatus.

790


libri. IV. Sect. x.
Cap. 7.
Rhombie Dentatis



44

44 Rhombus parvus, dentatus, ...

791



45


792



Sect. V. Cap. 6.

de

*Cochlis marinus, apicē mediocriter productū, ore edentulo,
Levibus.*




33

33. cochlea strickior, latis fascijs rufescentibus, per longum ductis, distincta, Columella Alba.

508

*34. cochlea uentricosior, fascijs ex nigro purpurascētibz, ad tergum coriē undatis,
ipsa columella purpurascēte.*



34

Jamaic.

34. Buccinum variegatum tenue, V. 51 CODES. Tab. COL.

679






34 a

680

35. *cochlea umbilicosa*, ex flavo viridescens.



35

afric.
jamaic.

681



35. a.

682

36. cochlea parva, ex fusco rufescens, lineis
aliquot undatis albis depicta.



36

37. cochlea leviter et dense striata, crebris un-
datis lineis rufis per obliquum depicta.



37

Barb.

jamac.




38

38. cochlea sublimida, nigris lineis undatis distin-
cta; hujus varietas est in qua lineae et nigriores et
multo plures sunt.

683

39. cochlea rufescens, aliquot lineis catenatis circumdata, ipsa ima primi orbis parte leviter
sinuata.


40. cochlea uiri-
descens, aliquot
lineis catenatis
ex albis ruf-
escens macu-
lis compositis
depicta.




39



jam.



41



40



42

41. cochlea rufescens, strigi nodosis exasperata.

42. cochlea strigi leviter no-
dosis guttatum depicta, oris mar-
gine interna serrata.

684

43. cochlea nigricans, dense et leviter striata.

1



43



44




685

1
45. cochlea, subviridis, maculosa, striata, umbilicata.



586



587

Sect. V. Cap. 7.

de

Cochleis marini, apice mediocriter producta,
STRIATA.



47



48

48 cochlea simili, paulo producti.

47. cochlea alba, ventricosa,
videns, strijs eminentibus
exasperata.



49

49. cochlea simili cylindracea,
densè et laeviter striata.



50

50. cochlea ex fusco
rufescens, ore promisso, et
obliqui et rectis strijs exas-
perata.

maritima.

51. cochlea ua-

riogata, strijs raris ad m-
odum eminentibus exasperata.



51



52

52. cochlea alba, imò parte cuiusq. orbis crenata.





54. Buccinum striatum 60 x 17 1/2 Fab. Col. cochlea alba dense et acuta striata.



55. cochlea ex fusco rufescente, dense et laevi
striata.


590

56. cochlea albida, ad unum quomq orbem una vel
altera seria rugulula.

A




A



57. cochlea alba, dense striata, orbis priori
superiore parte paulo depresso.

58. cochlea alba, medio quoq, orbe late
excavato.

A




59. cochlea longissima clauicula, medio quoq, orbe unica
valde acuta et eminente stria.

591



50. cochlea variegata dense et admodum tenuiter striata, item
 quolibet orbe duae insignes striae paralelae.




60

532

Sect. V. Cap. 9.

de
 Cochlii marini planicula tenui et longissima,
 Lavibus.



61

62 cochlea variegata, parum aut tenuiter striata, parte orbis cuiusq. superiore, fortiore.

593



Buccinorum & Marinarum

Seção VI.

de Neritis.

Neritæ sunt vel

Dentati, certè ex parte Columella,

labro crasso,

majusculis dentibus.

exiguis.

apice

paululum exerto.

compresso.

labro tenui, paululum extento,

variâ, picturâ eleganter insignitâ.

striatâ.

fasciatâ.

maculosa.

Edentulâ,

laevem.

muricatâ.



Sect. VI. Cap. 1 de neritis DENTATIS,
clavicula paululum Prominente.



1 nerita maximus variegatus, striatus, ad columellam ex auro aut croceo rufescens.

barb.
jamaic.



barbad.

2 nerita profunde striatus, ex purpura nigricans, seu variegatus.




3 nerita profunde sulcatus, dentibus introsum flexis,



4. nerita admodum Tenuis et laevis, raris et profundis Sulcis
donatus, j^oq^o FLAUESCENTE
brevis dentibus
ad labrum om-
nino edentulus.



5. nerita niger
exiguus dentibus



levis Sulcatus
ad columellam

Jamaic.

6. nerita nigricans, levis Sulcatus, clavicula parum compr-
essa, multis et exi-
guis, admodum
acutis, ad colum-
ellam.



8. nerita magnus varieg-
atus, rugosa, ipsa
edentulus,
acuta.



alut, sulcatus, columella
tamen et rostro fere
ipsa clavicula

696

9. nerita profundè Sulcatus, ex albo nigroq^{ue}
variogatus, paucis et exiguis dentibus ad
columellam, ad rostrum multis et longè diductis.



barbad.



afric.

10. nerita exiguus, niger, laevis, aut certe levis
admodum Sulcatus, utrinq^{ue} dentatus.

697

Sect. VI. Cap. 2.
De neritis dentatis, clavicula
compressa, striatis.

11. nerita magnus,
 tenuiter striatus,
 ipsa clavicula, et
 ore interno Circino.



11

12. nerita exiguis dentibus tantum ad columellam, profunde
 striatus variegatus, seu ex
 rufo fasciatus.



12

13. nerita tenuiter striatus, ad columellam tantum dentatus,
 undatis maculis nigris eleganter distinctus.



13



14

14. nerita ore utriusque dentato, strys magnis et parvis alternatim
 dispositis donatus.


598





15. nerita profundis et laetis sulcis strigis, adeo
paucis et altis distinctis, variegatis utrinque dentatis.

699



Sect. VI. Cap. 3.
de neritis dentatis clauicula
compressa, Levinus.



16. nerita leuiter et
lucis mirabilis depictus. raro striatus.



In. mauritio.

17. nerita utrinque dentata, ore citrino, eleganter
et undatum variegata.

600

18. nerita exiguus, Viridis.



barbad.



19. nerita reticulatus, clauicula ad unca, plurimi
et exigui dentibus ad columellam.



20



20. nerita ex fusco purpurascens, tribus fascijs & quolibet vari-
gatis eleganter depictus.

601



21


21. nerita albidus, ore citrino, minutuli fascijs inequalibus
depictus, an idem cum 17.?



22



22. nerita ex flavo subviridis, citrini undis eleganter depictus.




23


23. nerita maculosus, purpurascens, tribus vel fascijs & nigris
quibusdam caractribus confectis depictus.

603

Sect. VI. Cap. 4.
de Neritis ad COLUMELLAM DENTATIS,
labio productione, edentulo.


24. *nerita albidus, lineis aliquot angustis, nigris, undatisq,*
depictus, quibus etiam singulis sua umbra est.

25. *nerita latilineus, interstitijs albis*  24
divans.

26. *idem maculis ad interstitia*  25
latis, flavescentibus.

27. *nerita Vaduatus.*

28. *nerita Reticulatus.*

29. *nerita maculis trigonis depic-*  27
tus.








606

34. nerita nigricans, qui color maculis etiam distinguitur, lata fascia albicante una vel altera depictus.
35. nerita quasi squamosus, bini fascijs squamosis eleganter admodum depictus.
36. Idem aut similis interstitijs purpurascens notabilis
- 37.




38. nerita reticulatus sive squamosus, labro productiore, fascia lata albicante insignitus.


606












2. auris marina major, latior, plurimis foraminibus, eorumque uestigiis ad 40 circiter conspicuis, clauicula elata.

611

Afric.




3. auris marina minor, dense striata ^{ex} Margine internâ.



4. auris marina aspera, clauicula lata, compressa, item Limbo valde lato insignita.

612





5. *Auris marina ingens, profunda, sulcata.*

613

6 *Auris marina laevis, è flavo-viridescens, columella plana et paululum cavata.*



6

614



Historiae Conchyliorum

Libri IV. SECT. VIII.

De Trochis.

Trochi. *Sunt uel,*

Pyramidales;

apertura, siue basi

leuiter Tumida.

paululum caua, siue Sinuata.

Plana.

Clauicula Breuiore, medys orbibus

Tumidioribus, columella Erectiore.

Umbilicati;

dentati.

edentulj.

Columella Integra.

media basi Tumida, clauicula

Compressa.

Vnico dente Acuto ad columellam.

Sect. VIII. Cap. I.

de

*Trochis Pyramidalibus, apertura sine
basi. leuiter Tumida.*



*1. trochus pyramidalis uariiegatus, Limbo angusto in summo
quoque orbe circumdatus.*




*2. trochus pyramidalis parvus, ruberrimus, fasciis crebris exa-
peratus.*






3 trochus P. maximus, latè radialia ex rubro .

617




4. trochus P. parvus, ex viridi variegatus .



618

6 trochus P. ex rubro variegatus, asper, sinuosus .

619





6. trochus P. major, ex rufo late nebulatus.




8. troch. P. exiguus, rubris lineolis undatim depictus, striatus.


9. trochus planior. P. striatus, muricibus radiatim ad marginem dispositis.



an idem imperfectior?








ad exemplar Holleri.

10. trochus. P. fuscus, striatus, clauicula ualde producta.

624



11. trochus. P. variegatus, trochii nodi exasperatus, auricula tortili insignitus ad columellam.



11 a

625


626




Sectio VIII. Cap. 2.

de

trochis pyramidalibus, basi
paululum cavâ sua sinuata.




13



13. trochus planior, striatus, basi valde cava.






14

Jamaica.
Barb.

14. trochus *P. albidus*, *striatus*, *muricatus*.

628



15

15. trochus *P. iterius*, *albidus*, *asper*, et *inequalis*.

629



16

16. trochus *maculatus*, *nodosus*, *auricula tortili donatus*.

630



17

17. trochus *P. variegatus*, *strijs* *nodosis* *distinctus*, *basi* *radice* *cava*.



18

18. trochus *P. gravis*, *variegatus*, *angustior*, *strijs* *nodosis* *exasperatus*.

631



19

19. trochus. *P. brevior* ex rubro undatim variegatus, ceterum subcaeruleus, strys insignibus nodosis valde asper.



21

21. trochus *P. parvus*, ex viridi sine subcaeruleo variegatus, insigniter umbilicatus.



20

20. trochus. *P. variegatus* nodosus, columella dentata.

632

633



SECT. VIII. Cap. 3.


de


Trochis apertura sine basi
Plana.

22

22. trochus planus, maculatus, strys nodosis distinctis, umbilico aculis denticulis repleto.


634






23. trochus planior, striatus, margine pulvisata, umbilico omnino edentato.

635



exemplar HOLLERI.




25. trochus planior, maculatus, umbilico leviter dentato, laevi.

636

Q-10





26. trochus dentatus, ex fusco variegatus, nodosis
fascijs circumdatus.

Barbad.



27. trochus parvus levis, ex fusco late radiatus.

27. trochus parvus levis, maculatus.

Barbad.





Sect. VIII. Cap. 5.
de
Trochis Cochleæformibus, Umbilicatis,
EDENTULIS.



29. *trochus umbilicatus, edentulus, striatus, undatim ex fusco radiatus.*



Barbad.

30. *trochus maximus laevis, ex nigro maculatus.*

640

31. *trochus parvus, striatus, undatim ex fusco deni radiatus.*



32. *trochus planior, undatim ex rubro late radiatus.*

641



Sectio. VIII. Cap. 6.

De


*Trochus clauicula brevior, Columella
paulo ERECTIORE Integra.*

Mar. Medit.



33

33. trochus levis, ex nigro seriatim dense maculatus.



34

Tro. Canaria.


*34 trochus valde similis, præterquam quod orbium pars inferior
sit paululum sinuosa.*





35

35 trochus laevis, fasciis casenatis ex nigro albo, ore
cuius nudi, quodam opere depictus.



36

36 trochus fuscus, nodosus, muricatus.

643

644



37

37 trochus variegatus, ore dentato, fasciis nodosis cir-
cundatus.



38

Barbad.

38 trochus niger, variegatus ex viridi rufoque, basi laevi, ore
nudi, cuius nudi, quodam opere depictus.

645



39

Barbad.

39 trochus parvus, basi, nodosa, reliquum muricatus.

646



40. trochus magnus, basi profundè sulcata, asper, siue murica-
-tus.



Jamaica. 10



41

41. trochus major, fuscus, asper, auricula latè Crocena.

647



42


42. trochus levis, subrubris undis elegantè
depictus.



43

43. trochus tenuis, rubor, quasi reticulatus.

648



SECT. VIII. Cap. 7.
de
Trochis basi media LEVITER
Tumida quasi altera clauicula.



44. trochilus planus, ex fusco maculatus, strijs
nodosis circumdatus.

640



45. trochilus planus, subruber.



47. an idem cum superiore. n. 44?



46. trochilus planus, margine ex albo maculatus,
subruber, uitta fascia uermiculata depictus.

650



48. trochilus planus subfuscus, opere quodam
uermiculato ex toto depictus.

661





49

49. trochilus planus, subfuscus, uermiculata pictura rariore depictus.



50

50. trochilus planus ex purpurea nigricans, ipsa margine ex albo uermiculata.

66

Sect. VIII. Cap. VIII.

De

Trochis, unico DENTE ad columellam Acuto.

51. trochilus unident, Strijs muricatis exasperatus.



51

52. trochilus unident, umbilicatus, Strijs nodosis exasperatus.



Barb.

52



Mauritio.

53

53 trochilus unident, subulter, laevis.

67





54

54. *cochlearis*. . . *si-dens, striatus, clauscula tenuis, nuda.*

664

Libri. IV. Sectio IX.

Conchis Veneris.

Conchæ Veneris sunt vel,
Oris hiati, sive rimâ strictiore, utrinq; dentatâ.

leves;

Unicolores, sive nuntine maculosa.
lineis nigris secundum longitudinem depictæ.
lineis transversis undatim exarate.

Fasciatæ.

maculis sive punctis nigris distinctæ.
maculis albis nigris interspersis insignite.

asperæ;

striis eminentibus transversis conspicuæ.
punctis elatis nodisve inæquales.


apertura laxiore, et non dentata.

basi integra.



basi umbilicata, profundo foramine intus
Cochleato.

664









3. n. eadem cum superiore. n. 3. pictura ex parte dextra.



4.C.V. cinerea; ventre candido; utroq; capite croceo; dorso nigris
lineolis et puncturis depicta.



Madagascar.
Ins. mauritio.

660


Sect. 1X. Cap. 3.
de
Conchis Veneris undatim depictis.



5.C.V. parua, ventre sublutco, maculoso, dorso undatis lineolis
ex triplici ordine depicta.

661






Madagascar.

6

C.V. admodum levis, undata, clavicula acuta, prominula.

662



7

7 Eadem aut ualde simili, dorso gibbero, fasciata.

663

Sect. IX. Cap. 4.

de

Conchis Veneris Fasciatis, Immaculatis.



8

8.C.V. subflava, ipsa rimâ purpurascens, tribus fasciis albidis circumdata; huic interdum labia ualde callosa. interdum sextuplo grandiores sunt, quam quæ figuratur.

- 664





Madagascar.

9.C.22. Eadem, at multo leuior testa.



J. Maldini

10.C.22. parua, candida, tribus lati fascijs nigricantibus depicta.

666

666

11.C.22. fusca, ualde leui, Duabus fascijs albidis ornata.



Barbad.





12.C.22. ergia, uentre suberecto, tribus fascijs albidis depicta.

667




13. C.V. parva subcinerea, ventre candido, unica fascia fusca,
lataq; circumdata, dorso paululum gibboso, admodum leui.



Madagascar.

14. C.V. magna, Angusta, ipso ventre et denticulis nigrican-
tibus, dorso albedo, tribus fascijs depicto.

668



15. C.V. magna, leui, subcinerea, vel sublivida, in dorso.
trifasciata.

669



Iamae.

16. C.V. parva, subfusca, leui, dato dorso, bifasciata.

670




*Conchæ Veneris Fasciatæ, Et
Maculatæ, aut aliâ cum fasciis
Variegatæ.*



*17. C. V. levis, ex fusco rufescens, bifasciata, ad claviculam
tribus aut pluribus maculis nigricantibus depicta; item ad
cervicem bina tantum.*

671



*18. C. V. magna, levis, albida, maculis majusculis fuscis depicta,
quasi bifasciata.*

672



*19. C. V. fusca, bifasciata, et clavicula et linguæ canali croceis item
utrinque.*

Ascenio.

673




20. C.V. parua, angusta, lunda, dorso bifasciato; denticuli non
trem totum occupant, utroq; capite et laterib; maculatis.



S. Maldivis.

22. C.V. parua, angusta, lunda, ventr. c. Plano, lani; maculatis late-
ribus dorso fasciato.


674



22. C.V. fusca, rugosa, lani; gibba, ferè trifasciata, fusca, grandi
maculis albis depicta.


675

24. C.V. angusta, lani; bifasciata, fuscis maculis depicta.



23. C.V. lani; subfusca, bifasciata, maculis exiguis
candidis notata.

676



Madagascar.

677




25. Eadem, picturâ ex parte oblitteratâ.
a. Madagascar.

678



an eadem cum A. Superiore?
picturâ in hac tabescente et multum detrâta.

679




27. C. V. subvîda, quasi bifasciata, magnis maculis ex atro-
purpureis in lateribus depicta.

680



29 C. V. magna, gibbosiore, latior, multis majoribus maculis
nigricantibus, donata.



Madagascar.



30 C.V. *erecta*, dorso nebulato, lateribus raris maculis nigris depictis;
ipsa ventrisrima subrocea.



à Sunda-Ind. Or.
P. Mauritio. Accentio.


683



31 C.V. *Levis*, maculis rufescentibus dense exornata, ventre
albo.

684


32 C.V. *lanceolata*, gubba uni-locis, maculis fuscis distincta.



à Sunda.

685


33 C.V. *levis*, minor, maculis subflavis depicta.



Madagascar.
à Sunda-Ind. Or.

686


34 C.V. ex viridi fuscescens, lata, valde gibbosa, maculis fuscis
latis depicta.



Jamaica.

34

35 C.V. fusca, angustior, minima gibba, maculis latis fusco-
rufescentibus depicta.



35

5-7


688

36 C.V. maxima, longissima, maculis ex fusco rufescentibus.



36

689




37


37. eadem cum superioribus, nr. 24. 25. ventre et lateribus
incrassati.

690






39. C.V. cinerea, infinitis albis puncturis exiguis depicta;
item ad mediam marginem utriusque lata macula ex fusco
nigricante.



J. Mauritio. Accentio.



40. C. V. *crassa, subfusca, maculis albis diversae magnitudinis depicta, ad latus lineis aliquot fuscis dense quasi striata.*




à Sunda, Ind. Or.

693



41. C. V. *parva purpurascens, exiguis maculis albis dense depicta.*

694



42. C. V. *parva, ventre et lateribus albidis, dorso subflavo, albis maculis majusculis et sphaericis distincto.*


695



43. C. V. *parva, latiuscula, paululum gibbosa, ventre maculoso, dorso fusco, et albis innumeris et paucis nigris puncturis depicto.*

696


44. concha. V. maxima, fusca, innumeris maculis albis depicta.



44

697

45. concha. V. major, fusca, cui maculae major, fultae albæ; item
maculae fuscae albis circulis circumdatae.



Jamaica.

45

Iam.

698




46. Eadem cum proximè Superiore, tamen fasciata, et majoribus maculis.



Jamaica.


690

47. concha. v. parva, tenuis, ventre albido, virgatis maculis depicto, dorso subfusco, innumero puncturis albis distincto, item utrinq ad latera macula grandis ex fusco nigricante.



47

48. C. v. parva, tenuis, ventre laute purpurasc. maculosq. item in dorso huic maculae quaedam nebulosae et puncturae albae.



48

Bengal



49

49. C. v. parva, tenuis rima candida, dorso fusco, maculis albis reticulatim depicto.

700

701



*Concha Veneris maculis albis
quasi Reticulatis depictæ.*




I. Mauritio.

*50. C. V. crassa, uentre lato, rima albida, lateribus nigricantibus,
dorso summo albis maculis depicto.*

702


*52. C. V. magna, crassa, lata, uentre et ipsa rima nigricante, dorso
50 magnis maculis reticulatis depicto.*



I. Mauritio.

703

*53. C. V. tenuis, lateribus, nigricantibus, dorso maculis albis distincto,
eaeodem cum n. 49.*



I. Mauritio.

704



*54. C. V. major angusta, in uentre 4 maculae latae nigricantes; in
dorso circuli fusi rotundi.*

705





57. C.V. exigua, Striata, leuiter admodum rufescens, in summo
dorso integro maculae rufescentes.






Sect. 1X. Cap. 8.

५६

Conchis Veneris punctis elatis exasperatis, nodisve inaequalibus.



58 E. V. parva, fusca, utroq. capite ex fusco FLAVESCENTE, exiguis
vel punctis vel tuberculis exasperata, ventre late striato.

59. C. villosa, ponderosa, aliquibus nodis inequali, modo alba,
modo citrina.



Nigrularum moneta.




47.

Simbi Puri dicti, juxta Insulam Lovardo expiscati.

709

Saccharum subflavum, modo *S. cald. exarist. n.*
12. *S. circumb.*



53. C. 2. *serice albida, dorso striata et nodosa, capite utroque*
bicorni.




Madagascar.



L. f. chinensis, annulis rotundis croceis exasperatis, uentre
nigro, pedicellato.





67. *C. V. parva, albâ, dorso acuto, ad uerum caput uelut singu-
lariter uerum labro altero rugoso.*




67



68


68. *C. V. altera dorso angulato, leuiter admodum striata.*

712






2. pecten magnus, subrufus, Uasingatus, Sexdecim strijs,
 ipsiq. striatis distinctis, et canaliculi laeviores sunt.




165

3. idem ex interna parte.




166

4. pecten omnium longè maximus, minùs cauus, octo uel decem, ad summum, strijs donatus;
item huic canaliculi profundi.



a uerg. Ind. Occ.

*S. pecten ex albo rufescens, tenuis, admodum
cavus, leviter canaliculatus.*



5

jamaic.


168

idem




168.a.

6. pecten minor, variegatus, plurimis stryis
 alui et recti lateris distinctus .



Ind. Orien.

169



170



8. pecten minor, tenuis quaternarius stryis
 minus extantibus donatus .


171

A



9. pecten minor ex Croceo variegatus,
 asper et fere sinuosus et inequalis, leviter
 et admodum crebro striatus .

172








12



Barb.



13

13. *pecten albus, angustus, Strijs crebris tenuibus et Imbricatis exasperatus.*


176



175




Barb.



14

14. *pecten albus, Striatus, Rhomboides.*



15

15. *pecten albus, Striatus et Muricatus.*

177

178



16

Ind. orien.

16. pecten variegatus, stris circiter Octodacem
majusculis donatus.




17

17. pecten subrufus, stris viginti quatuor, ad
minimum, donatus.

179

180


18. idem cum Superiore n. 17.



18


A

181




19

182




184



185




24. pecten ruber, strijs circiter decem nodosis
 Sive Burris et inaequalibus donatus.



24


186



25

187

26. pecten compressus, decem circiter majus-
 culis strijs, ysq, planis et sine nodis donatus.




26

188




23. pecten parvus, ex croceis variegatus, tenuiter admodum striatus, alternis fere strijs paulo minoribus.

189




27. pecten mediocri, latus, ex rufis variegatus, circiter viginti strijs tenuiter admodum striatis distinctus.

190



28. Idem cum Denticeus sub aure, et non nisi altera et infima valva est.

191




192



31. ejusdem altera valva plana, Denticulata .

32. *Ostrea arborea* dorso unciato.



Jamaic. *Ostracea annexa baculo* Androu.

197



198




33



jamaic.


199

34 . . *Ostrea Virginiana* .





35



201




37. eadem supina.





204

ostrea sylvestris Rondeletij.



39. *ostrea levis* subpurpurea vel subaurea,
instar margaritæ, intus et extra resplendens.

205



41. an spondylus Aldrouandi, Rond? Spondylus
 ...ui, leuiorq.




41



207

42. Spondylus cinereus, striatus, ipis pyxidibus dentatis.



42




208



43. *Spondylus striatus*, mo. ii.
rubris depictus.

43



209



44



44. *Spondylus striatus*, mo. ii.
Dionaea.

210



45

46

211



47

Barbad.
Jamaica.

212



48



49




49 Concha uerlice muricatum intorto, Fab. Col.

215

214

Barb.
jamaic.



50



51

215



52

216



53

217






55. *pecten tenuis* aure alera productione.
pecten tenuis testæ Aldrou. Genuesibus Dattrei dictæ.


220

56. *Concha margaritifera*; Berberi Antiquis Indis dicta.



221

58. eadem supina.



Jamaic.



Jamaic.

57. eadem protra.

223




Jamaic.


59 Mytilopæctunculus auritus rarior, berberoides Fsb. Coz.

224.


Sect. 1. Caput. 2. de Pectinibus binis apophysibus longis conjunctis.
 60. Pecten planus, pellucidus.



61 idem ex interna parte.










63. *pecten* leviter caesus, levis, ex rigo Striatus, tenuis
quater-nisve articulationibus donatus, vertice acuto
sive rostrato.






230 .




65. *pectunculus* è fusco rufescens, admodum
dense striatus .

231







232



233



68. *pectunculus* strijs raris et admodum acutis et emi-
nentibus, jisdemq; aculeis quibusdam exasperatis;
item ex interna parte capillaceis strijs insignitur.

234




A. P. GARNSEY.


69. *pectunculus* exiguus, albus, admodum
tenuiter striatus.

235

71. *pectunculus* dense et profunde striatus, ovali figura.



70



71



campeche.

237

72. *pectunculus* gravis, raro et multis profunde sulcatus, ex fusco viridescens, articulationibus laminatis.

jamaic.


70. *pectunculus* albus, crassus, profunde sulcatus, edulis concha.



236



72



Jamaic.


238

Sectio. 2. cap. 2.

Pectunculus Polyleptoginglym^{de}, margine rotunda.

Striatis.

*73. pectunculus maculatus, strijs rotundis, at rarioribus
donatus.*



73.




Bengal.



81

*81. pectunculus exiguus, laevis, rufis maculis punctum.
Depictus.*




77. *pectunculus maximus*, subjaceus, leviter admodum sulcatus.



Jamaica.

240




78

78. *pectunculus Stoyi magnus et muricatus* Donatus.



241

74.



79

79. *pectunculus Stoyi planis et dentatis insignitus*.



Campeche.

242




74


Barb.

243

75. pectunculus rostro siue collo tenuiori, stylo admo-
dum dentatis.



75.




J. Orient.

244

76. pectunculus subrufus, paululum sinuosus, dense et leuiter
admodum striatus.



Jamaic.



76

245

Sect. 2. cap. 3.
Pectunculi Polyleptoginglymi, margine
rotunda, Leuivus.




80

80. pectunculus magnus, uelut liboruli quibusdam
rufis deganter exaratus.

246


Chama Glycymeris Bellonij.



A. J. Garsney.

82. *pectuncululus ingens, variegatus ex rufis.*

247




248

Sectio. 3. Cap. 1.


-De

PECTUNCULIS LÆVIBUS, TRIQUETIS
ferè, ceruice angustiore.




83

Barb.




83. pectunculus laevis, aut certe admodum tenuiter striatus,
tenuis, margine dentata, flavescente et interdum purpurascens.

24.9



84

84. *pectunculus* ex flavo variegatus, quadrangulatis, rhomboides, siue margine una quasi in angulum coccute .



85

85. *pectunculus* triquetrus, ex flavo radiatus .

250

251

87. *pectunculus* crassiusculus, albidus .

86. *pectunculus* triquetrus, albus, intus, ex viola purpuraceo




Afric .

86

252

A



87


A



88

88. *pectunculus* latus, admodum planus, tenuis, affinis .


253



Japan.

89. *pectunculus ex rufo variegatus.*

254




90. *idem, pictura magis oblitterata.*

255

92. *pectunculus uel^{ut} caracteribus quibusdam ex nigro depictus.*



91. *ut idem similiter?*




256




93. *pectunculus parvus, ex fusco uelut radiatus.*

257




94. *pectunculus major*, ex rufo undatim depictus.




95. *pectunculus RETICULATUS*.

255

259





97 *P. Maurir.*


261



98 *pectunculus undatim depictus.*


262

100. *pectunculus tenuis, leviter purpureo-ros,*
radiatus, an idem cum superiore?



99. *pectunculus tenuis, albidus, umbone rubescenti.*


263



mare. mediter.

264


101 pectunculus planus albidus, intus leuiter
flavescent .



Jamaica .


265

102 pectunculus admodum latus, planus, intus et extus
candidus .



Jamaica .


266



103 an idem cum superiore n 101 ?

267


Sect 3 cap. 3.
 de
Pectunculus Levibus, rostro Recurvo .



104 *pectunculus gravis, subfiscus, radiatus .*

268

a D.E. Floyd.




105. *pectunculus, superiore paulo planior .*

269


107. *pectunculus* marginis dense crenata, intus ex viola
purpurascens.

106. *pectunculus* maculatus.



106

jamaic.



107

270

271

108. *pectunculus* maximus, subfuscus, vixit graui.




A

108

272


110. *pectunculus profundior, ad alterum huius
modum Sicut longiusculus.*

109. *pectunculus ex toto albidus, paulo planior.*



109

jamaic.



110

Jamaic.

273

274.

111. *Bucardia Aug. Scilla.*



111

mar. adriatico:



275

Pectunculi Fasciati sunt, vel

ex altera parte, juxta rostrum,

Lunula quadam notati, quæ,

clausis testis, etiam Cordis

Figuram repræsentat.

Marginis, ima, ex interna:

parte, densa striata siue



serrata.

Levi.

utrinq; ad rostrum integri.







jamaic.

115 idem. an crebrioribus fasciis donatus?






116. *pectunculus variegatus*, gravis, fascijs latis et
Pulvinaris conspicuus.

117. *pectunculus variegatus*, rostratus, rugosus.
118. idem, est valde simili, cancellatus.



Jamaica.



279

280

119. *pectunculus orbicularis*, planior, rugosus.




A

120. *pectunculus fuscus*, dense fasciatus, eleganti
quadam pictura undulata insignitus.

281

282


122. *pectunculus* omnium crassissimus fascijs
ex latere bullatis donatus.



121

Campeche.

121. *pectunculus* albus, creberrimis fascijs acutis ex-
asperatus.




122

mar. mediterr.


283

284

123. *pectunculus* variegatus.



122. a.




123

Tanaic.

285

286



125. a.


125. a. idem cum n. 122. a.

287

Sect. 4. Cap. 2.

De

Pectunculi fasciatis, Lunula
quadam notatis, margine Lavi.



124

jamaic.

125. pectunculus albidus, dense fasciatus, latissimus,
admodum planus.


288





125. an idem parvulus?


289



A

126. pectunculus rostro productiore, capillaceis fasciis donatus.


290



A
J. GARNSEY.

127. pectunculus densè fasciatus, ex rubro variegatus, et undatus.

291





128

128. pectunculus crassus, densè fasciatus, leviter ex rubro variegatus.

292

129. *pectunculus subfuscus*, tenuiter admodum
fasciatus.



293

294




295

Sect. 4. cap. 3.

de

pectunculis Fasciatis, utrinq;
ad rostrum Integris.



133

133. pectunculus albus orbicularis, crasse
fasciatus.

206



134

134. pectunculus tenuis, albus, tenuiter fasciatus.

α Norwegia.

297






135. *pectunculus planus*, ex internâ parte
lutescens.
a Jamaica.


298

136. *pectunculus planus*, crassus, ex rifo
radiatus.



J. Garnsey.

299



142. *pectunculus parvus*, albus, profundior, tenui-
undatus.

301



137. *pectunculus sublevis*, planus, tenuis, utriusq. à rostro
sinuosus.


300



143



143. *pectunculus fasciatus* quasi *Dentatus* *donatus*.



144

144. *pectunculus tenuis*, co. *ruola purpurascens*, *radiatus*.

302


303

138. *pectunculus albus*, admodum *crassus*, *striis suis sulca conspicuus*.



145

145. *pectunculus crassus*, co. *rufis variegatus*.




138


Jamaic.
Barb.

304

305



139. *pectunculus ruber, crasse fasciatus.*
a Jamaica.




140. *pectunculus ruber, fascijs acutis et ex*
altera parte Muricatis exasperatus.

306-

307

141. *pectunculus albus, tenuis, rhomboides,*
rarioribus fascijs ex
asperatus.



a sinu Campeche Jac.





308

Pectunculi *Striati* *Sunt*, *vel*
à rostro ad marginem Productiores,
strijs à rostro ad medium usq, Dorsum
Concurrentibus.
Diuersimodè exaratis.
Similiter ab Ipso Tantum Rostro
diductis.
Dorso ad alterum latus pau-
lulum èmicante et
acuto.
in aciem compresso.
Asperuli.
Muricati.
Leves, i.e. nulla omnino
eminentia exasperati.
Cancellati.
ex Altero latere multò magis Diffusi.
latiores.
angustiores.
Imbricati, ingentis fere magnitudinis,
quibus etiam, præter convexionem
pyxidatam aliquot Incurva ad
alteram cervicis partem.



Sectio. 5. cap. I.

de. Pectunculjs, Striatis, productionibus,
strijs à rostro ad medium usq, dorsum concur-
rentibus.



145

Ind. Orion.

146. pectunculus ex rufis variegatus, strijs tenuibus.




147. pectunculus parvus, alb^{us}.




147

311







149



idem cum superiore.




150




150. pectunculus ruber, bifariam striatus.

313


314







153



154

A

154. *pectunculus exiguus, subfuscus.*

Jamaic.

153. *pectunculus subrufus, stris crebris do-*
natus.


316

31.

Sect. 5. Cap. 4.

de

Pectunculis striatis, Dorso in aciem
compresso.



155


J. Orion.

155. *pectunculus maculatus, dorso de marginibus circum-*
cincto.

318



156. *pectunculus* Dorso sine margine locui.



319




157. *idem* alio atq; alio positus.

320

Sect. 5. cap. 5.
De

Pectunculis, striatis, Muricatis,
Aperitis.




158

158. pectunculus magnus, medijis strjjs planis et muricatis, jjs=
demq; ad litora utriusq; Bullatis.

321





159


jamaic.

159. *pectunculus tenuis* modo ruber, modo citrinus, Strijs nure ex parte nure ex toto muricatis.



322

160. *pectunculus* crassus maculatus, Strijs imbricatis conspicuis.




160

jamaic.

323

A



161

mare adriatico.

161. *pectunculus orbicularis*, fuscus, Strijs medijs muricatis.


324

162. *pectunculus tenuis*, *strijs acutis rarioribus*,
muticulis.



162

163. *pectunculus sublucens*, an *idem* cum superiore n. 159?




163

Campeche.

325

326


164. *concha exotica in argine in mucronem emissa* Fab. Col.



164

327

Sect. 5. cap. 6.
De Pectunculis striatis, strijs A Rostro
Tantum diductis, Levibus.




Campescha.

155. pectunculus magnus, imbricatus, intus leuiter rufescens.

328

166. pectunculus major, crassius Strijs donatus, et
veluti fasciatus ex rufo.



mar. medit.




167. pectunculus orbicularis, ex altero latere praelongus, latiusq; den-
tibus conspicuus.

330

329




168. *pectunculus angustior, rufescens.*



Jamaic.

331


A



169. *pectunculus subfuscus, styje leviter tantum incus.*

332

170. *pectunculus ex altera parte fuscus, et productior, capite siue rostra majusculo.*



Jamaic.

333

171. *pectunculus capite minore, rotundior, et magis aequali marginibus.*

A



334



Sect. 5. cap. 7.
de
Pectunculis cancellatis.



172

BENGAL.

172 pectunculus graui, cancellatus, cardine croceo.

335


173. *pectunculus cancellatus minor*, ex fusco
variegatus.



173

336

174. *pectunculus magnus, planus, orbiculatus*,
ferè rubescens, capillaribus singulis quasi cancell
atis conspicuus.



174

Barb.
jamac.

337



175

jamac.

175. *pectunculus parvus, intus ex violâ purpurea*
-cens.

338



176

Barb.
jamac.

176. *pectunculus tenuis subruber, minutissimis*
Stylis undatis exaratus.

339






178. pectunculus admodum crassus; an lapideus.
 margine dense crenata.



341


179. pectunculus tenuis, pellucidus, leviter purp-
 -urascens, dense striatus.



a Samaria.

342






180. *pectunculus fuscus*, Strijs paulum flexuosius,
eminentibus et asperis donatus.

343



181. *pectunculus exiguus*, subrufus, laetè cand-
-latus.

344



Ind. Orich. bengat.



182. *pectunculus maculatus*, majoribus Strijs
conspicuis.

345



183. *pectunculus parvus*, rostratus, Strijs asperis
et majoribus distinctus.

346



186. pectunculus angustior, ex fusco variegatus.



ad exemplar HOLLETI.

189. pectunculus ingens, raris imbricibus exasperatus.



jnd. or.


351



352



190. pectunculus admodum tenuiter imbricatus.




ind. or.

190

concha marina marmorea imbricata Fab. Col.



191



ind. or.

191. idem forte cum superioribus.


353

354

192. pectunculus striatus, et muricatus, parvus




192



355





carolin.

196. Idem cum n. 193; huius autem striae multo tenuiores sunt.

358




197 musculus exiguus
fissus, ualde cauis, nigro
-vittatus.

jamaic.

198. Idem cum n. 195.

359




Jamaic.

199 musculus major, subrigidus.

360

Musculus Mammarius.




199.6.

361

200. *musculus Subcaeruleus, fere Virgatus.*

mytilus RONDÉL.



A
201. *musculus parvus, Subcaeruleus, latus, rostro tenui, adunco.*



202. *musculus parvus, albidus, tenuis, angustior, rostro tenui, recurvo.*


204. *musculus curvus, ex nigro viridescens, angustior.*



362

363

203. *musculus, major latissimus, ex castaneo purpurascens.*



364





70. C. V. exigua, alba, uero cylindracea.




72 Concha utroq; latere se colligens, Fab. Col umbilicata, ex fusco maculata, labro sinuato.



73. C. V. umbilicata, labro promisso.

714

74. C. V. umbilicata, tenuis, strys undatis uel ramificatis depicta.



75. C. V. umbilicata, tenuis, innumeris lineis rictis circumscripta.

715



HISTORIAE Conchyliorum

libri IV. SECT. x.

Rhombis ^{de} sive Strombis.

Rhombi sunt uel

Cylindracei

columnella DENTATA, CRASSI,

unius coloris.

maculosi.

fasciati.

undati.

dorso gibbo.

EDENTULI, TENUES,



ore strictiore,

patulo, clauicula EXERTA.


DEPRESSA.

Cylindro-Pyramidales etc.






2. Rhombus ex fusco nigricans.







6. Rhombus parvus, majusculis maculis distinctus, et labro et columella ex uiole purpurascens.




4. Rhombus leuiter ex purpura maculatus, ore subcroceo.



5. Rhombus et paruis puncturis et rarioribus aliquot maculis majusculis depictus, ore sub-luteo.

7. Rhombus parvus angustior, dense maculatus, labro tantum interno leuiter purpurascens.



8. Rhombus exiguus, minutè admodum punctatus.

lib. IV. Sect. x. cap. 3.
de Rhombis cylindricis dentatis fasciatis.



9

9. Rhombus major, striatior, undatus et fasciatus,
clavicula acuta productiore.


722



10

10. Rhombus ventricosus, callosa columella.

723



12. *Rhombus fuscus, quasi reticulatus, clavicula integra.*



11

11. *Rhombus major, ex fusco undatus et fasciatus, clavicula sulcata.*

724



12

Barb.



13 Barb. ad.

13 *Rhombus exiguus, fere albidus, clavicula productiore.*

725



K. a.

726



14

14. an idem cum. n. 11? fasciis nigricantibus.

727

15. *Rhombus* quasi reticulatus et fasciatus, clauicula sulcata, compressa.



17 *Rhombus* parvus, tenuis, rictu patente, ipsa columella fusca, clauicula productione acuta.

16. *Rhombus* nebulatus et fasciatus, columella sub
 crocea, clauicula sulcata.



728


729

18. *ea* idem cum proximè superiore, at nondum.




19. *Rhombus* columella ima callosa, minus ventricosus.

730



21. Rhombus idem aut similis cum. 2. 3. sed magis undatus.



732


22. Rhombus exiguus, medio undato, ipsa clauicula candida, cor-
lenta callida.



733



W.G.




23. *Rhombus* *crassioribus* *undis* *exaratus*, *clauicula* *obtusapunctata*.



24. *Rhombus* *densis* *undis* *depictus*, *clauicula*, *obtusapunctata*.

734.



lib. IV. Sect. x. cap. 5.
de *Rhombis* *cylindr.* *dentat.* *Dorsis* *gibboso.*



25 *Rhombus* *gibbosus* *ex fusco* *nigrican.* *undatus*.

735

libri IV. Sect. ∞ . Cap. 6.
De Rhombis cylindricis Edentulis, ore Strictiore.




30



31


30. Rhombus onustus, tenuis, nebulatus.
31. Rhombus argenteus, tenuis, fasciatus.

736



32

32. Rhombus argenteus, tenuis, punctatus.



33

33. Rhombus tenuis, virgulis catenatis et bicoloribus circumdatus.

737

738




26. *Rhombus gibbosus*, fasciatus et tenuiter undatus, clavicula
acuta et paulum producta.




27. *Rhombus gibbosus*, ex toto nigricans.
28. *Rhombus gibbosus*, ex nigro fasciatus.

79



29. *Rhombus gibbosus*, undis variis exaratus.




38. Rhombus proximè Superiore similis, at præterea uermicu-
latus depictus.

742




39. Rhombus grauior ex rufo nebulatus, item lineis intersec-
tis densè circumdatus.

743




34



35

35 Rhombus gravis rostro strictiore, Strijs punctatis circularibus exasperatus.



36

744

745

41 Rhombus maximus, ex rufo uermiculatus, denticulo mucronato.



40

40. Rhombus brevis, croceus.




41

Int. Mauritio.


746

747

libr. IV. Sect. x. cap. 8.
 De Rhombis dentulis, ore patulo, clavicula
 Compressa.



42. Rhombus tenuis, ex rufo maculatus.



43. Rhombus tenuis, ex fusco nebulatus fasciatusq.

Historiæ Conchyliorum
libri IV.

SECT. XI.

De

Buccinis columella DENTATA.

Buccina columella striata siue dentata sunt.
CLAVICULA vel

Umbilicata, aut parum exerta,
quibusdam Conchæ Persicæ dict;
MEDIOCRITER PRODUCTA, fere pulchrè
variegata, pleriq. Conchæ
MUSICÆ dictæ;
Longissima et Tenuissima.

libri IV. Sect. XI. Cap. 1.


De Buccinis Persicis dictis.

1. Buccinum Persicum majus
clavicula pectinata, papillatum.



Concha Persica
minor Aldrovand.
Concha $\nu\gamma\epsilon\tau\omega\delta\eta\varsigma$ altera lutca minor Fab. Col.

2. Buccinum P. parvum, ex rufo nebulatum, clavicula
obtusca.




3. Buccinum Persicum ex rufo nebulatum, clavicula profunde
sulcata, ejusq; margine acuta.

795

796

4. *Buccinum Rafinesquianum*, clavicula muricibus coronata.




ad exemplar Kolleri.

797



5 an idem, corona detrita?

798



6. *Buccinum Persicum Undatum*, clavicula paululum exserta.

799

7 Buccinum subfuscum, maximum, angustum, clavula excavata, cuneo admodum acuta etc.




ab J. J. Philippi.

concha notabilis altera maxima Tab. Ter.



7.6.



801

Concha maxima Nysse 2673. Fab. Col. Concha Persica major Aldrov.



2

B. cinerea P. subrugosa, maxime ventricosum, clausula cauta.

802




9. *Buccinum P. paruum*, fasciis rufis dense depictum.



10. *Buccinum P. paruum*, maculis rufis dense depictum.

11. *Buccinum P. paruum*, sublongum, leuiter ex fusco fasciatum.

803



12. *Buccinum P. labro digitato*, dorso striato.

13. *Buccinum P. labro digitato*, dorso striis nodosis maculatisq. exasperato.

804




155



15. *Buccinum Musicum* minus, angustius, cla-
vula leviter nodosa.




806



16. *Buccinum Musicum*, tenue, ex fusco variegatum, clavula
obtus, leviter muricata.

807






17. *Buccinum Musicum*, grave, undatum, clavicula murexibus admodum acutis armata.


808

18. *Buccinum Musicum*, grave, fasciatum ex lineis quibusdam intersectis, et maculatum, clavicula leviter muricata.



ad. exemplar HOLLETI.

809



Puna 50.


19 *Buccinum* *M. rostro muricato.*

x10

21 *idem* *cum 12.18.*



21




22

22 *Buccinum* *M. pterium* fasciis punctatis depictum, clavicula striata.

812

23. b.



24



814

20. *Buccinum* *M. pterium*, ex rostro et clavicula muric.



20

811



23

a Sinu Bengal.


23. *Buccinum* *M. pterium*, variegatum, ventro sum dense striatum.



23. a.

813

25. *Buccinum* *M. rostratum* omnium facile crispissimum, fasciatum.



25

816



25. *Buccinum* *Microstratum*, et clausula tonui donatum, maculis punctatum et fascijs exasperatum.



27. *Buccinum* *M. superiori* simile, radiale.

816

29. *Buccinum* *M. subrefum*, maculis albis distinctum.



32. *B. muridatum* et maculatum.

818

37. *Buccinum* *dentatum*, fascijs depictum et strijs ualde em-
mentibus radiale.




820

28. *Buccinum* *milenae*, subulundum, fasciatum.



817

33. *Buccinum* *dentatum*, subulundum, angustum, leviter striatum.



36. *Buccinum* *dent.* *crassius*, profundè striatum.


819

38. *Buccinum* *dentatum*, striatum et sanguineis guttis radiale depictum.



821


41. *Buccinum dentatum*, laevius, sed longius, fasciis intersectis
sive maculatis depictum.



40


40. *Buccinum dentatum*, ex fusco variegatum, levis striis de-
notat circumdatum.

822



41

Jamaica.



41. b.

6
822

43. *Buccinum dentatum*, parvum, rictu compresso, sive an-
gusto, variegatum, strigis valde exasperatum.



43

Jamaica.

44. *Buccinum dentatum*, parvum, rictu angusto, laevius, qu-
asi reticulatum.



44

mare, mediterr.

824



42

42. *Buccinum dentatum*, parvum, laevius striatum, variegatum
ventricosum.

823



47. *Buccinum dentatum*, parvum fasciis alternis
 albis nigris inuicem depictum.

45. *Buccinum dentatum*, parvum, rictu angusto, laevis, exigui
 puncturis fasciatim depictum.




48. *Buccinum dentatum*, rufum, exigui ma-
 culis albis depictum, rictu subpurpureo.



46. *Buccinum dentatum*, parvum, R. N. laevis subrostratum, pun-
 cturis albis dense depictum.

825

826




50. *Buccinum dentatum*, rostratum, fuscum, clavicula muric-
 ata.

828



827

51. *Buccinum dentatum*, rostratum, fuscum, ex toto muricibus horridum.



51


829

52. *Buccinum rostratum*, dense striatum, dente uno vel altero magno ad columellam.



52

Mevis.



53



54

53. *Buccinum dentatum* rostro tenui productione insignitum, strigis et plicaturis eminentibus exasperatum.

830






55

55. Buccinum dentatum, admodum elongatum, fuscum, rufescens striatum, verrucosum.



831



56

56. Buccinum dentatum, rostratum, fuscum, laevigatum, clavicula acuta.

832

59. Buccinum parvum, rostro integro, laeve, fasciatum.



59

Barb.




60

60. Buccinum parvum, rostro integro, labro dentato, bifasciatum.



61

61. Buccinum parvum, rostro integro, angustum, labro dentato, multifasciatum.



57

57. Buccinum dentatum, rostro rotundo, rufescente, laevi, columella lata, rufescente.

833

834

58. Buccinum parvum, rostro integro, tenuiter striatum, fasciatum, clavicula paulo productiore, unico dente ad columellam.



58

835



63. Buccinum dentatum, L. fuscum, striatum, ex labro interno dentatum.




64. Buccinum dentatum, L. striis dense radiatum.




66. *Buccinum dentatum*, albidum, fasciis punctatis ex rufo-nigricantibus depictum, labro aspero.

à Inf. Mauritio.



65




838

66. *Buccinum dentatum*, graue, maculi crocei majusculi fasciatim depictum.



66




67

67. *Buccinum*
dentatum, graue, macu-
li sanguineo-crocei distincti,
clauicula muricata.

839


68. *Buccinum dentatum*, magnis maculis croceis quadratis;
fasciatim depictum, clauicula muricata.



68

840






841

70. *Buccinum dentatum* C.L. laeve, bimac fascijs et maculis quad-
ratis, rufescentibus depictum.




842



71. *Buccinum dentatum* laeve L.C. ex flavo nebulatum.


843

72. *Buccinum dentatum* laevigatum, tenui fasciis angustis subrufis depictum




Barb.

72. b.



844

72. c.




73




846

Succinum Persicum, oblongum, nitidum, maculosum Fab. Col.



74. *Buccinum dentatum*, grande, bifasciatum.



75 *Buccinum dentatum*. Col. fasciatum punctatum, imo quoque muricato orbe.

846



Historia Conchyliorum
libri IV

SECTIO XII.

De



Purpuris Bilinguibus

Buccina siue Purpura Bilingues sunt vel
laeues.

Striatae.

asperae et muricatae.

Digitatae.




4 . a .



848


849





Ins. Mauritio.
Buccinum Bilingue, laeve, fasciatum, ore
interno subcroceo.

850




Buccinum B. laeve, fasciatum, ore
croceo, columella nigricante.

851

7. Buccinum B. laeve, ualde tenue, angustum, ex rufo-
variegatum, clauicula productiore.




8. Buccinum B. laeve, clauicula striata, imo cuiq; orbi
limbus adhaerens.




852

9. Buccinum B. laeve, compactile, radijs, undatis
dense depictum.



10. Buccinum B. laeve, ex rufo variegatum, imo orbe et
clauicula leuiter muricata.



853



11 *Buccinum B. laeue, clavicula longissima, rostro
termi cornuto, labro muricato.*

11



12 *Buccinum B. laeue, longissima clavicula labro muricato,
rostro cornuto, gibbosum, columella sinu ad
tertium usq. orbem diducto.*

12

864



12 a

*Buccinum Bilingue Canadense,
labro laevj. ex inferiore parte mucronato,
clavicula dense admodum striata,
longa, tenuj.*



12 b.

*Buccinum
clavicula tenuj
rarioribus, per totum*

*Bilingue, Labro dense striato,
productiore, Striis breviter undatis multum extantibus et
fere buccinum, secundum longitudinem, decurrentibus.*


865





12.C.





14 Buccinum B. fuscum siue variegatum, Striatum.




848


15. Buccinum B. crispus et breuis, variegatum,
ore interno subpurpureo



16. Buccinum B. tenue, Strijs dense circū-
datum.




849



18. Buccinum Bilingue, grave, testro crasso sine pulchritate, maculatum, et Strijs et muricibus.
exasperatum.




Murex Orthocentrus purpureus Aldrouandi




39

39. Buccinum bigra, lobes et columella suberecta, aculei muricibus horridum, spica
 abscissa dense striata.



18. 6.

18. a.









21. Buccinum B. maximum, laeve, ore purpurascens labro multi-digitato.
Aporrhais Aldrovandi.





22

867




23

23 *Buccinum Filabro pluribus digitis distincto et ore et columello dense striata.*

869

23 *eiusdem pars prona.*




25

869




purpura Pentadactylos Bellonij.



24

24. *Buccinum B. maculatum*, striatum, maxime ex toto ore, serie digiti insignitum.






Jamaica.

25. *Buccinum B. subfucum*, labro, crasso, recto subcroceo, intus striato, muricatum.




26. *Buccinum B. ex rufa variegatum*, ex intus subcroceo, profunde striatum, muricatum.

27. *Buccinum B. variegatum*, levis striatum, et muricatum, apertura ex toto nigricante.



28. *Buccinum B. rostro recurvo muricata*, clavicula, infimo labro, in tenuem digitum valde producto.



29. *Buccinum B. majus*, ex rufo radiatum;
muricatum, unico digito in imo labro.


873

Murex marmoreus Stratus et virgatus Aldrovandi.



30. *Buccinum B. profunde Striatum*, muricatum, labro late patente, ejusq. in a parte digi-
tata.

874



31. *Buccinum B. tenue*, Sulcatum, muricatum, columella et labro interno leviter Striato.

875



Historia Conchyliorum
libri IV. SECTIO XIII.


de
Buccinis VENTRICOSIS, clauicula
MINUS EXERTA.

Buccina AMPULLACEA sunt vel
ad Dextram tortilia,
LEVIA, aut certè minus aspera.
MURICATA.
rostro breui.
ad Sinistram cornuoluta.




Sect. XIII. Cap. 1.
de

Buccinis Ampullaceis, laevibus, aut certe minus asperis.




2. *Buccinum ampullosum clausula sulcata, ima parte cujusque orbis in planum compressa.*



3. *Buccinum ampullaceum, leue, an è bilinguibus detritis?*

878

3.a. *aliqua pars Uteri Expositi proxime Superioris Buccini. n.2.*




879



3.6.





4 *Buccinum Impulaceum*, grande, variegatum, clauicula extrema Prana, lauietq muricata.





6. *Buccinum R. variegatum fasciatum, clavicula leuiter nodosa.*



883

6 *Buccinum R. undatum depictum, columella lineata*
crocea.



6. a.

884



6. b.

885




7. *Buccinum Ampullaceum*, striatum, clavicula muricata, apertura leviter purpurascens .




886

idem grandioribus muricibus .



887


9. an idem, pictura quadam undata magis distinctum?



Jamaica.


888

10. Buccinum R. demò Striatum, paulo ventricosius, clauicula brevior, acuta, imò tantum orbe aculeo muricibus exasperato.




889

10. a.




890

11. *Buccinum L. nebulatum*, primi orbis una parte pului-
nata, ceterum clavicula leuiter muricata.



11

Barb.
Jamaica.




12


12. *Buccinum L. mpullaceum*, rostratum, striatum et cla-
uicula leuiter muricata.

891

892



12 a



14

14. *Buccinum L. rostro sinuosa*, tenue, striatum, muricatum,
clavicula compressa.



13

894

13. *Buccinum L. rostratum*, Stry's ualde extenuatus et
intersecti exasperatum.





15

893

15. *Buccinum L. graue*, subfuscum, rostro leuiter umbilicato
Sive sinuoso, striatum, muricatum, clavicula compressa.

895




16. *Buccinum Ampullaceum* parvum, admo-
dum tenuiter et dense striatum, rostro leuiter
sinuoso, clavicula breui.



226

17. *Buccinum* R. rostro leuiter sinuoso, striatum fuscis q. fas-
cis depictum, clavicula breui, primi orbis parte infima
sinuosa.




897

18. *Buccinum magnum* R. tenue, rostro leuiter sinuoso, profundè et rarius sul-
catum.



898

19. *Buccinum R. tenue*, rostro leuiter sinuoso, Strijs raris, torosis,
ualde extantibz, Maculatis circumdatum.




a froto Malava.

899

Sect. XIII. Cap 2. de
Buccinis ampullaceis, Muricatis

20. *Buccinum R. . .* rostratum striatum,
muricatum ex duobz plicis ordine in ima
parte primi orbis.




Mare mediterraneum.

900




21 *Buccinum R. rostratum*, majus, muricibus longissimis instructum, ad seros par.
in infimo orbe primo.




901

22 *Buccinum R. mpullocum*, rostratum, Striatum, triplici ordine muricum exaspe.
ratum.



Purpura clauata, sine murex parvus rostratus Fab. Col. 902



23. *Buccinum R. variegatum*, rostratum, striatum et levit
 er muricatum.


903



Jamaic.


24. *Buccinum R. fasciatum*, muricatum, labro patentiore.

904



24. a.

905



906

*Sect. XIII. Cap. 3. de
Buccinis Ampullaceis, ad Sinistram
convolutis.*



*a Sinu Campeige
Ind. occident.*

27

*Purpura marina, exotica, eaq sola cochlea
è marinis est, quantum hactenus vidi, quæ à
dextrâ Sinistorsum torquetur.*

*27. Buccinum R. Striatum, muricatum, item radiatum
ex fusco*

907



28. *Den cumsupiore.*



*Historice Conchyliorum
libri IV. Sectio. XIV.*

de

*Buccinis et Rostratis et clavicula
productione.*

Buccina Vtrinq. Productiora Sunt vel

Lævia,

Strys

densis et Tenuoribus,

paucioribus et multum extantibus

exasperata,

labro simplici,


Duplicato.

Muricata.






2. Buccinum Rostratum, grande, raris lineis circumdatum, laeve, non nisi una parte cui usq. orbis striata.





4. *Buccinum R. majus*, crassum, orbibus paululum proli-
-atis.



3. *Buccinum R. exiguum*, fuscum, admodum tenuiter stri-
-atum, unica fascia nebulata medio orbe circumdatum.

912

5. *Buccinum R. gracile*.

913

6. *Buccinum R. radiatum*.




7. *Buccinum R. intersectis lineis fasciatum*.

914

3. Buccinum L. laue, ima parte cuiusq; orbis ualde sinu-
osa.



915




9. Buccinum R. labro muricato, longissima clauicula, parte ima striata.

916



Sect. XIV. Cap. 2.
 de
*Buccinis utrinque productioribus, Striis
 Densis et Tenuioribus exasperatis.*




10. an *Kήρυξ ὀβελιστός*, sive *Buccinum rostratum*
 ὅτι 59 αὐτὸς. Fab. Con?
 11. *Buccinum* R. maculatum, striatum, asperum, fissurā an
 nimiam labro.

11. a.



918

13. *Buccinum R. ex flavo nubilatum, asperè striatum, et sinuosum.*




919



12. *Buccinum R. fuscum, leviter et dense striatum.*

920

14. *Buccinum R. ex nigro fasciatum, leviter striatum, sinuosum.*




14. a.



921

15. *Buccinum R. striatum, maxime sinuosum secundum longitudinem orbium.*



ab Im. m. v. c.


922

16. *Buccinum Reparum*, aliquib; bini tenues,
valde acuti; Styr. circumdatum.



16

16.a.



16.b.




924

17. *Buccinum Rasperum*, Striatum, ipso imo
labro fido, Sinuosum.



17



18

925

19. *Buccinum R. variegatum*, leu-
dum Striatum, singulis orbis
=ra aliqua insignitum.




19



21

Jamaica.

21. *Buccinum R. Striatum* anion
ter Sinuosum.



20

Jamaica.

20. *Buccinum rostratum*, tenue, exiguum, aspe-
rum, Striatum, maculatum.

926

927



Jamaica.

22. *Buccinum*. *Relictum*, *fasciatum*, *fuscatum*, *sinuosum*.

928



23



24 *Barb.*


929



Jamaica.

22. *Buccinum Restrictum, fasciatum, fuscum, sinuosum.*

928



23



24 Barb.


929

25. *Buccinum R. lineis subrufis circumdatum, angustius,
Sinuodatum.*




930

26. *Buccinum R. duplicibus lineis subfucis circumdatum, inter Sinus nodosum.*



Turbi omni in Sinuodatum, in mari Rubro frequens.

931

















31. *Buccinum Ruetricosum*, magnis strijs intervallo do-
natum.

936

32. *Buccinum* Rolabro duplicato, superiori simili, ore an-
gustiore, strijs et eminentibus et nodosis.



937




33. *Buccinum* Rolabro duplicato, strijs tenuioribus, emi-
nentibus, rufisq; circumdatum, sinuosum.

938


34. *Buccinum* Rolabro duplicato, compressum, cancellatum.




34. a.



939




940



37. *Buccinum R. magnum*, labro duplicato, quasi Triangulare.

Jamaic.


941



38

38. *Buccinum*. Labro duplicato, Striis latiss et eminentibus
distinctum, sinuosum.


942



39

39. *Buccinum*. Labro duplicato, denticato, duplici serie striarum
in carinato.

943




39. a.

944



Purpura, siue Murex pelagius, marmoreus. Fab. Col.



41. Buccinum R. triplici ordine muricum conaliculorum horridum.




42. *Buccinum Bicostratum*, variegatum, gra-
ue, plicaturis et raris aculeis donatum.




Mar. Mediter.

947



43. *Buccinum R. labro duplicato*, ipso ore exiguo rotundo,
sensu plicaturis striatis descriptum.

948



44. *B. R. compressum, Aculeatum*.

949



44. b.



44. c.

Buccinum heterostrophum ab ora 'maritima' prope
Harwich; a D^{no} Dale collectum.

950



Historia Conchyliorum
libri IV SECTIO XV.

2.

*Buccinis, quibus rostrum Breve
oris hiatum non excedens.*

*Buccina Breui-rostra sunt uel
sinu ad rostrum*

Recto,

Muricata.

Striata.

Lævia, aut clauicula Productiore.

Labro Repando,

tenuia.

Crassa.

Compressa.

Reflexo,

Striata.

Lævia.

clauicula Productiore.





2. *Buccinum Breuirostrum parvum, striatum, asperum, ex suberecto variegatum.*



3. *Buccinum B. r. parvum, striatum, asperum, ex albo nigroq. variegatum.*



Barbad.

4. *Buccinum Breuirostrum parvum, nigricans, libus nodis fasciatim circumdatum.*



ab. Inf. Mauritiæ.

5. *an. idem? ore tamen strictiore, labro crassiore et dentato.*



ab. Inf. Mauritiæ.






6. *Buccinum Brevis-rostrum*, muricatum, labro
dentato, ore ex purpura leuiter tincto, clauicula
breui.


966

7. *Buccinum Brevis-rostrum*, muricatum, ore ex purpura
nigricante, dentato.





8. *Buccinum B. r. nodis* ualde eminentibus, at obtusis
distinctum.

9. *Buccinum Brevis-rostrum*, aculeatum, ore subluteo, clauicu-
=la subita et acuta.



10. *Buccinum B. r. striatum*, leuiter aculeatum, siue nodis
compressis subacutis distinctum.



Barb.

967

967



11




11.6.

968

Sect. XV. Cap. 2.

de

Buccinis breui rostris, Striatis.




Barbad

12

12. *Buccinum Maximum, Variegatum ac striatum.* Fab. Col.

969





3. *Buccinum Breui-rostrum*, maximum, ventricosius, ex rufo nebulatum, Nodosum.

960

14. *Buccinum B. r. tenuiter Striatum* in pluribus undatis Sinibus distinctum.

A



14

a Sinu mexicano, juxta Campeche.



16

16. *Buccinum Breui-rostrum*, admodum Crassum, fuscum, tenuiter Striatum.



15. *Buccinum B. r. magnum* m. tenue, leuiter Striatum.



15.A.

962




17

17. *Buccinum B. r. angustius et productius*, ex fusco fasciatum.

963





maro. mediterraneo.

49 c




49 f

Barbad.

Vide. Tab: 827.

964

Purpure anglicana.



19. Buccinum B. n. album, denticulo unico ad imam columellam.

18. Buccinum B. r. supra modum crassum, ventrido sinus, labro denticulato.


965

20. Buccinum B. r. parvum, asperum, siue dense rugosum, ore interno striato.

21. Buccinum B. r. cancellatum, dense sinuosum, labro dentato.



20




21

A

6
965

966



22

22. Buccinum B. r. hirsutum, sinuosum, fasciatum, rostro leuiter distorto.

967




22. b.



22. c.

23. *Buccinum B. r. fasciis crebro-nodosis exasperatum.*



23


968.

969




24

24. *Buccinum B. r. columella velut collo quodam diffusa, crasse striatum, una paries cuiusq. orbis nodosa.*



26

26. *Buccinum B. r. columella conica, datis strijs leviter distinctum, e quo fasciatum.*



25

25. *Buccinum B. r. columella callosa, cancellatum.*



26

970

971

27. *Buccinum B. r. columella callosa, dorso-bullosa.*



27

Ind. Orient.




28

28. *Buccinum B. r. columella callosa, rufum, Læur.*

972

973



Buccinum paruum cum animali
Fab. Columnæ .



30. *Buccinum B. n. paruum*, *leuc*, und-
atim Sine nebulatim depictum; item ad
inum quemq orbem lacinia uermiculata.



975






31 *Buccinum B. n. paruum*, *nigricans*,
leuiter striatum .



32. *Buccinum B. n. paruum nigrum*, *ex*
toto leuc .

976



32. Buccinum B. n. clavicula tenui et pro-
=ducta, laeue, lacinia quadam ad inum
quemq orbem eleganter striata distinctum



33

33. Buccinum B. n. ex toto laeue, clavicula
tenui.



35

35. Buccinum B. n. claviculatum, laeu
ex toto, et ore et columella fusca suturi.
quasi callosis.



34

977

978

36. Buccinum B. n. claviculatum, striatum, macula-
tum, orbibus quasi duplicati distinctum.



36



37 Barbud.


37. Buccinum B. n. claviculatum, orbis Superiore
bus laeuis, ceterum striatum, fasciatum.



38

979

39 *Buccinum B. r. clausculatum*, maculis nigris unda-
tim depictum.



39

40. *Buccinum B. r. lineis subflavis circum depictum*,
ad unum quemq; orbem striatum, ceterum laeue.



40




41

41. *Buccinum B. r. ventricosius, laeue umbilicatum, croceis*
maculis, grandibus ex triplici ordine fasciatim depictum.

981


980



42

42. *Buccinum B. r. clausculatum, laeue, ex croco ne*
sulatum, umbilicatum.

982




42. b.



42. c.

983

Sect. xv . cap. 4 .
 de
Buccinis breuirostris, labro repando, tenuibus .




Jamaica .

43. *Buccinum B. r. striatum, fuscum, undatis lineis albis depictum .*

984

45. *Buccinum B. r. tenue, capillaceis Strijs circumdatum,
 ex rufo infuscatum .*



44

Jamaica .

44. *Buccinum B. r. tenue, umbilicatum, asperius
 Striatum, variegatum .*

985



45


986



Sect. XV: Cap. 5.

De

Buccinus breui-rostris, labro Repando,
Crassis.




46. *Buccinum B. r. labrosum, striatis et intersectis*
lineis eleganter depictum.



47. *Buccinum B. r. labrosum, crassum, versicoloribus*
sive intersectis lineis striatis latiusculis distinctum.






48

48. *Buccinum B. r. labrosum, asperum, crassum, ore croceo, labro leuiter dentato.*

988



49

49 *Buccinum B. r. labrosum, crassum, nodosum columella lata Plana.*

Barbad.

989


50. *Buccinum B. r. labrosum, crassum, nodosum, columella plana, cæq media Bimaculatum.*



50

990

51. *Buccinum B. r. labrosum, crassum, ore subcroceo, maculatum, rostro, umbilicato.*



51

990. 6.

52. Buccinum B. r. labrosum, crassum, uari-
egatum, unico ordine clauatam.



52

Jamaic.

53. Buccinum B. r. labrosum, crassum, ex bino
ordine muricatum, clauicula parum exen-
ta.



53

991



Bengal.
Ins. Mauritio.

55

54. Buccinum B. r. labro-
sum, costis latius plicatilibus et acutis distinctum.

Concha Nypisoides altera minor uariiegata Fab. Col.

992

56. Buccinum B. r. labrosum, ualde crassum, costis
paucioribus cinctum.



56

993


57. Buccinum B. r. labrosum, angustius, leui-
us, costis tenuioribus, ex fusco eleganter uer-
miculatum.




57

994











62

997



63



998



64

999

65. *Buccinum Recurvi-rostrum ventricosum, laide-
CANCELLATUM, magnis maculis quadratis rufis cin-
datum.*



Jamaica.

66

66 B. R. v. *Ventricosum, lobro pulvisato, variegatum striat. et asperum.*


67 B. R. v. *Ventricosum, lobro pulvisato, variegatum striatum magni praeterea sulci ad clausulam donatum.*



67

In. Ascario

68. *Buccinum Recurvi-rostrum, Muricatum, ventricosum.*



68

mar. mediter.

Coclea Echinophora Rond. apud Aldrov.

1002

1003

69 B. R. v. *Ventricosum undulatum depictum, clausula muricata.*




Jamaica.

69

Turro auribus tuberculosus, testa igne crocea Aldrov.


1004






1006

70. B. P. r. Pentricosum, maxima fasciata, limbo albo marginato.



1006

71. B. P. r. Pentricosum, striati, labro tenui, simplici.




1007

71. 6.






71. c.



1009


71. d.



1010


Cochlea Echinophora Aldrov

71. e.




eadem.

71. f.





1011

69. *Buccinum Recurvi rostrum uentricosum, gra-
ue, magnis maculis rufis fasciatim circumdatum.*




1012



1014

1013




*B. Recurui-rostrum, crassum et ponderosum, Sum-
 mo labro, et imo quoq, orbe leuiter muricato.*

74



*Buccinum Recurui-rostrum, ventricosum, tenue,
 maculis rufis fasciatim circumdatum, labro retuso.*

75




Barbad.

1016



Faint horizontal text or a line of script, possibly a title or a date, located below the rectangular stamp.





80. Buccinum Recurvi-rostrum, claviculatum, Striatum
et asperum.





82. *Buccinum Recurvi-rostrum, claviculatum,*
Stylis muricatis circumdatum.




1019

83. *Buccinum Recurvi-r. claviculatum, album, laeve,*
imis orbibus dense sinuosis.




84. *Buccinum Recurvi-rostrum claviculatum, album,*
Sinuosum et leuiter muricatum.




ab Inf. Maurias. 1020


85. *Buccinum Rr. claviculatum.*



1021




1022




88 *Buccinum Recurvirostrum*, clausculatum, magis aculeatum, ore croceo, utrinque dentato.

1023

89 *Buccinum Recurvirostrum*, clausculatum, densius, nodis nigricantibus exasperatum.



1024



1025



22

23

24



Appendix
ad
Historia conchyliorum
Librum IV.
de
Buccinatis
hinc Lapidibus, qui buccina
omnigena ualde referant.



Londini
aere incisa, Sumptibus authoris.

1692.

Susanna et Anna Lister figuras delineaverunt.







10

1030




11

A



12

A



13

A

1031

1031

a Sabuleto, juxta Parisiens.



6

a Sabuleto Parisiens.



7

a Sabuleto Parisiens.



8

1033

1034



9

a D. Woodward.

1035









A



A


© D. Woodward.

1037

1038



18. 6.



1040



19



A

20



A

21



A

1041

22



A

23



A

1042

23.6.


11043



1061



1062



o D. Woodward.



1064



o D. Woodward.

1063


23.C.








23.d.





.1
*ex agro Eboracensi
prope villam Nunnington dictam.
diameter tredecim digitos implet.*


23.l.






A.

ex diametro duos pedes implet.





23.f.

23.g.

1048








a. D. Woodward.

1049



a. D. Woodward.

1050

Mantiffa Cochlearum Terrestrium .




Cochleæ et Bivalvia aquæ dulcis




*Cochlea vivipara altera nostras
testa tenuiori Plevii Cham.*





Buccinum aculeatum .



Musculus Kleinsch.



Mantissa Marinorum Conchyliorum.



*Hæc Conchylia Maris Caspy illustrissimo viro DD. Witzen, amplissimo
Senatori Amstelodamensi accepta refert, et Lubens Merito Dicat M.L.*

1




2



3



5




4



Appendicis ad Conchyliorum Synopsin .

Tabula Quarta .


Conchylia terrestria .





à Portugalia .



ab Indiâ Orientali .



à Gallo provincia .




ad ramulos adherens in Marilandia .



Cochlea terrestris compressa maculata et leviter striata D.Dale .

eadem è Microscopio .

12



13




Appendicis ad Conchyliorum Synopsin

Tabula Quinta.



Conchyliæ marina.

à Portugalia



à Marilandia.



Conchyliæ aquæ dulcis.



è flumine quodam Carolinæ.



*Buccinum heterostrophon fluviatile
4 spiris. D. Petiver. in rivulis
ad Micham in vicinia Londini.*



à Propugnaculo S^t Georgij Indiarum Orient.



ibidem cum priore.



ibidem cum priore.

The following NOTES and OBSERVATIONS were written by Dr. *Lister* in a Copy of this Work (consisting chiefly of Proof Plates) now in the Possession of Mr. *Ingham Forster*, Merchant in *London*, by whom it was most obligingly communicated to the Editor. A. D. 1769.

Tab. N^o.

572. 23. THIS, probably, is a Sea Shell; having seen Barnacle Shells adhere to it, and therefore is to be removed from this Tribe. (N. B. In some of the first Impressions it was placed among the Land Snails.)

61. 58. *Trochilus Monspeffulanus triplici Aspectu.*

65. 63. This Shell is very thin and brittle; of a Stone Colour: the Navel or Hollow in the Centre is deep, and it riseth up high from the Edges, in which it very much differs from all the rest of this Tribe. The Shell is circumscribed by a very sharp and prominent Edge, the underneath by a Wreath not quite flat, but a little convex, and are four in Number. It was sent from *Jamaica* by Dr. *Sloane*.

158. 13. This Shell is very thick and ponderous, very smooth on the outside and of a yellowish green Colour, not unlike the fresh-water Muscle Shell, possibly it may be owing to that Tribe, tho' of an uncommon Make and Figure, I never saw but this one Shell and that in Mr. C.'s Collection.

163. 1. *Pecten maximus*, circiter 14. *Strijs admodum crassis & eminentibus, et iisdem ipsis Striatis insignitus.* *Lister. de Coch. Marinis Animalium Angliæ Tit. 29.*

165. 2. This Scallop is much less than the former; otherwise it is, in many Things, much like it, that being ever of a Stone Colour; it differs in that it is redish and curiously marbled, both about the Bottom and on the upper Part of the bigger Shell: also it agrees in the Hollowness of the lesser or under Shell, so as to be dish'd outwardly; in the number of Ridges, which are in this about fourteen; also in the oblique Notches upon the Hinge; which yet in this seem to be more than in the former, as is expressed in the next Draught. T. 166.

166. 3. In this also the Channells are smooth and without streaked, whereas the Channells of the English Shell are as thick and deep streaked as the Ridges. Again the Sides of these Ridges in this Shell are more at right Angles; whereas in that they are flatter.

167. 4. This is the biggest Scallop I have seen; it is also thick and heavy; it was of a blue clay Colour, but it was apparently old and weather beaten, so that the natural Beauty of the living Fish was perished. It is but shallow. It has but ten Ridges; but the Furrows betwixt them are very deep, and cut down almost at right Angles; at the very Head of the Shell, betwixt the Eares, the Furrows are very deep, though small, and end all in a Point very elegant; whereas in the two former Shells the Heads are smooth, and the Ridges and Furrows in that Part are almost obliterated. The Ridges and Furrows here are all of them curiously streaked. A good Inch from the Bottom of the Shell the Ridges and Furrows become suddenly of another Fashion and Grain, and are, as it were, transversely waved and smooth.

I never saw but two of these, and they were both bigger or upper Shells of the Scallop.

N. B. That is a Fault in the Engraver to have made the Ridges towards the Head a little crooked, whereas they lie all very straight and run to a Point.

170. 7. This is the only Scallop of the Kind that I have seen in Mr. C.'s Collection.

It is deep and hollow; thin and light; the Ears exactly alike: it hath eighteen Ridges, all which are of a dark heavy Colour almost black; the Furrows are all white, and both the Ridges and Furrows are smooth and not at all striated; the Extremities of the Ridges are notched very remarkably, not enough expressed in the Figure.

171. 8. This is a white Shell (I never saw but one of them in Mr. *Charlton's* Collection) shallow, with four large Ridges or Ridges, besides other smaller: on the left Hand the Ear had under it a Row of small Teeth that were in a Manner wholly defaced.

172. 9. *Pecten minimus angustior inæqualis fere, et asper, Tit. 31. de Coch. marin. Anim. Ang.*

174. 11. This Shell is rare and few of them are to be met with in the Cabinets of the Curious. It is very flat and hollow, and yet the one Side is much flatter than the other, especially at the Head, which I have caused also to be drawn from a very perfect pair: (See 175. 12.) This Scallop is more Long than Broad having thirteen or fourteen Ridges very round and rising; the Ears are on both Sides large, but not altogether alike, being a Thought larger on the right Hand: we speak of the uppermost or bigger Shell which is now figured in this Plate.

Most that I saw were white, but the neithermost Shell of one Pair was spotted with a dark hair Colour.

Tab. N°. I have seen of these Shells twice bigger than this which is here figured. They are long and narrow compared to the rest of the Tribe. The two Ears are little and something unlike: that on the left Side comes more sloping down the Side, but it is not more protuberant. The Ridges are small and numerous, at least sixty in all, but from a smooth Point grow insensibly rough, and muricated with long and slender and sloping Points, after the manner of Tiling: the Inside is altogether smooth. This Shell is moderately capacious, in the Fashion of Spoons in use at this Time.

It is of a light brownish sandy Colour. There are many of them collected in Cabinets.

177. 14. *Pecten figura Chamæ Aldrovandi.*

179. 16. This is, for the Bigness, a thicker and stronger Shell than that of N°. 192. 29. and is also of a longer Shape and not so hollow. It hath about eighteen Ridges which are larger than in the Scallop mentioned: it is marbled, reddish and white, and sometimes blueish; the Ear on the left Side is narrower much.

180. 17.

181. 18. *Pecten tenuis, subrufus, maculosus, circiter 20. Striis majoribus at levibus donatus. Tit. 30. Lister. de Coch. Marin. Anim. Ang.*

182. 19. This is the upper Shell, with Teeth, of the Scallop described, 192. 29. where it is to be referred.

183. 20. This is the toothless and under Shell of a Scallop. The upper Shell hath many very small Teeth not only under the Hollow of the Ear, but running also on the Back of the Ear. The Ridges are compounded of - - - - This Shell is marbled red and white.

184. 21. This also is the toothless and under Shell of a Scallop with a flat Rib; it is smooth and curiously marbled with a white and dark hair Colour.

185. 22. This is a thin and very shallow Scallop, all white, prickly; on the one Side under the lesser Ear, which is on the right Hand, is a long Series or Row of small Teeth, a Dozen at least in Number, which sufficiently distinguishes it from all I have yet seen. This therefore is the upper Shell of the Scallop.

186. 24. These Shells are often larger than that figured, and are common in Cabinets, they are mostly of a red Coral Colour; the Ear on the left Side (holding the convex Side towards your Eye) is much the larger. The Ridges are about nine and are very large, and (which is very remarkable) are knotted with large Knots or hollow Blisters: both the Ridges and Furrows are striated. It is a shallow Shell, but moderately heavy and strong.

N.B. This Shell is the toothless under Shell. The upper and bigger Shell is marked Tab. 188. 26. and to be here inserted and not to be disjoined. The difference is that the upper Shell hath few or little Blisters, and hath five or six Teeth under the Hollow of the left Ear. I have seen very large ones of this Kind of Scallop in Collections.

187. 25. This is a very beautiful Shell, but very common in all Collections; it hath about fourteen Ridges, these Ridges are very remarkable, in most triple, and thick hatched with a triple Row of sharp Risings cross-ways. In others the Ridges are little or not divided, and the Cross-Hatchings are nigh also equally drawn from Side to Side. It is prettily marbled red and white; the Borders of the Inside yellowish or of a gold Colour. This Shell is but shallow.

N.B. It is very remarkable that in many Scallops one of the two Shells, which we will call the upper or bigger Shell, hath certain Teeth next under the Ear on the one Side; and that Ear therefore is more or less hollowed; also the very Nib or Point of the toothless Shell is mostly a little flatter.

188. 26. This is the upper Shell with Teeth and belongs to the Scallop described 186. 24. above, where it is to be inserted.

191. 28. This Shell is frequently to be met with on the Irish Seas, and on the Welch Coast. I never saw any of them much bigger than that which is figured; it is thin, light and shallow; the Ears much of a Bigness; it is of a reddish brick Colour, spotted or marbled with dark brown and whitish Spots; the Ridges are above twenty, finely striated as well as the Furrows betwixt. In the Inside of the Shell the Furrows or Hollows answering to the Ridges on the Outside are very shallow and faint.

N.B. This is the upper or bigger Shell, which I have now described, having never seen a Pair. This I have found to be added to our English Stores since the publishing of my History of the Animals of England. This is the toothless Shell, and the Ears more alike. There is also the Figure of the upper or bigger Shell with Teeth next under the Ear, and the Ear a little hollowed away. (See 190. 27.)

192. 29. This Shell is small, variously coloured, as red like Coral, yellow, marbled &c: The Ridges are about twenty, very distinct, and rising, but are hatched across; the Furrows are deep and striated. The two Ears are much of a Bigness; and the Shell is thin and moderately hollow or capacious; the Furrows in the Inside answering to the Ridges on the Outside are deep, and the Sides at right Angles.

There are many of these Shells in the Cabinets of the Curious. This was the bigger or upper Shell which is figured, not having seen a Pair.

Note.

Tab. N°.

Note. The under or lesser Shell of any Pecten is easily to be known from the upper; because the impression or the place where the nervous Ligament did adhere is ever to the left Side of the under Shell, and to the right Side of the upper or bigger Shell; and this to be understood in like manner of all Bivalves.

193. 30. *Ostreum vulgare maximum intus argenteo quodam splendore albescens.* Tit. 26. de Coch. Marin. *Lift.* Anim. Ang.
Adde *striatum*; quod tamen intelligendum est de superiore & majore tantum Testâ.
197. 32. It is but on the one Side or upon the Back of the greater Shell that the Hooks are, so that the other half or lesser Shell is without them: and therefore we seldom have a Twig of them but the lesser Shells are all wanting. Also the lesser valve is edged near the Hinge with small Notches.
The Figure of this Kind of Tree Oyster is very odd and of wonderful Variety; some long and narrow, some round and broad &c.
201. 35. *Ostreæ alicujus Virginianæ valva altera minor.* In the Gulf of *Orotigna* and the Islands therein in the Province of *Nicaragua* on the south Sea, are many Shell-Fishes of a long Form; some a Cubit long, some less, creased, growing broader and broader to the End; when they are opened they have a fishy Substance within them and shine within as Pearl Oysters do, half their length, thence by degrees losing that shining towards the broader End. The Pearls within them are not so fine as the other. The Indians use the Shells to dig their loose Ground, fastning the Shell to a Handle of Wood, binding it fast and making a Kind of a Spade thereof. G. F. de Oviedo. *Purchas.* l. 5. c. 3. Part. 3.
206. 40. *Concha corallina aspera Aldrovandi.*
N.B. This is the lesser or under Shell of this Sort of Spondyle, the upper Shell having a Break, and from that Break to the Hinge a Slope Cut very remarkable, as though done by Art not Nature.
207. 41. *Spondylus Rondeletii* five *Ostrea Gaideropoda Bellonii ex Rondeletio, Aldrovandi.*
210. 44. This Shell hath high Ridges and sharp, in some more and some less; I have counted nine or ten in some. By the toothing of the Hinge it is a Spondylus, to which the Strength and Thickness of the Shell answers; it is of a pale redish Colour. An hæ revera Anomalæ sunt? verum ob dissimiles Testas, & quod plerisque eæ admodum crassæ sunt, Spondylis adposui.
211. 45, 46. An veri Lapides?
217. 53. Inter Corallium Maris Mediterranei inventum.
220. 55. } *Concha tenuis testæ Aldrov.*
221. 56. } Unâ & eadem Concha Margaritifera.
223. 57. } The Pearls lie under the uttermost Part of the Circuit of the Oyster in Ranks and Proportions,
224. 58. } under a certain Part which is of many Plaits and Folds called the *Ruffe*, for the Similitude it hath unto a Ruffe. The Pearls encrease in Bigness as they be nearer the End or Joint of the Oyster. Sir Ric. Hawkins apud *Purchas.* L. 7. C. 5. Part. 4th. I saw a very small Pair of Shells from Jamaica, which were long, Oyster like, but the Colour of the Inside was of a blueish Mother of Pearl Colour, and the Hollow or Bason of a Rhomboid Figure; the Skirts encompassed with a Ridge of the Shell, reaching much beyond it, as in the first Figure of the Mother of Pearl Kind (N°. 224. 58.) is represented. One of the Shells was much shallower than the other, the Neck was drawn out to a sharp Point after the Manner of Pinnas or Muscles; and the Connexion of the Shell seemed to be by a certain Number of Ties, which makes me put it in this Division.
268. 104. I have seen one of these Shells, thrice as big as this, but they are rare.
This Shell is very strong and ponderous, there are two remarkable broad Lifts from the Top to the Border of a dark hair Colour; the transverse Creases are unequal and not thick set.
N.B. I have seen some of these (or be it a different Species, which I incline to) which were of a brownish chesnut Colour, very little fasciated, but rather smooth; and whereas the Neck and Head or Point of this Shell is very deeply fasciated, these were very smooth; but in all Things else these were very like.
271. 107. This is a very shallow and exceeding thick and ponderous Shell, smooth on the outside, or if you will, fasciated or irregularly worked. On the Inside towards the left Hand it is of a violet Purple: The Edges is very full of small and shallow Hatchings, but not indented, the extreme Edge being smooth. This is the only Shell of the Kind that I have seen; it was in Mr. C.'s Collection that I saw it, and caused it to be figured.
N.B. I have seen two other Species very near resembling this Shell in all Things: The first differs in that is very finely striated on the Outside betwixt the regular Wrinkles only, those Strias being of a very peculiar Make, and this seems to be a Rock-stone in the Figure of a Shell, being extremely white or chalky, and friable. The second is not near so thick and ponderous as the other two described, and is white both within and without, but is fasciated with fine thin rising Edges at certain Distances, there being properly no Furrows at all answering the Edges; and was brought from the Bay of *Campeche* in the west Indies.

- Tab. N^o. This Shell is well figured, it is flat and shallow for the Bigness, of a yellowish pale Colour.
289. 125. The lifts are small and very regular, and not much extant but flat, so it is, as it were, smooth. Here also is a small lunar Sinus near the Nib. Ab Insula Jamaica.
293. 129. This Shell is white inside, outside: probably brown when the Animal is in it, and that it is fresh. The Lifts are are so very small and many, that the Design hath scarce figured the one half of them. It hath a remarkable lunar Sinus on the one Side of the Nib; it is a thick and strong Shell. This is found on the English Coast.
294. 130. This Shell is very thick and shallow, the Edges smooth, the circular Wrinkles are very numerous, small, and not very rising; it is stained with a brown hair Colour, and in some Places with that Colour indented or waved. The Figure of the Head or Point is very odd and flattish. It is a rare Cockle; I never saw but two Pair of them.
297. 134. This Shell was taken up on the Coast of Norway. The Lifts are fine and small and pretty regular, but sharp and rough, it is moderately strong for the Bigness and not very shallow: It is white Inside, Outside. The lunar Sinus near the Nib is not to be observed in this Shell.
300. 137. Ab India Occidentali.
303. 144. This Shell is thin comparatively to those like it in this and the other Tribes of *Pestunculi*. It is prettily veined with a purplish Colour, in others brown, it is fasciated, but neither regularly nor very high and conspicuous; the Ridges of the Shell are smooth and not indented, which does sufficiently distinguish it from the other in this Tribe. Ind. Occident.
304. 145. Ab India Occidentali.
This is a very thick and strong Shell and shallow, it is irregularly fasciated, there are of them also some less, of a different Species, that are in some Parts irregularly striated also: It is marbled with a yellowish brown Colour, in some prettily veined a little purplish; the Edges on their Inside are quite round about to the very Hinges finely indented or rather hatched.
324. 161. *Concha echinata Gesneri*.
327. 164. Ab Africano Litore ad Fluvium Congo.
331. 168. *Concha striata longa Rondeletii*.
336. 172. The small ones of this Kind are very beautiful, yellowish, with dark brown Spots running in an undulated Manner from Side to Side.
There are Shells also of this Kind very much bigger than that which is represented. Yet all are rare.
349. 187. *Concha imbricata minima Aldrovandi*.
351. 189. *Tridachnes Aldrovandi*.
354. 191. Inter Concharum genera omnia, quæ nobis videre contigit hucusque, & alii recentiores descripserunt, nullam conspeximus majorem hæc à nobis nunc depictâ: quare *Maxima* cognomen meruit, & ob testæ crassitiem, gravitatem atque duritiem, *Marmoræam* denominavimus. Illustri notâ ab aliis secernitur, quia Septenis tantum à Cervice ad Os ductis distinguitur magnis striis, totidemque strigibus inter se magnitudine paribus, alternatim ad invicem oppositis, cum occluditur testâ. Figura Conchæ oblonga, per obliquum Cervicis, ab uno latere longiore. Clavicula magna cervici adest elata, atque altera exigua admodum circa extremum Conchæ, parte brevior, canaliculis illis subjacentibus, quibus alterius Conchæ, vel Testæ pars claviculæ respondentes connectuntur. Contraria vero majoris Claviculæ parte septem conspiciuntur incisuræ Sclarum ritu decrecentes, quæ pars circa cervicem se dilatans reclinat; atque auris modo quæ pectini est, non exerta, sed infra Conchæ crassitudinem producit. Linea locus, quem Animal occupat Conchæ internus, ac magis pallens definiri videtur; colore deinceps per ambitum circa ora candicante, Marmoris polito modo, splendido. Externa Conchæ parte Striarum additamentis crassis rota exaspera redditur, quibus tegularum et imbricum modo, alia super aliis superaddita videntur; quapropter imbricata dici merito potest. Striges vero lineis tantum exasperantur densioribus, sinuosis, oblique decurrentibus ab altero ad alterum Conchæ extremum; magnitudine et sinibus imparibus juxta striarum & strigium magnitudinem atque crassitiem; at circa ora quidem sinu et circulo pollicari amplitudine undosæ conspiciuntur, circa cervicem vero minimæ admodum. Ab ea parte, duas uncias crassitie superat Concha, circa ora in tenuitatem abit.
356. 193. The Muscle in the first Place is large for the Kind, the Strias are big, rising, and a little undulated, and towards the broad End of the Shell are double or branched. This is purplish, at least in Places on the Outside, the rest white and mother of pearl Colour.
356. 195. This Muscle is smooth and some of them are twice as big as it is figured; the Colour of the Outside in some is reddish, and white within, but these I judge are decayed, and these are mostly pretty strong and thick: but those of a Freshness are on the Outside of a brown hair Colour, and of a purplish red within. These come from Jamaica.

Tab. N^o.

358. 196. There is another elegant, striate, large purplish Muscle, which came from *Carolina* in the west Indies. This is not near so deep and concave as the other, but the Strias in this are three for one in the former, these Strias also are bifid towards the broad End; the inside shines with a most beautiful pearl Colour.
370. 210. The first in the Plate is a thin transparent Shell of the Colour of Horn, with here and there small Prickles; it is blunt at the broad End; I take it to be a very young Fish.
370. 2d. This Shell also is very thin and transparent, very blunt at the broad End; yellowish, distinguished crossways with fine Waves, drawn small and thick: The Shell is sharp ridged at the smaller End, and very strait, with little or no Sinus. This (371. 212.) is not to be distinguished from the former but that it wants the transverse Lines, but hath eminently the undulated Waves running lengthways.
373. 214. This Shell is figured as big as the Life; the only one of the Kind that I have seen, it is of a dark liver Colour: From the small End and downwards run seven or eight Rows of high, thick, and hollow Pipes blunt at the End; these concave Murices are twisted into Pipes; where they are not, they are imbricate; the Neck of this Shell is a little more sinuous than the rest of the Tribe. The Shell is thin to it's Bulk, and the Basis is a little produced and round pointed. The middle of this Shell is dark liver Colour, save where the Fish adhered to the Neck, it is a bright mother of pearl Colour.
374. 215. This is the common Pinna of the mediterranean Sea, there are of them of a vast Magnitude. The small End is high ridged from whence the transverse Waves begin, and are as it were imbricated, lying above the Shell like Scales, in a pretty undulated and indented Manner, but without much Order and Exactness; it is of a dark hair Colour, the broad End is about the middle extended a little to a blunt Point.
386. 233. This large Tellina is of a Cornelian Colour, very smooth, and very thick and ponderous in those of this Growth and Bigness; but the lesser are thin and light and prettily fasciated, at least some of them.
417. 261. Tellinis congener *Aldrovandi*.
421. 265. This Shell seems to be Chamous, or naturally open at both Ends; it hath a Ridge or a depressed Sinus at the End, where the Hinge is, otherwise it is equally obtuse and both Ends, not unlike the Solen Kind, amongst which it might be placed; it is hollow and of a brown Colour. I never saw but this one Pair of them in *Mt* From the mediterranean Sea.
434. 277. I have seen of these from *Carolina* six Inches long and two Broad.
469. 27. b. This is a very large Stone, and seems to have had Ears on each Side: there about twenty Ridges smooth and round, which yet are very small, if compared to the Furrows, which are wide and deep. One Side of the Stone (for it was an entire Bivalve) seemed to be something flatter than the other. This out of Mr. C.'s Collection.
470. 28. This is a most beautiful Stone, of Mr. C.'s Collection. The Difference of this Stone and the Scallop above (Tab. 187. 25.) is manifold as will appear from the Description. In this Stone (if it had Ears they are broke off) are eighteen Ridges at least, these Ridges consist of five small Ridges, that in the Middle is very much raised above the rest and sharper, being set thick with sharp Points; on each Side of it are Rows of small Points or Prickles thick set: and on each Side are two Ridges sunk lower into the Furrows, thick set also with small Prickles, so that the Furrow betwixt is very narrow, whereas in the Scallop the Furrows are very deep and broad.
478. 35. This Stone was found at the Chapel at St. Croix near Poitier in France, and is of Mr. C.'s Collection; it is very thick and ponderous, it is to be distinguished from the Oyster, for that it is of an oblong Figure, the Hinge is very broad, and as it were treble also, the Place of the Ligament being to the right Hand of the Inside of the Shell, it is therefore the under and lesser Shell of the Bivalve, and, consequently, if it was our Oyster it should have a Row of Knots on each Side the Hinge, all which it wants, and therefore is a Stone of it's own Kind.
486. 42. Found in Lincolnshire. L. P.
489. 45. This Stone is a true Flint; it is, as it were, the half of a Cockle: it is obliquely fasciated, having about ten of them, each List consisting of a great many other smaller Lists after the Manner of Hatching.
491. 47. This is a very large white chalk or lime Stone. From the Hinge to the Border it lies extended much more lengthways; the Streaks of the Hinges are neatly turned in again, running along the Border a pretty Waving for about sixteen Courses, all the rest of the stone is smooth. I have not observed any of the Shell Kind any ways like it.
494. 50. This Stone is of a dark brown Colour; it is an entire Bivalve, the Valves are awry, as it were, rather than crushed; the Basis or Border running into an Angle, the Streaks are small and eminent; the Sinus's on each Side the Hinge are very wide and large.

Tab. N^o. In this it differs from the Shell, that it wants the Ridge, which that hath, most conspicuously leading to the Angle on the Border, also that the Streaks there are much finer bulk for bulk.

497. 52. Fossil: prope Parifias, in Sabuleto quodam inventus.

518. 73. This Stone is altogether smooth and is found in the Middle of a Stone as in a Matrix, hatched after the Manner of the Lapides Judaici. This Discovery is owing to Mr. Lbonyd.

TABULARUM ANATOMICARUM

EXPLICATIO

EX NOVA RECENSIONE EDITORIS.

TABULA Prima.

FIGURA I

EXHIBET Anatomiam Cochleæ cujusdam Terrestris, *Pomatia Ghesio* dictæ.

a. a. a. a. Branchiæ radiatæ, sive cinctæ, membranæ cuidam affixæ.

b. b. b. b. b. b. Ipsa Membrana branchialis extensa.

c. c. Cor.

d. d. d. d. Viscus cinereum quoddam; an verum *Hepar*? cujus pars, cordi propior, alterâ pellucidior est, humoreque limbo turgida.

e. e. e. e. *Hepar* falsè creditum, ex viridi luteove subfufcum, *Meconium* veteribus dictum; nihilque aliud est quàm Intestinulorum cæcorum compages.

f. f. f. f. Intestinum rectum.

g. Intestinorum emissio ex Hepate sive plexu intestinali.

h. Stomachus inferior, sive Ventriculus secundus, subrotundus, cæcus; ubi Pylorus.

i. i. i. Ingluvies, sive Stomachus superior, rugis quibusdam sive plicis secundum longitudinem distinctus.

k. k. Omentum bifidum, Stomachum superiorem contegens.

l. l. Omenti Tendines suspensorii, capiti utrinque inserti.

m. m. Caput.

n. n. n. Musculi Capitis retractorii.

o. Processus cæcus sub Mento; an Arteriæ asperæ loco?

FIGURA II.

Dens Cochleæ, lunatæ figuræ, circiter quinque incisuris exacuatus; è Microscopio depictus.

FIGURA III.

Cor, è cocto animali triquetrum; item Aorta succo vitali, sive Cochleæ sanguine subcæruleo, instarque ovi albuminis concreto, vehementer distenta.

FIGURA IV.

a. Vulvæ orificium.

b. b. Penis, prout in coitu exeritur.

c. c. Stimuli Venerei theca, sive funda jaculatoria.

d. d. Ipsius fundæ Apophyses, sive folliculi quidam cincti, cæcæve appendices, *Vesiculæ Seminales* existimandæ.

e. e. e. Præputium, Peni & Flagello cartilagineo condendo inserviens.

f. f. f. Capreolus, sive Flagellum cartilagineum.

g. Flagelli apex rotundus.

h. h. Ductus, sive vas quoddam deferens spermaticum.

i. i. Tendo Penis retractorius.

k. Uteri vagina.

l. l. l. l. Ductus quidam, sive vas alterum deferens, Testiculo ortus, ipsique Utero tenui membranula annexus.

m. Testiculus.

n. n. n. n. n. Uterus, multiplici cellularum apparatu instructus.

o. o. o. o. Uteri ligamentum latum, opacum, læve, quasi vermiculatum.

p. p. p. p. Lactis, sive ingens quædam Glandula ad Uterum spectans.

q. q. q. Ovarium.

r. r. Infundibulum ab Ovario ortum, catenæ instar, spissè revolutum; ad lactis alterum caput, Utero conjunctum.

FIGURA V.

Spiculum Veneris; è Microscopio depictum.

FIGURA VI.

Tendines sive Musculi, & oculis & capiti, & toti cuti movendæ inservientes.

a. Noduli, ubi plerique minutiore Nervi sive Tendines concurrunt, ac si de natura spinalis alicujus medullæ esset.

TABULA Secunda

Cochleas Terrestres fere spectat.

FIGURA I.

Spiculum ex utero Cochleæ vulgaris majoris horrentis.

FIGURA II.

a. a. Intestinum Rectum.

b. Ejus exitus.

† A

c. c. c. In-

c. c. c. Intestinorum volumina, prout naturaliter per ipsum Hepar intestinale reflectuntur; at nudata ab Hepate isto suo

- d.* Ventriculus inferior, five cæcus.
- e. e.* Ingluvies, five Ventriculus superior.
- f.* Gula.
- g.* Processus cæcus sub Mento.
- h.* Labium inferius.
- i. i.* Maxillæ.
- k.* Dens fulcatus, spadicei coloris.

FIGURA III.

- a.* Vulva ejusdem Cochleæ exerta.
- b. b.* Funda, five Spiculi Capsula, ejus & seminis vas ejaculatorium.
- c. c. c. c.* Penis, ut in coitu exeri solet, uncatus, ipsi Vulvæ adnexus.
- d. d. d.* Capreolus, è Pene exiens.

FIGURA IV.

Capreolus è Pene eductus integer.

FIGURA V.

Nodus in Capreolo oblongus, stimulis uncatis exasperatus; è microscopio depictus.

FIGURA VI.

Uteri appendices corniculantes, five Folliculi seminales in Cochleis Nigritis à me dictis.

FIGURA VII.

Nigritæ Cochleæ sic dictæ Spiculum, è vase ejaculatorio exemptum, atque è microscopio depictum.

FIGURA VIII.

Membra ad generationem spectantia Cochleæ *Umbilicata*.

- a. a.* Penis.
- b. b.* Vas ejaculatorium, claviculatum intusque cochleatim intortum.
- c.* Vulva.
- d. d.* Testiculus cum vase deferente ad Vulvam.
- e. e. e. e. e.* Uterus suis loculis ornatus.
- f. f.* Lactis, five glandula quædam ad Uterum spectans.
- g. g.* Infundibulum, five Funiculus tenuis crispatusque, ab Ovario ortus.
- h.* Ovarium.
- i. i. i.* Vesiculæ cæcæ semen continentes.

FIGURA IX.

Complexum quendam pelliceum Intestinulorum cæcorum, Hepatis facie, exhibet, Astaci fluvialis.

- a.* Ventriculus inferior cæcus, quasi biceps.
- b. b. b.* Intestinum rectum.
- c. c. c. c. c. c.* Hepar intestinale bifidum, pelliceum, ex innumeris intestinulis cæcis constans.
- f.* Intestinulorum Cirrus singularis explicatus.

FIGURA X.

Anatomiam exhibens Cochleæ cinereæ, compressæ, fasciatæ Ericetorum.

- a. a. a. a.* Penis, five vas ejaculatorium, claviculatus, & tanquam biceps.
- b.* Testiculus quasi biceps, cum vase deferente longiusculo.
- c. c. c. c.* Farcimen quoddam crystallinum, quæ ipsius Uteri pars exposita est; punctulisque crebris albidis distinguitur, & quavis gelatina limpidius est.
- d.* Lactis quædam, five glandula ad Uterum spectans, subfusca. Reliqua autem ut in superioribus.

TABULÆ Tertiæ

Ad Cochleas Terrestris spectantis Explicatio.

FIGURA I.

Exhibet Membra ad generationem pertinentia Cochleæ maximæ hortensis variegatæ.

- a. a. a. a.* Vas deferens.

b. Testiculus.

c. c. Glandula ad Uterum spectans.

d. Infundibuli pars, sine Ovario.

e. e. e. Uterus.

f. f. f. Penis claviculatus, five flagelliformis.

g. Uteri orificium, five Vulva.

h. Uteri capsula pyriformis, in qua reconditur stimulus venereus; idem quoque existimandum vas ejaculatorium, scilicet, utrique Sexui inserviens.

i. i. i. Appendices cæcæ digitatæ, nempe vesiculæ seminales.

k. k. Tendo retractorius Penis.

FIGURA II.

Una ex Appendicibus cæcis, five vesiculis seminalibus suprâ expositis; è microscopio aucta depictaque.

FIGURA III.

Genitalia exhibet Cochleæ fasciis variegatæ & non fasciatæ.

a. a. a. a. Penis flagelliformis, five claviculatus.

b. b. Tendo retractorius Penis.

c. c. Vas ejaculatorium, ipseque Vulvæ exitus.

d. d. Duæ vesiculæ seminales, omnium longissimæ, utraque in duos ramusculos divisa; ex iis autem ramusculis tres duos tantum digitos habent, quartus verò trinos digitos exhibet.

e. e. e. Vas deferens.

f. Testiculus.

g. Glandula ad Uterum spectans.

h. h. h. Uterus plicaturis conspicuus.

FIGURA IV.

Organa ad generationem spectantia exhibet Cochleæ fuscae compressæ, acuto extimi orbis ambitu.

a. a. a. Penis claviculatus.

b. b. Tendo retractorius Penis.

c. Capsula ad eondendum telum venereum, idem vas quoque ejaculatorium.

d. d. Vesiculæ seminales simplices, five duæ tantum, & non digitatæ.

e. e. Uteri vagina.

f. f. Duo itinera, quorum alterum ad Uterum ducit; alterum ad Testiculum.

g. g. g. g. Uterus.

h. h. Glandula ad Uterum spectans.

i. Testiculus.

k. k. Infundibulum.

l. Ovarium.

TABULÆ Quartæ

Ad Cochleas Terrestris spectantis Explicatio.

Dissectio Cochleæ terrestris, striatæ, atque operculatæ Masculini generis, Tit. 5. Hæstoriz nostræ Animalium Angliæ.

a. Penis. *b.* Testiculus. *c. c.* Vasa Spermatica.

d. Clavicula, five Hepar intestinale.

FIGURA II.

Penis; ex Microscopio.

FIGURA III.

a. Ejusdem Cochleæ feminae Promusci. *b. b.* Cornicula five Antennæ. *c. c.* Oculi. *d.* Operculum pedi affixum. *e.* Uterus. *f. f. f.* Intestinum rectum, ac Colon Scybalis refertum. *g. g.* Meconium, tanquam Hepar ex Intestinis cæcis concretum, venisque quibusdam albis pulchrè distinctum.

FIGURA IV.

Organa generationi dicata, è Cochleâ quâdam parvâ terrestri dissecta.

TABULA Quinta.

Limacum, i. e. Cochlearum nudarum, scil. alterius generis Terrestrium, Anatomia.

FIGURA I.

Limacis Nigri Cor, Viscere quodam, vero Hepati simili, quasi inclusum; è Microscopio depictum.

FIGURA II.

a. Ejusdem Limacis nigri Vulva subcrocea. *b. b. b.* Penis. *c.* Testiculus. *d. d. d.* Uterus cum suo ligamento. *e. e. e. e.* Glandula ad Uterum spectans. *f. f.* Infundibulum. *g. g.* Ovarium subceruleum.

* *Exeunte Augusto, Sole occidente, tempestate valde nubila atque humida, flante Austro vebementer, loco quodam uliginoso, Limaces nigros vulgares in Copulâ vidi: tanquam vesiculis multum inflatis exertisque, mutuo inter se adharebant; divulsis autem, et breviusculas claviculas tenues, à se invicem demissas atque exeuntes è corpore animadverti, velut ab Androgynis.*

FIGURA III.

Ejusdem Limacis intestina. *a.* Gula. *b. b.* Ingluvies, five Stomachus superior, vacuus, rugisque secundum longitudinem deductis conspicuus. *c.* Ventriculus cæcus, Marsupii alicujus in modum, latefcens. *d. d.* Intestinorum cæcorum duo majores ramuli in innumeros ramusculos, Hepatis cujusdam in modum, conglomeratos divisi. *e. e. e. e.* Intestina reliqua ad anum usque explicata. *f. f. f. f. f.* Hepar istud tanquam foliaceum, in duos maximos lobos five fibras deductum expansumque. *g.* Sedes Ovarii in inferiore istius Hepatis lobo. *b. b. b. b. b.* Vasa sanguifera argentea per universa viscera discurrentia.

FIGURA IV.

Organa generationi dicata Limacis cujusdam Succini colore, maculisque albis notati.

a. a. Penis. *b. b.* Testiculus oblongus. *c. c. c. c.* Uteri ligamentum quasi vermiculatum. *d. d. d. d. d.* Uterus. *e. e. e. e.* Glandula ad Uterum spectans. *f. f.* Infundibulum, five Funiculus Tubulusve, ex Ovario ortus. *g. g.* Ovarium albidum.

FIGURA V.

Officulum Cordi, præsidii causâ, superinjectum; è Microscopio depictum.

FIGURA VI.

Limacis maximi cinerei, striati, interiora exhibet.

a. Caput, corio five pelle nudatum. *b. b.* Omentum bifidum. *c. c. c. c.* Ingluvies, five Stomachus superior cibo distentus. *d.* Ventriculus inferior cæcus. *e. e. e.* Hepatis intestinalis cæcis compositi lobi explicati. *f. f.* Reliqua Intestina ex isto Hepate orta. *g. g.* Cor, viscere suo, id est, Hepate vero circumseptum. *b. b. b.* Vana cava ex Hepate.

FIGURA VII.

Ejusdem Limacis Organa generationi dicata; quæ, paucis mutatis, explicari possint, ut superiorum omnium ejusdem generis.

FIGURA VIII.

a. a. Cor ejusdem Limacis. *b. b.* Membranulæ laceratæ pars, quâ visceri cinereo, scilicet Hepati vero adhærebat. *c. c. c.* Aorta, venis paulo crassior, ut ex coctione apparet. *d. d. d.* Vena cava, ex Hepate orta. *e. e.* Pars intestini recti. *f. f.* Pars intestini tenuioris. *g.* Locus, ubi Venæ ab intestinis venientes cum Vena cava, ante ejus in Cor ingressum, committi videntur.

FIGURA IX.

Dens tricuspidis Limacis ejusdem.

FIGURA X.

Cor cum Arteria magna, Venaque cava ejusdem Limacis; scilicet eodem obliquo situ, quo in animali ponitur.

FIGURA XI.

Limacis minimi cinerei organa generationi dicata. Glandula ad Uterum spectans biconis. Testiculus angustior: reliqua ferè ut in superioribus.

TABULA Sexta

Cochleæ viviparæ Fluviatilis Dissectionem exhibet.

FIGURA I.

a. a. Intestinula cæca Hepati-formia. *b.* Cor. *c. c.* Intestinum Rectum. *d. d.* Gula. *e. e. e.* Penis Maris. *f.* Dextrum Maris Cornu obtusum, in quo Penis exitus est. *g.* Promusculis. *h.* Alterum cornu mucronatum. *i. i.* Oculi. *k. k. k.* Ventriculus, ac intestinorum reflectiones.

FIGURA II.

Cochleam viviparam Feminam resupinatâ dissectione explicitam exhibet, pede capiteque dissectis.

a. a. Clavicula, five Hepatis intestinalis pars. *b. b. b.* Ovarium. *c. c.* Aorta cærulea cum Corde rubente. *d. d.* Viscus quoddam, Cordi proximum, triquetrum, cinereo-viridescens. *e. e. e.* Branchiæ. *f. f. f.* Uterus apertus cochleis exiguis repletus. *g. g.* Papilla crocea, five Uteri exitus. *h.* Uteri fundus, ubi cum Ovario committitur.

FIGURA III.

Cochleæ alterius fluviatilis, sex spirarum, &c. ex resupinato animali dissectio.

a. Caput. *b. b.* Omentum Gulam amplectens. *c. c. c.* Gula. *d. d.* Ventriculus carnosus, quem

FIGURA IV.

Accuratius delineavimus.

e. e. e. Hepar intestinale totam claviculam occupans. *f. f. f.* Tuba Fallopiana, five ductus multipliciter & ipsâ reflexus albusque, ex Ovario prodiens, ac cum Utero commissus. *g. g. g. g. g.* Uterus ejusque plicaturæ; atque ipse penis. *h.* Testiculus subcroceus. *i. i.* Viscus quoddam, an verum Hepar, prope Cor situm. *k.* Ipsum Cor.

FIGURA V.

Cochlea altera vivipara, à Volga, Moscoviæ fluvio; item à fluvio Cam Angliæ.

TABULA Septima

Dissectiones exhibet Purpuræ Fluviatilis compressæ, Tit. 26. Historiæ nostræ Animalium Angliæ. Item Buccini Tituli 29. ibidem.

FIGURA I.

a. Buccini fluviatilis caput. *b.* Gula. *c. c.* Ventriculus subrotundus. *d. d.* Ejus Revolutio. *f. f.* Intestini recti exitus. *g. g.* Ovarium granulis distinctum. *b. b. b.* Hepar intestinale.

FIGURA II.

a. a. a. Uterus Purpuræ fluviatilis, flavus, ipsi Peni commissus complicatusque. *b. b.* Glandula coccinea ad Uterum spectans. *c. c. c.* Intestina cæca, in Hepatis quandam imaginem compaginata, Claviculam ex magna parte occupantia. *d. d. d.* Tuba Fallopiana, ad fundum Claviculæ, tortuosa five anfractuosa.

FIGURA III.

Ejusdem Purpuræ sperma ejectum, compressum, Ovisque majusculis coccineis distinctum.

FIG. IV. & V.

Spermata ejecta illius Buccini fluviatilis.

TABULA

TABULA Oſtava

Anatomiam exhibet Buccini marini, craſſi, ruſcentis, ſtriatu & undati Tit. 2. Hiſtorie noſtræ Animalium Angliæ.

FIGURA I.

a. a. a. Promuſcis. *b. b.* Cornicula cum oculis ad eorum radices. *c. c. c.* Penis. *d.* Exitus Penis, ſive glans. *e. e. e.* Cartilago quædam in Tubulum tortilis. *f.* Clavicula leviter adumbrata.

FIGURA II.

a. a. Ejusdem Buccini marini cartilago in Tubulum tortilis. *b. b.* Duæ Branchiæ. *c.* Cor. *d. d.* Auricula Cordis. *e. e. e.* Viſcus quoddam Cordi appenſum & circumfuſum; an verum Hepar?

FIGURA III.

Duæ Branchiæ nigricantes, ſive biſidæ; è Microſcopio auſtæ.

FIGURA IV.

a. Eadem interiores Branchiæ nigricantes. *b. b. b.* Exteriores Branchiæ multò ampliiores, & paulò minus nigricantes.

FIGURA V.

Cor è vivo Buccino coſto.

a. Aorta rhomboïdes, concreto ſucco vitæ albo, ex coſtione infarcto, diſtentoque.

FIGURA VI.

a. a. Ejusdem Buccini Gula à Promuſcide. *b.* Intef-tinum cæcum, ſubruſum. *a. a.* Ventriculus. *d.* Quædam elegans ſtriatu, Peſtiniſormis. *e. e. e.* Colon. *f.* Exitus inteſtinorum.

FIGURA VII.

Cujusdam Buccini marini, vivi, integrique, à Fabio Columna exhibiti

a. Canaliculus tortilis Branchiis inſerviens. *b. b.* Pe-dis poſterior pars digitata, ſive bifurcata.

e. e. Appendices Ventriculi cæcæ. *g. g.* Veſica atra-menti. *f. f.* Inteflinum rectum.

FIGURA III.

a. a. Duo Ovaria, veluti duæ Mammæ cum exiguis papillis in utriusque ſummitate. *b.* Cor. *c. c. c. c.* Duæ Branchiæ duplicatæ.

FIGURA IV.

Fiſtula ſive Trachea, cum ſuis cruribus cartilagineis.

FIGURA V.

Unguis aculeatus margine dentatâ, alter exiguus juxta magnitudinis; alter vero è microſcopio depiſtus.

FIGURA VI.

Mutis. *a. a. a. a.* Gula per ſummam Mutidem per-reptans. *b.* Ejus immerſio in Mutinâ.

FIGURA VII.

Partes ad generationem ſpectantes; vide figuram deci-mam infra, ubi eadem explicantur alio atq; naturali ſitu.

FIGURA VIII.

Glandula quædam magna, an Lactis extremum Alvei occupans?

FIGURA IX.

Partes Generationi dicatæ, Marium puta.

FIGURA X.

a. a. a. a. Ea pars Feminini Uteri puta, quæ Glan-dulæ proximo adjacet. *b. b.* Vas quoddam flexuoſum, Ovi ductus putâ, ſive tuba Fallopiana tortuoſa. *c.* An Uterus? *d. d. d. d. d.* Vagina Uteri. *e. e.* Veſicula atra-menti. *f. f. f.* Vas ex inteſtinis ortum, Veſiculæ atra-menti inſertum. *g. g.* Ventriculus. *b. b. b.* Intefli-num rectum velut Meſenterio quodam circumdatum. *i. i.* Pars extrema Mytidis. *k. k. k.* Maximum vas Cordis inſertum, à media Mytide exiens, velut Vena cava. *m. m.* Ipſum Cor. *n. n.* Alterum à Corde vel ligamen-tum vel vas. *o. o.* Vel vas, vel ligamentum à Corde prodiens.

TABULA Nona

Loliginem integram exhibet: item Aurem Marinam, Peſtinemque ex Muriâ.

FIGURA I.

Loligo integra.

FIGURA II.

Peſtiniſ ejusdem Viſcera ex Muriâ condita coſtaque. *a. a. a.* Muſculi Valvas conſtringentes. *b.* Pars Geni-talium lacerata, quæ in aliis Peſtunculis ad medium Pedem reconditur. *c. c. c. c.* Ea Pars Pedis quæ albeſcit. *d. d. d.* Pars Pedis mucronata croceaque.

FIGURA III.

Auris marina ex Muriâ.

TABULA Decima

Loliginis Anatomem exhibet.

FIGURA I.

G Ladiolus Loliginis.

FIGURA II.

a. Roſtrum. *b. b. b. b.* Labium circinatum. *c. c. c. c. c. c.* Gula ſive ſtomachus. *h.* Ingluvies ſive Ventriculus.

TABULA Undecima

Aliquot exhibet Viſcera Loliginis, Sepiæ, Polypi, ex Aldrovando, F. Redi, Swammerdamio apud Blaſium.

FIGURA I.

EX Swammerdamio, quædam partes Sepiæ feminæ exhibentur.

a. Eructarium atramenti. *b. b.* Branchiæ. *c. c.* Ova. *d.* Ductus, per quem exeunt Ova. *e.* Ovarium. *f.* Ex-itus inteſtini, atque Eructarii Atramenti. *g. g.* Duo Corpora glanduloſa, fortè teſtes. *h.* Pars peculiaris, hu-morem rubellum continens.

FIGURA II.

Sepiæ Cor, cum Branchiis.

a. Cor. *b. b.* Branchiæ.

FIGURA III.

E Fr. Redi, Alimentorum Canales Sepiæ exhibet. *m.* Roſtrum. *n.* Oeſophagus. *p.* Inteflinum cæcum. *q. q.* Inteflina. *r.* Atramenti, ſive fellis Veſica. *s.* Ori-ficium ad anum.

FIGURA IV.

E Fr. Rhedi, Alimentorum canales Polypi. *e.* Roſtrum. *d.* Oeſophagus. *e.* Gula. *f.* Stoma-chus, avicularum æmulus. *g.* Inteflinum cæcum. *b. b.* Inteflina. *k.* Atramenti, vel Veſica fellea. *l.* Exitus in Ano, ubi inteſtinum, & atramenti Veſica ſeſe exonerant.

FIGURA

FIGURA V.

Loliginis alimentorum canales.

z. Rostrum. *u.* Oesophagus. *x.* Atramenti, five Vefica fellea. *y.* Intestina. *z.* Exitus ad Podicem. *v.* Stomachus. *w.* Intestinum cæcum, five stomachus secundus.

FIGURA VI.

Loliginis majoris ex Illyrio *gladiolus*, apud Aldrovandum de Mollibus.

TABULA Duodecima

Musculi Fluvialilis Anatomen, Saliaque quædam fossilia exhibet.

FIGURA I.

a. a. Oris labia branchiata. *b. b. b. b.* Quatuor branchiæ, quarum duæ externæ Sacculorum quoque uterinorum officio interdum funguntur; in quibus scilicet ova enixa continentur, atque incrementum sumunt. *c. c. c. c.* Pes carinatus. *d. d. d.* Venter, in quo Ovarium maximum spatium occupat; deinde Meconium, & reliqua intestina locum habent. *e. e. e. e.* Branchiarum velamentum evolutum. *f. f.* Una pars velamenti fimbriis corniculatis & racemosis exasperata. *g.* Tracheæ Orificium. *h. h. h.* E Testarum valvis una. *i. i. i. i. i.* Limbus musculosus velamenti.

FIGURA II.

Cor exemptum. *a. a.* Auriculæ inflatæ. *b. b.* Aorta.

FIGURA III.

Cor angustioris & ex flavo viridescens Musculi.

FIGURA IV.

Cor primum & supinum ex altero Musculo exemptum.

FIGURÆ V, & VI.

Salium Crystallorum figuræ, & Concharum testis crematis; è Microscopio.

FIGURÆ VII, & VIII.

Crystalli calcis lapideæ plerarumque aquarum medicatarum nostratium, ad justam magnitudinem à nobis depictæ, & ante quindecim annos editæ.

FIGURA IX.

Crystallus viscosa & pinguis, ex viridi ferè leviter rufescens, ex India Orientali, *Tincal* dicta.

FIGURA X.

Idem Sal ex aqua dissolutum, instar Capituli cujusdam Fungi concretum; scilicet ex innumeris quibusdam claviculis compaginatam.

TABULA Decima tertia

Pectunculi, Chamae, itemque Tellinae Anatomen exhibet.

FIGURA I.

Pectunculus vulgaris, *Cockles* Anglicè dictus, cum duabus Tracheis exertis.

FIGURA II.

a. Cor ex parte exemptum. *b. b.* Duo ligamenta testas constringentia. *c.* Trachea altera. *d. d.* Oris labia dependentia & branchiata. *e. e. e. e.* Branchiæ. *f. f.* Pes, cujus pars anterior quandam vomeris figuram refert. *g.* Venter, ubi organa generationi dicata utriusque sexus.

FIGURA III.

Stylus quidam crystallinus.

FIGURA IV.

Tellina è testis exempta; cui membranæ circumvestientes, & branchiæ excisæ sunt, ut reliqua clariùs conspiciantur.

a. a. Ligamentorum, valvas constringentium, capita. *b.* Meconium. *c. c. c. c.* Revolutio intestini, rectum verò intestinum superequitat posterius ligamentum. *d. d.* Pes carinatus. *e. e.* Ambæ Tracheæ. *g. g.* Caput labiis auriculatis notabile.

FIGURA V.

Chama *Purra* dicta, cum duabus Tracheis exertis.

FIGURA VI.

Una è valvis, facie suâ interior, & ligamentum, & velamenti vestigia exhibens.

FIGURA VII.

a. a. Ligamenta valvas constringentia. *b.* Cor pericardio inclusum. *c. c.* Labia Oris dependentia. *d. d.* Branchiæ radiatæ. *e. e.* Duæ Tracheæ, five fistulæ branchiales. *f. f.* Venter, ubi illa viscera sunt, nempe Ventrículus, Meconium, Intestinum, Ovariumque. *g. g. g.* Pes carinatus. *h. i.* Penis.

FIGURA VIII.

Cor ejusdem animalis exemptum.

TABULA Decima quarta

Mytuli marini Anatomen exhibet.

N.B. Sex priores hujus Tabulæ Figuræ ferè ab *Ant. de Heide* depictæ fuerunt.

FIGURA I.

Mytuli cornua ramosa, scil. posita in limbo musculari ad anum; è Microscopio depicta.

FIGURA II.

Unus è cirris penniformibus, five labiis branchiatis; è Microscopio.

FIGURA III.

Lingua dicta (potius Penis) cum suis Musculis; è Microscopio.

FIGURA IV.

Stylus quidam crystallinus.

FIGURA V.

Mytulus in vitro aquæ marinæ servatus, ubi ejus linguæ dictæ exertio, atque adhæsiō ordinata repræsentatur.

FIGURA VI.

Caput & os Animalis cum labiis penniformibus. *a.* Gulæ principium.

FIGURA VII.

Cor Mytuli à me primùm exhibitum.

N.B. Figuræ autem sequentes hujus Tabulæ, nempe 8, 9, & 10. apud *Leeuwenhoekium* habentur, *Arc. Nat.* 4to. pag. 465.

FIGURA VIII.

Exhibet microscopice villorum quorundam congeriem, veluti ramosam, cum aliquot acetabulis quibus singuli villi five setæ terminantur.

FIGURA IX.

Mytulus nondum natus ex ovo exemptus. *a.* Placenta. *b.* Ipse Mytulus.

† B

FIGURA

FIGURA X

Pulcherrimus ille ordo depingitur, quo Ova, Mytilis foecunda, testis extrinsecus adhæreant; perque eorum membranas pellucidas valde spectabilia esse.

TABULÆ XV & XVI

Ostreum exhibent dissectum; & sunt Wil-
lisianæ; ad singularum verò calcem ex ære
quoque suas Explicationes incidi curavi.

* Ostreis labia ista, ab ore pendentia, omnium Bivalvium Conchyliorum, quæ hætenus mihi videre contigerit, longè validiora sunt; utpote & crassissima & rigidiuscula. Cùm itaque iis Pes aliquis, ad se movendum de loco in locum, omnino desit; ut se tamen vertant (quo motu ea frequenter gaudere dicuntur) his potissimum labiis, tanquam remis quibusdam pennisque utantur, verisimile est.

TABULA Decima septima

Pectinis Anatomen exhibet.

PECTINEM nactus, ineunte Januario, ejus dissectionem, quâ potui accurate, certè ex uno exemplari, institui. Imprimis, vidi cardinem ex concavâ valvâ leviter incurvari, & superinjici alteri ac planæ valvæ, totoque illo latere inter se cartilagine quadam firmiter connecti: Item in ipso medio spatio Cardinis alteram acerrimam robustamque admodum cartilaginem disponi. Hinc aded mira illa contractionis vis, & fortasse planam valvam, remi alicujus more, movendi, adque pernicitatem & volatûs quandam imaginem moliendam: de quo quidem non semel locuti sunt Veteres, tanquam huic Conchylio peculiari.

Apertis autem valvis hæc conspicienda sese exhibent. Ad dextram & sub cardine Os cucullatum, instar Ostreæ. Velamina autem oris conficiuntur ex concursu branchiarum exteriorum, quæ Musculosæ sunt, totumque animal à capite ad ani exitum, scilicet finistram versus è regione oris, ubi inter se rursus connectuntur, circumambiunt.

Ex isto autem pari branchiarum exteriorum ea, quæ planæ valvæ incumbit, centro suo adhæret superiori limbo ingen-

tis cujusdam Musculi rotundi, qui ex rectis angulis in mediis valvis inseritur; altera verò exterior branchia similiter conjungitur alteri capiti ejusdem Musculi centralis.

A Musculo verò centrali ambæ istæ exteriores five spuriae branchiæ, è tenui Membrana & pellucida admodum constant: Et ad medias valvas expansæ leviter iis adhærent, ut moveri inde non possint, tuenturque animalis dorsum ab aqua injuria, intra valvas receptæ; à loco vero istius adhæSIONIS, crassus quidam Musculus mirificus, tanquam Limbus, incipit. Is autem à me depingitur tantum eo quo contrahitur modo; sed in vivis mirè extensilis est, etiam longè ultra margines valvarum. Item Laciniis donatur, & ex rufo variatur Lineolis elegantissimis. Multis autem diebus à piscatione nostri pectinis is limbus haud obscurè movebatur. Usus autem ejus sic intelligo; nempe ex contractione incurvata introrsum, more retis cujusdam, cùm ambo isti branchiati Musculi extra conchas emissi sint, quicquid intra se complexi fuerint, sibi mutuo adpliciti, ad se rapiunt in victum animalis: Laciniis autem, extremis suis marginibus tenuiter incisis, aqua marina separari videtur, retento cibo. Si qui verò sint alii ejusdem partis usus, me latent; quod nec mores, nec victum hujus animalis privatim scio.

Illud tamen addere lubet de isto limbo mirifico exteriorum branchiarum, eum posse inservire non piscationi tantum victûs, cùm, instar retis, admodum extendi extra valvas solet; sed & necationi cujuslibet animalis minuti, aut pisciculi, ex forti compressione; itemque ex motu undulatorio, qui in eo valde notabilis est, posse circumferri victum; eumque tandem, quacunque parte circuli retiarum sit, ipsi ori exporrigi, ita manûs locum quodammodo supplet.

Ad veras autem, certè quæ ita appellari solent, Branchias venio; hæ verò quatuor sunt, leviter flavicantes, atque pectinatim striantur eleganti quodam opere. Illæ autem Branchiæ Musculum magnum centalem circumambiunt, interque se comprehendunt five incumbunt utero, ejusque Ovario, certè partibus generationi dicatis.

Harum autem partium Figuræ rectè à me antè delineatæ fuerunt; & jam vivo quoque animali video ejus partem inferiorem ex croco resplendere; superiorem verò

verò albicare; juxta Os verò processus quidem, duplici foramine apertus, conspiciendus est. Horum autem foraminum *Unum*, Vulvæ exitus existimandus est; & si androgyni sint pectines (quod suspicor ex perpetuâ similitudine istius partis in omnibus à me visis, & vivo & conditis) *alterum*, ad maris genitale membrum exerendum instituitur; atque hætenus de Branchiis & Organis generationi dicatis

Ad Caput procedo; huic Os labiis circumscriptum est rufescentibus, more branchiarum internarum; at brevibus admodum, & in nostro exemplari crispis, fortè vitiosis & mutilatis.

Sub ipsum verò cardinem medium duo prægrandes veluti circuli sive Cavitates instar oculorum (at oculi non sunt) alicujus Rhombi piscis, obliquè positorum.

Os verò caputque excipit majusculum Meconium, subnigrum, ad sinistram vergens. Pone id cor latitat, perque ipsum Pericardium pellucidum conspici potest; ex carneo leviter rufescit. Cordis aorta in branchias dispertitur. An verò id solum pericardium sit, quod scilicet proxime adjacet nigro meconio, sive totum etiam illud Figurâ rhomboide comprehensum, hæreo. An pars ejus inferior Vesica Urinaria sit, quæro: certè ex meconio oritur intestinum rectum, superque pericardium equitans, ad internas branchias protenditur, & musculo centrali adnectitur.

Musculus autem centralis orbicularis est, albus & lævis, magna superficiei suæ parte, quâ conchæ adhæret: ex sinistra verò parte alio candidiori musculo lacerato distinguitur, & conchæ magis firmatur.

Atque hæc est partium hujus animalis brevis quædam enarratio; earum verò usus (exceptis branchiis spuris) exhibere supervacaneum est, siquidem ex analogiâ cum reliquis id genus animalibus, à me publicatis, facile intelligi atque explanari possint.

a. a. a. a. Os Caputque. *b. b.* Meconium aterrimum. *c.* Cor, prout subter membranam latitat. *d. d.* Pericardium, an Vesica Urinaria rhomboides? *e. e. e. e.* Intestinum rectum pericardio superequitans. *f. f. f. f.* Magnus Musculus centralis. *g. g.* Alius Musculus laceratus, testis fortiter adhærens. *h. h. h. h.* Branchiæ internæ. *i. i.* Uteri prolongati exitus, duobus foraminibus distinctus tanquam Androgynis. *k. k.* Uteri pars superior alba. *l. l. l.* Uteri pars inferior crocea. *m. m. m. m. m. m.* Limbus variegatus, sive Musculus *retarius* laciniatus, quibusdam branchiæ exteriores dictus; horum vero alter præcisus est.

TABULA Decima Oclava

Exhibet Berberi Antiquorum, i.e. Concham Margaritiferam Indorum, locumque Margaritarum proprium.

TABULA Decima nona

Pholadis, Conchæque Anatifæ Anatomen exhibet.

FIGURA I.

Pholas integra, pronaque, ut omnes ejus quinque valvæ distinctè conspici possint.

FIGURA II.

Pholas integra supina, Trachæa ad apicem bifidâ, exerta.

FIGURA III.

Tò Τῆδος veterum, sive alterum Pholadis genus ἀπὸ δατῶν.

FIGURA IV.

Concha anatifera, è testis exempta. *a. a.* Pennæ duplicatæ. *b.* Os. *c.* Musculus valvas majores constringens. *d. d.* Membra generationi dicata, albæ, varicosa.

FIGURA V.

Idem animalculum integrum cum pedunculo & cirris exertis.

FIGURA VI.

Favago quædam Ostrearum.

FIGURA VII.

Ostrei Cor.

FIGURA VIII.

Cirri cum ore exempti. *a.* Os.

FIGURA IX.

Quinque valvæ explicantur, ut planè intueri possint.

TABULA Vigesima

Balani vulgaris Anatomen exhibet.

FIGURA I.

a. a. a. a. a. a. Balani, microscopicè apud *Leenwenhoekium* depicti, pedunculi. *b. b. b. b.* Proboscis. *c. c. c. c.* Venter.

FIGURA II.

Ova ejusdem animalis apud eundem microscopicè.

TABULA Vigesima prima

Hepar Cancræ Marini falsum ex intestinis cæcis compactum, coriique cujusdam pellicei æmulum exhibet: Item utrosque dentes tricuspidæ Sepiæ.

TABULA Vigesima secunda.

FIGURA I.

COR Astaci Marini.

FIGURA II.

Cor Astaci fluviatilis cocti: idemque crudi.

FIGURA III.

Gladiolus exemptus è Loligine triunciali, quem fortè inveni in ventriculo Dracunculi Marini, a *Meabour* Anglicè dicti.

FIGURA IV.

Scarabæus ovis croceis gravidus.

Figura Anatomica Cochleæ cujusdam, Pomatiâ Gesnero dictæ, Tab. 1.




Tab. 2. Cochlearum Terrestrium Anatomia.



Anna Lister delineavit. 1693

Tab 3 Genitalia Cochlearum Terrestrialium.




Dissectio Cochleæ Terrestris striatæ atq; operculatæ. *Tab. 4.*
Tit. 5. H. Nostræ. A. A.



Anna Lister delinea.



Tabula 5. Limacum Anatomia.






Dissectio Cochleæ Viviparæ Fluvialilis.
Tab. 6



Fig. 3.



Dissectio *Purpurae* Fluvialis, compressa Tit. 26.
 et nostra A. 4. item *Buccini* Tit. 23. ibidem.

Tab. 7.



Anatomia Buccini marini, crassi, rufescentis,
striati et undati Tit. 2. H. nostrae. A. A.

Tab. 8



Loligo a Sleeve

Fig. 1.



Fig. 2.





Fig. 3.



Loliginis Anatome Anglicè a Sleeve dictæ






Tab 12

*Aliquot Viscera Leliginis, Sepiæ, Polypi ex Aldrov.
F. Redi, Swammerdamio apud Blasium.*




Fig 6.

Leliginis majoris ex Illyrio Gladius.



Musculi Fluviatilis anatome.

Tab 12





Pectunculi et Chamæ anatome.
itemq₃ Tellinæ

Tab. 43




Fig. 1




Fig. 5



Fig. 2



Fig. 6




Fig. 3




Fig. 7



Fig. 4




Fig. 8



Mytuli Marini anatome.

Tab 14





Exhibet ostreum testâ exemptum, & integrum, ut partes
ejus, quomodo habent in situ naturali, conspiciantur.



A. Ostrei caput, in cuius angulos B.B. muscoli circulares totum corpus circumdantes
terminantur. C. Hiatus inter musculos & Branchias ad os ducens. D. Superior hepatis
portio coloris fusci ventriculo incumbens. E.E. Oesophagus ab ore ad ventriculum ductus.
F.F.F.F. Intestinum à ventriculo versus musculi recti angulum descendens, quod inde
intortum & convolutum, supra hepar ascendit, ibi demersum, in G. emergit, ac in anum
terminatur. H.H.H. Cutis cum carne glandulosa & adipe, viscera tegens, & interjacens.
I. Cavitas in qua pericardium, cum corde, & vasis. K. Musculus rectus, cum fibris per-
pendicularibus, testas aperiens. L. Musculus alter rectus, cuius tendines utrique teste
acrescentes eas occidunt. M. Eiusdem musculi crassities, & fibrarum altitudo
denotantur. N.N. Musculi circulares è latere dextro Branchias includentes. O. Mus-
culus circularis superior, Branchiis incumbens, extra situm evolutus, ut Branchiæ
conspiciantur. P. Musculus circularis inferior, Branchiis substratus. Q.Q.R.R.
Eorundem musculorum partes, è latere Ostrei sinistro confite. S. Sinus, ubi musculi
utrique circulares, eorumque partes dextræ, & sinistræ coeunt. Ductum pro aquis
ad Branchias admittendis, & inde excurrentibus constitutum. T.T.T.T. Branchiarum cer-
vi quatuor inferiores, qui tenuiores, & latiores. V.V.V.V. Earundem cervi supe-
riores, crassiores, & contractiores.

Repræsentat ostreum apertum, & evolutum ut viscera
ejus, & partes internæ conspiciantur.



A. A. Duae Branchiae, i. superioribus dissecæ, & extra situm proprium remotæ, ut os ostrei pateat. B. Ostrei os. C. Ora velum, sive integumentum. D. D. Branchiæ duæ alteræ superiores in situ proprio, cum vasis præstantibus. E. Hepatis portio superior obfusca, sub qua ventriculus latet. F. Cor pericardio nudatum, cujus auricula ampla, & nigricans. G. Aorta, mox ab egressu cordis in tres ramos divisa. H. Ramus primus versus caput ascendens. I. Ramus Secundus in musculos rectos. K. Ramus Tertius in Branchias tendens. L. Venæ cavæ truncus, cordis auriculam ingreditur. M. M. M. M. Branchiæ inferiores, cum musculis circularibus ab Ostrei corpore, ubi adhærebant, abscissæ, & expansæ, ut illarum ductus, & carditas aspeciantur. N. N. N. N. Branchiarum juga, sive principia, quibus singulis vasa, sc. venæ, & arteriæ, O. O. O. O. inscudant, & fontibus P. P. P. P. interjacent. Q. Q. Q. Q. Branchiarum earundem extremitates, sive funebres. R. R. Musculus circularis inferior, lateris dextri, extra situm, & inversus, ut conspici possit. S. S. Ejusdem portio, quæ ostrei fundo coheret. T. T. Ejusdem portio, quæ ostrei lateris sinistri circumdant, portiones. V. coheret. W. W. Musculus circularis superior, lateris dextri, complicatus, & contractus, ne Branchias abscondat. X. X. Ejusdem portio, quæ ostrei lateris sinistri circumdant, portiones. Y. coheret. Z. Z. Branchiæ superius, in qua pinna, sive ductus striati, pro humore vitali, aquisque ingerendis, rigerendisque apparent. 1. Ostrei limbus inferior, a quo Branchiarum juga, & musculi circulares absconduntur. 2. Inferior portio in anam defensionis. 3. Anus.



Pectinis Anatome


Tab: 17.





*Berberi veterum Indorum, sive Concha Margaritifera
ad justam magnitudinem depicta.*

*a. a. a. a. a. Ligamentorum Testas
constringentium Vestigium alterum.
Margaritarumq; locus proprius*




the Marg.

Tab. 16





Tab. 19.
Pholadis anatome, Conchæq, Anatiferae.





Balani vulgaris Anatome

Tab 28.





Tab. 22.
Hepar pellicum Caneri cujusdam *minoris*
marini, Dog-crabbs Anglice dicti.



Bini Dentes Sepiæ tricuspidæ,
 quorum pars media
Pilaci rostrum æmulatur.



D U O I N D I C E S

A D

SYNOPSIS METHODICAM CONCHYLIORUM

MARTINI LISTER, M.D.

QUORUM

PRIMUS CONCHYLIORUM CLASSES EXHIBET

EO IPSO ORDINE IN QUO DISPONUNTUR

A L I S T E R O.

ALTER EASDEM COMPLECTITUR JUXTA

METHODUM CELEBERRIMI

C A R O L I A L I N N E,

NEC NON

AD TABULAS LISTERIANAS ACCOMMODATUR.

O X O N I I,

E T Y P O G R A P H E O C L A R E N D O N I A N O.

M D C C L X X.



ILLUSTRISSIMÆ ET ORNATISSIMÆ DOMINÆ

DOMINÆ

MARGARETÆ-CAVENDISHE

DUCISSÆ DOTARIÆ DE PORTLAND

QUÆ UT EDITOR OFFICIO SIBI DEMANDATO

MELIUS SATISFACERET

SUMMA BENEVOLENTIA

CUM INSTRUCTISSIMI SUI GAZOPHYLACII USUM

TUM INGENII JUDICIIQUE LIMATISSIMI ACUMEN

PROMPTISSIME ADHIBUIT

HOS SEQUENTES INDICES

ET

QUICQUID AD LISTERI OPUS EXIMIUM ILLUSTRANDUM

ULTERIUS ACCESSIT INCREMENTI

D. D. D.

GULIELMUS HUDDSFORD.

INDEX ALPHABETICUS

Conchyliorum Classēs exhibens

Eo ipso Ordine in quo disponuntur

a L I S T E R O.

AMPULLACEA BUCCINA.	<i>Tonnes.</i>	vid.	BUCCINA.	Tab. 877 — Tab. 908
ANATIFERA CONCHA.	—	—	—	439 — 440
AURIS MARINA.	<i>Oreilles de Mer.</i>	—	—	610 — 614
BALANUS.	<i>Glands de Mer.</i>	—	—	442 — 445
BALANUS BELLONII.	—	—	—	367 —
BERBERI INDORUM.	—	—	—	221 — 224
BUCARDIA A. SCILLÆ.	—	—	—	275 —

I N D E X. I.

BUCCINA seu *Cochleæ* productione Testâ.

Terrestria

	A Sinistrâ dextrorsum				Tab.	Tab.
Tortilia	levia, Aperturâ	planâ.	-	-	8	24
		dentatâ.	-	-	31	32
	striata, Aperturâ planâ.		-	-	25	30
	A Dextrâ Sinistrorsum	Aperturâ	planâ.	-	33	39
			dentatâ.	-	40	41

Fluviatilia - - - - - 108 — 124

Marina

Minime tortilia						
	Brevia, Discoidea, PATELLÆ.	-	-	-	527	546
	Paululum curva, tenuia, DENTALIA.	-	-	-	547	-
Tortilia, at fine aliquo certo Volutarum Ordine, VERMICULI.					548	553
Intorta five <i>Turbines</i>						
Oris Hiato integro aut parum sinuato						
	Compressi, plerisque NAUTILI.	-	-	-	550	557
	Plerisque COCHLEÆ.	-	-	-	558	593
	Spiris vix duabus donati,					
		Integri, plerisque NERITÆ.	-	-	594	608
		Perforati, AURES MARINÆ.	-	-	610	614
Capite depresso, lato, Basi Conoide, plerisque TROCHI.					616	654
Rostrum sinuato five Canaliculato						
Utroque Latere se colligentes, CONCHÆ VENERIS.					656	715
Cylindracci, aliquibus RHOMBI seu STROMBI.					717	792
COLUMELLA EX INTERNA PARTE STRIATA SEU DENTATA.					794	846
Labris fere repandis purpurascensibusque, quibus etiam alter Sinus præter Canaliculatum Rostrum, adeoque quibusdam audiunt PURPURÆ BILINGUES.					847	875
VENTRICOSI, ROSTRO PROTENSO, BASI BREVI.					877	908
QUIBUS ET BASIS ET ROSTRUM PRODUCTIUS.					910	950
QUIBUS ROSTRUM BREVE ORIS HIATUM NON EXCEDENS.					952	1025

BUCCINA

COLUMELLA STRIATA SIVE DENTATA

Claviculâ

Umbilicatâ, vel parum exertâ, quibusdam CONCHÆ	Tab.	Tab.
PERSICÆ. - - - - -	794	804
Mediocriter productâ, pulchre variegatæ, CONCHÆ		
MUSICÆ. - - - - -	805	835
Longissimâ et tenuissimâ. - - - - -	836	846

VENTRICOSA SEU AMPULLACEA, ROSTRO PROTENSO, BASI BREVI

A Dextram tortilia

Levia, aut minus aspera - - - - -	877	899
Muricata. - - - - -	900	906
Ad Sinistram convoluta. - - - - -	907	908

QUIBUS ET BASIS ET ROSTRUM PRODUCTIUS

Levia. - - - - -	910	916
Striis Densis et tenuioribus exasperata - - -	917	931
Paucioribus et multum extantibus,		
Labro Simplici. -	932	933
Duplicato. -	934	944
Muricata. - - - - -	945	950

QUIBUS ROSTRUM BREVE ORIS HIATUM NON EXCEDENS

Sinu ad Rostrum Recto,

Muricata. - - - - -	952	958
Striata. - - - - -	959	973
Levia, et Clavicula Productiore. - - -	974	983
Labro repando tenuia. - - - - -	984	986
crassa. - - - - -	987	994
Compressa. - - - - -	995	-

Sinu ad Rostrum Reflexo,

Striata, Ventricosa. - - - - -	996	1014
Levia. - - - - -	1015	1016
Claviculâ Productiore. - - - - -	1017	1025

BUCCINA

BUCCINA *Cochleæ-formia* vid. COCHLEÆ.

Tab. Tab.

CHAMÆ. - - - - - 414 — 429

CHAMA *nigra* RONDELETTII. - - - 416 —

CHAMÆ — PHOLADES. - - - - - 426 — 429

COCHLEÆ seu *Buccina* compactiore Figurâ,*Terrestres* - - - 42 — 62

Compressæ, edentulæ	Ambitu	acuto.	-	-	-	63 — 73
		obtusiore.	-	-	-	74 — 82
Tortiles	a Sinistrâ dextrorsum	Aperturâ Dentatâ.	-	-	-	83 — 98
	a Dextrâ sinistrorsum		-	-	-	99 —
		Apice Inverso.	-	-	-	

Fluviatiles - - - 125 — 135

Compressæ. - - - 136 — 143

Marinæ

Figura compactili five Apice Claviculæ brevi,

Sinu	Umbilicatæ,	Aurito.	-	-	-	559 — 566
		Plano.	-	-	-	567 — 569
	Centro integro et minime sinuato.		-	-	-	570 — 571
	Apice ad Oris Initium parum elato.		-	-	-	572 — 576
Mediocriter productâ Claviculâ						
Ore	Dentato		-	-	-	577 —
	Edentulo	Leves.	-	-	-	578 — 587
		Striatæ.	-	-	-	588 —
Apice tenui et longissimo	Striatæ.		-	-	-	589 — 592
	Leves.		-	-	-	593 —

DENTALIA — *Tuyaux de Mer.* - - - 547 —GLYCEMERIS *Chama* ALDROVANDI. - 414 —LIMAX. *Limace.* - - - 101 — 105

MARGARITIFERÆ CONCHÆ. - - - 221 — 224

MUSCULI

MUSCULI. *Moules.**Fluviatiles*

Cardine	Dentato.	-	-	-	Tab.	Tab.
	Levi.	-	-	-	146 —	152
					153 —	156

Marini

Cardine Levi.	-	-	-	-	356 —	364
	Polyleptoginglymi.	-	-	-	365 —	369

MUSCULUS MATTHIOLI - - - - - 368 —

MUSICA CONCHA, vid. BUCCINA. COLUMELLA DENTATA. 805 — 835

MYTULUS RONDELETII - - - - - 362 —

MYTULO-PECTUNCULUS BERBEROIDES FAB. COL. 224 —

NAUTILI. *Argonautæ. Nautilus.*

Caudati, seu plurimis Tabulis confecti.	-	-	-	550 —	553
Vacui, seu nullo Diaphragmate disjuncti.	-	-	-	554 —	557

NERITÆ. *Limacons a Bouche Demironde.**Fluviatiles.* - - - - - 141 —*Marini,*

Dentati ad Columellam,

Dentati ad Columellam,	Claviculâ Prominente.	-	-	-	-	595 —	597
	Compressâ	Striati.	-	-	-	598 —	599
		Leves.	-	-	-	600 —	603
	Labio productiore Edentulo,	-	-	-	-	604 —	606
Edentuli	Leves.	-	-	-	-	607	
	Muricati.	-	-	-	-	608	

OSTREÆ. *Huitres.*

Apophysi planâ longâ recurvâ Angulo acuto desinente.	-	193 —	194
Arboreæ.	-	197 —	199
Virginianæ.	-	200 —	201
Apophysi brevi, subter, & quasi in occulto posita.	-	202 —	204
Sylvestris RONDELETII.	-	205 —	
Spondyli.	-	206 —	210

* B

PATELLÆ.

A

FASCIATI. *Cœurs & Cames.*

Tab. Tab.

Ex altera Parte, juxta Rostrum Lunulâ quadam
notati, quæ, Clausis Testis, etiam Cordis
Figuram repræsentant,

 | Margine imâ ex internâ Parte

 | striatâ sive ferratâ.

277 — 287

 | Levi.

288 — 295

Utrinque ad Rostrum integri.

296 — 308

STRIATI. *Cames & Cœurs.*

A Rostro ad Marginem productiores,

 | Striis a Rostro ad medium usque Dorsum

 | Concurrentibus.

310 — 311

 | Diversimode exaratis.

312 — 314

 | Similibus, ab ipso tantum Rostro diductis,

 | Dorso

 | Ad alterum latus paululum

 | eminente.

315 — 317

 | In aciem compresso.

318 — 320

 | Asperuli seu Muricati.

321 — 327

 | Nullâ Eminentia exasperati.

328 — 335

 | Cancellati.

336 — 339

Ex altero Latere magis diffusi,

 | Latiores.

340 — 346

 | Angustiores.

347 — 348

 | Imbricati, ingentis sæpe

 | Magnitudinis, quibus,

 | præter Connexionem

 | Pyxidatam, aliquot In-

 | cisoræ ad alteram Cer-

 | vicis Partem.

349 — 355

PERSICÆ CONCHÆ, vid. BUCCINA COLUMELLA DENTATA. 794 — 804

PHOLADES | Cardine | Perforato. - - - - 427 — 431 — 433

 | Integro.

434 — 437

PHOLADUM TERTIA TESTA. - - - - 437 —

PINNÆ. *Moules.*

 | Margine

 | Præcisâ.

370 — 373

 | Productâ.

374

PURPURÆ, seu BUCCINA BILINGUIA,

 | Leves.

847 — 856

 | Striatæ.

857 — 859

 | Asperæ & Muricatæ.

860 — 864

 | Digitatæ.

865 — 873

PURPURÆ

PURPURÆ ANGLICANÆ.	-	-	-	-	-	-	-	-	-	Tab. Tab. 966. a.
--------------------	---	---	---	---	---	---	---	---	---	----------------------

RHOMBI

Cylindracci, *Cylindres* ou *Rouleaux*.

Columellâ Dentatâ, crassâ,

Unius Coloris.	-	-	-	-	-	717—718
Maculosi.	-	-	-	-	-	719—721
Fasciati.	-	-	-	-	-	722—730
Undati.	-	-	-	-	-	731—734
Dorso Gibboso.	-	-	-	-	-	735—

Edentuli, tenues,

Ore	Strictiore.	-	-	-	-	736—740
	Patulo,	Claviculâ	Exertâ.	-	-	741—747
			Depressâ.	-	-	748—751

Cylindro-Pyramidales, *Cornets* ou *Volutes*.

Ore Edentulo fere, longo & angusto,

Unius Coloris seu Striis, aut Verruculis minus exasperati.	-	-	-	-	-	753—756
Quibus Lineæ Maculatæ circum injiciuntur.	-	-	-	-	-	757—759
Striati.	-	-	-	-	-	760—778
Undati.	-	-	-	-	-	779—783
Fasciati.	-	-	-	-	-	784—786
Reticulatim depicti.	-	-	-	-	-	787—790

Labrô, aut Columellâ, aut utroque Dentato. 791—792

SAXUM PHOLADIBUS PERFORATUM. - - - 437

SOLENES. *Manches de Couteaux*. - - - 409—413

SPONDYLI, vide OSTREÆ.

STROMBI, vide RHOMBI.

TELLINÆ

Cuneiformes fere,

Ambitu	Serrato.	-	-	-	-	375—381
	Ex internâ Parte, Levi.	-	-	-	-	382—408

TROCHI.

Tab. Tab.

TROCHI. *Limacons a Bouche Applatie.*

Pyramidales,				
Aperturâ, five Bafi				
	leviter Tumidâ.	-	-	616 — 626
	paululum Cavâ five Sinuatâ.	-	-	627 — 633
	Planâ.	-	-	634 — 648
Clavicula brevior, Mediis Orbibus tumidioribus, Columellâ erectiore integrâ.				
		-	-	642 — 648
Umbilicati,				
	Dentati.	-	-	637 — 639
	Edentuli.	-	-	640 — 641
Columellâ integrâ, Bafi mediâ leviter tumidâ, Claviculâ compressâ.				
		-	-	649 — 652
Unico Dente acuto ad Columellam;				
		-	-	653 — 654

TROCHILUS. - - - - - 61.

TURBINES, vide BUCCINA.

VENERIS CONCHÆ. *Porcelaines.*

Oris Hiato Strictiore utrinque Dentato,

Leves				
	Unicolores five minime Maculatæ.	-	-	656 — 657
	Lineis nigris secundum Longitudinem depictæ.	-	-	658 — 660
	Undatim depictæ.	-	-	661 — 663
Fasciatæ	Immaculatæ.	-	-	664 — 670
	Maculatæ.	-	-	671 — 680
	Nigris Punctis distinctæ.	-	-	681 — 691
Maculatæ	Maculis albis nigrisque interspersis.	-	-	692 — 701
	Maculis albis reticulatim dispositis.	-	-	702 — 705
Asperæ	Striis eminentibus conspicuæ.	-	-	706 — 707
	Punctis elatis Nodisve inæqualibus exasperatæ.	-	-	708 — 710

Oris Hiato Laxiore & non Dentato,

Bafi				
	Integrâ.	-	-	711 — 712
	Umbilicatâ; profundo	-	-	
	Foramine intus Cochleato.	-	-	713 — 715

VERMICULI. *Vermisseaux de Mer.* - - - - - 547 — 548

I N D E X


TABULARUM ANATOMICARUM.

A N A T O M I A

			Tab.
Anatiferæ Conchæ	—	—	19.
Astaci marini	—	—	22.
fluviatilis	—	—	22.
Auris marinæ	—	—	9.
Balani vulgaris	—	—	20.
Berberi <i>Indorum</i>	—	—	18.
Buccini marini	—	—	8.
fluviatilis	—	—	7.
Cancri marini (<i>Dog's Crab</i>)	—	—	21.
Chamæ	—	—	13.
Cochleæ terrestris	—	—	1 — 2 — 3 — 4.
fluviatilis, viviparæ	—	—	6.
Limacis	—	—	5. Conch. 102—103—104—105.
Loliginis	—	—	9 — 10 — 11 — 22.

Musculi

			Tab.
Musculi fluviatilis	—	—	12.
Mytuli marini	—	—	14.
Ostreæ	—	—	15 — 16 — 19.
Pectinis	—	—	9 — 17.
Pectunculi	—	—	13.
Pholadis	—	—	19.
Polypi	—	—	11.
Pomatæ	—	—	1. Conch. 53.
Purpuræ fluviatilis	—	—	7.
Salia Fossilia	—	—	12.
Scarabæi	—	—	22.
Sepiæ	—	—	11 — 21.
Tellinæ	—	—	13.



I N D E X A L T E R

Conchyliorum Classēs complectens, juxta Methodum celeberrimi
CAROLI A LINNÉ, et ad Tabulas LISTERIANAS accommodatus.

* * Numerus prior Tabulam, alter Figuram denotat.

Litera A. Conchyliā indicat *Angliaca*.

V E R M E S M O L L U S C A.

L I M A X.

		Tab.	Fig.
1 Alter	†	101.	102. A.
2 Albus			
3 Rufus	†	101. a.	103. A.
4 Maximus	†	101. a.	104. A.
5 Hyalinus			
6 Agrestis	†	101.	101. A.
7 Flavus	†	101. b.	A.
8 Papillofus			

V E R M E S T E S T A C E A.

L E P A S.

		Tab.	Fig.
1 Balanus			
2 Balanoides	†	444.	287. A.
3 Tintinnabulum			
4 Diadema	†	445.	288.

E N G L I S H N A M E S.

* * As the English Naturalists have, as yet, formed no System of Conchyliology in their own Language, but have left it free for *Dealers* and others to impose what Names they please upon each Shell, in an arbitrary, and often in an absurd Manner, it is almost impossible to compile an accurate Index of this Kind: The Author therefore submits the following Pages to the Correction of those who are more conversant in this Branch of Natural History than himself, assuring only the Reader, that what is here offered to the Public, is the Result of the best Information he could procure.

NAKED SNAIL or SLUG.

- 1 Black wood Snail.
- 3 Reddish brown mountain Snail.
- 4 Largest, grey, striated and spotted wood Snail.
- 6 Small, grey, meadow Snail, without spots.
- 7 Amber-coloured Snail, with white spots.

ACORN SHELL. *Solander.*

- 2 Small, striated Acorn Shell.
- 4 The Whale Acorn Shell.

L E P A S.

		Tab.	Fig.
5	Testudinaria		
6	Mitella †	443.	285.
7	Scalpellum		
8	Anserifera		
9	Anatifera †	440.	283. A.
10	Aurita		

P H O L A S.

1	Dactylus †	433.	276. A.
2	Costatus †	434.	277.
3	Striatus †	431.	274.
4	Candidus †	435.	278. A.
5	Puillus		
6	Crispata †	436.	279. A.

M Y A.

1	Truncata		A.
2	Arenaria		
3	Pictorum †	147.	3. A.
4	Margaritifera †	149.	4. A.
5	Perna †	An. 356.	195.
6	Vulfella †	An. 1055.	10.
7	Artica †	An. 359.	198.

6 Tulip Acorn Shell.

9 Smooth edged Anatifera. BARNACLE. *Solander.*

PIERCE STONE.

2 Large *American* Pholas.

3 Goose-winged Pholas.

4 PUR. *Solander.*

MUSCLE.

3 Fresh water Pearl Muscle.

4 Ditto.

5 The smooth Muscle.

S O L E N.

		Tab.	Fig.
1	Vagina †	1056.	5.
2	Siliqua †	409.	255. A.
3	Ensis †	411.	257. A.
4	Legumen †	420.	264. A.
5	Cultellus		
6	Radiatus †	422.	266.
7	Strigillatus †	416.	260.
8	Anatinus		
9	Bullatus		
10	Minutus		
11	Virens		

T E L L I N A.

1	Gargadia		
2	Lingua Felis		
3	Virgata †	393.	240.
4	Angulata		
5	Gari †	An. 392.	231.
6	Fragilis		
7	Albida		
8	Foliacea		
9	Planata †	386.	233.
10	Levigata		
11	Radiata		

I N D E X II.

7

RAZOR SHELL or SHEATH SHELL.

2 Long, brown Razor Shell.

3 The Scymetar Razor Shell.

6 Violet coloured or radiated Razor Shell.

7 Black Razor — or CHAME of *Rondeletius*.

DOUBLE WEDGE SHELL.

3 Tulip Wedge.

TELLINA.

		Tab.	Fig.
12	Rostrata		
13	Inequivalvis		
14	Trifasciata		A.
15	Incarnata †	394.	241. A.
16	Donacina		
17	Truncata		
18	Balaustina		
19	Remies †	288.	124.
20	Reticulata		
21	Scobinata †	302.	143.
22	Lactea		
23	Carnaria		A.
24	Bimaculata		
25	Balthica		
26	Pisiformis †	159.	14. A.
27	Divaricata		
28	Digitaria		
29	Cornea		A.

CARDIUM.

1	Costatum †	327.	164.
2	Cardiffa †	318.	155.
3	Retusum		
4	Hemicardium †	319.	156.

H E A R T S H E L L.

1 White fluted Heart.

2 The Venus Heart.

4 Venus Heart with a smooth edge.

• F

CARDIUM.

		Tab.	Fig.
5	Medium		
6	Aculeatum †	321.	158.
7	Echinatum †	324.	161. A.
8	Ciliare †	An. 325.	162.
9	Tuberculatum		
10	Ifocardia †	323.	160.
11	Fragum †	315.	151.
12	Unedo †	315.	152.
13	Muricatum †	An. 322.	159.
14	Magnum		
15	Flavum		
16	Levigatum †	An. 332.	169. A.
17	Serratum		
18	Edule	334.	171. A.
19	Rusticum †	350.	188.
20	Pectinatum †	An. 313.	7.
21	Virgineum		

MACTRA.

1	Sprengleri		
2	Plicataria		
3	Striatula		
4	Glabrata		
5	Corallina †	An. 263.	99.

6 The knotted Heart. Ox Heart.

7 The Rake Heart Shell.

10 The Rasp Heart Shell.

11 The white Strawberry Heart.

12 The Strawberry Heart.

14 The yellow, ribed Heart.

19 The Bear's Paw. Tufted Heart.

MACTRA.

		Tab.	Fig.
6	Stultorum		
7	Solida †	253.	87. A.
8	Lutraria		A.

DONAX.

1	Scortum		
2	Pubescens		
3	Rugosa †	376.	219.
4	Trunculus †	376.	217. A.
5	Striata †	375.	216.
6	Denticulata		
7	Cuneata		
8	Scripta †	379.	222.
9	Muricata		
10	Irus		

VENUS.

1	Dione †	307.	140.
2	Paphia †	279.	116.
3	Marica		
4	Dysera †	278.	115.
	γ †	277.	114.
5	Verrucosa	An. 284.	122.

WEDGE SHELL.

V E N U S.

- 1 Prickly mouthed true Venus.
- 2 The old Woman or wrinkled Venus.

V E N U S.

			Tab.	Fig.
6	Cafina			
7	Cancellata			
8	Gallina	†	An. 336.	173.
9	Petulca			
10	Flexuosa			
11	Erycina			
12	Mercenaria	†	272.	108. A.
13	Islandica			
14	Chione			
15	Maculata	†	270.	106.
16	Meretrix			
17	Læta			
18	Castrensis	†	287.	123.
19	Phryne			
20	Meroë	†	378.	221.
21	Deflorata			
22	Fimbriata	†	336.	172.
23	Reticulata	†	337.	174.
24	Squamosa			
25	Tigerina			
26	Prostrata			
27	Pensylvanica			
28	Incrustata			
29	Punctata			

I N D E X II.

15

22 Cancellated or chequered Venus.

VENUS.

		Tab.	Fig.
30	Tigerina		
31	Exoleta †	{ 262. 291.	98. 127.
32	Borealis †	253.	88. A.
33	Pectinata †	An. 313.	7.
34	Scripta †	An. 254.	89, &c.
35	Edentula		
36	Literata †	400.	239.
37	Rotundata		
38	Decussata		
39	Virginea		

SPONDYLUS.

1	Gæderopus †	206.	40.
2	Regius		
3	Plicatus †	An. 210.	44.

CHAMA.

1	Cor †	275.	111.
2	Gigas †	{ 351. 352.	189.
3	Hippopus †	An. { 349. 350.	187. 188.
4	Antiquata		
5	Trapezia		

31 Painted Venus, or Cockle.

36 Lettered Venus, or Camp-Lettered Venus.

S P O N D Y L E.

1 Red thorny Oister, or Affes Hoof.

C H A M E.

1 Fool's Cap Chame, or Cockle.

2 Furbelowed Clamps. Bear's Paws.

3 Cabbage Leaf Chame.

C H A M A.

	Tab.	Fig.
6 Semiorbiculata		
7 Calyculata †	347.	184. } 185. }
8 Cordata		
9 Satiata		
10 Oblonga		
11 Lazarus		
12 Gryphoides †	212. } 213. } 215. } 216. } 217. }	47. 48. 50-1. 52. 53.
13 Bicornis †	214.	49.
14 Arcinella		

A R C A.

1 Tortuosa		
2 Noæ †	368.	208.
3 Barbata		
4 Modiolus		
5 Pella		
6 Lactea		
7 Antiquata †	236.	70.
8 Senilis †	233.	72.
9 Granosa †	241.	78.
10 Decussata		
11 Pallens		

12 Furbelowed Chame, or Oifter.

ARK SHELL.

2 Noah's Ark.

7 Jamaica Ark, or Cockle.

A R C A.

		Tab.	Fig.
12	Undata †	246.	80.
13	Pectunculus †	239.	73.
14	Glycymeris †	247.	83.
15	Pilosa		
16	Nummaria		
17	Nucleus		

O S T R E A.

		Tab.	Fig.
1	Maxima †	163.	1. A.
2	Jacobæa †	165.	2. A.
3	Ziczac		
4	Striatula		
5	Minuta		
6	Pleuronectes		
7	Radula †	175.	12.
8	Plica †	An. 171.	8.
9	Pallium †	187.	25.
10	Nodosa †	186.	24.
11	Pes Felis		
12	Pellucens		
13	Obliterata		
14	Sanguinea †	An. 185.	22.
15	Varia †	178.	15.

I N D E X II.

21

12 Lettered Ark, or Cockle.

13 Spotted Ark.

O I S T E R.

1 Common *Engliſh* SCALLOP.

2 The *Mediterranean* SCALLOP.

7 Ducal Mantle.

9 Royal Mantle.

10 Ducks-Foot.

O S T R E A.

		Tab.	Fig.
16	Pufio		
17	Glabra		
18	Opercularis		
19	Gibba		
20	Flavicans		
21	Fasciata		
22	Lima †	355.	129.
23	Malleus †	219.	54.
24	Diluviana		
25	Folium		
26	Orbicularis		
27	Edulis †	193.	20.
28	Semiaurita		
29	Perna		
30	Isogonum		
31	Epphippium		

A N O M I A.

		Tab.	Fig.
1	Craniolaris		
2	Pectinata		
3	Epphippium †	204.	38. A.
4	Cepa		
5	Electrica		
6	Squamula		

I N D E X II.

3

22 The File.

23 Hammer Oyster.

27 Common eatable Oyster.

30 PEDALION. RUDDER. *Solander.*

3 Green onion rind *Anomia*, or Oyster.

ANOMIA.

		Tab.	Fig.
7	Patelliformis		
8	Scobinata		
9	Aurita		
10	Retufa		
11	Gryphus †	481.	38. A.
12	Pecten †	447.	A.
13	Striatula		
14	Truncata †	462.	23. A.
15	Reticularis		
16	Plicatella		
17	Crispa		A.
18	Lacunosa		
19	Pubescens		
20	Farcta		
21	Caput Serpentis †	453.	12.
22	Terebratula		A.
23	Angulata		
24	Hyfterita †	453.	11.
25	Biloba		
26	Placenta		
27	Spinosa		

I N D E X II.

25

MYTILUS.

		Tab.	Fig.
1 Crista Galli	†	197.	32.
2 Hyotis			
3 Frons			
4 Margaritiferus	†	{ 223. 224.	57. 58.
5 Unguis			
6 Lithophagus	†	427.	268. A.
7 Rugosus	†	426.	267. A.
8 Bilocularis			
9 Exustus			
10 Barbatus			
11 Edolis	†	362.	200. A.
12 Ungulatus	†	360.	199.
13 Bidens	†	An. 356.	193.
14 Modiolus	†	356.	195.
15 Cygneus	†	156.	11. A.
16 Anatinus	†	153.	8. A.
17 Viridis			
18 Ruber			
19 Discors			
20 Hirundo	†	220.	55.

PINNA.

- 1 Rudis
- 2 Pectinata

I N D E X II.

27

S E A M U S C L E.

1 Tree Muscle or Oyster. Hog's Ear. Cock's Comb.

4 Pearl Muscle, or Oyster. Mother of Pearl.

6 Brown Muscle, or Pholas.

13 Great striated *Magellanic* Muscle.

14 The smooth Muscle.

20 The Swallow Muscle, or Oyster.

N A C R E.

P I N N A.

		Tab.	Fig.
3	Nobilis		
4	Muricata	†	370. 210.
5	Rotundata		
6	Saccata		
7	Digitiformis	†	371. 212.
8	Lobata		

A R G O N A U T A.

1	Argo	†	{ 554. 4. 556. 7. }
2	Cymbium		

N A U T I L U S.

1	Pompilius	†	{ 551. 4. 552. }
2	Calcar		
3	Crispus		
4	Beccarii		
5	Rugofus		
6	Umbilicatus		
7	Spirula	†	550. 2.
8	Semilituus		
9	Obliquus		
10	Raphanistrum		
11	Raphanus		

4 Small, red, aculeated Nacre, or Pinna.

7 Small, white, Nacre, or Pinna.

PAPER SAILOR.

1 *Oriental* Paper Sailor.

SAILOR.

1 Great Chambered Sailor.

1 Ram's Horn Sailor.

N A U T I L U S.

	Tab.	Fig.
12 Granum		
13 Radicula		
14 Fascia		
15 Siphunculus		
16 Legumen		
17 Orthocera		

C O N U S.

1 Marmoreus	†	787.	39.
2 Imperialis			
3 Literatus	†	An. 774.	20.
4 Generalis	†	786.	35.
5 Virgo			
6 Capitaneus	γ †	780.	27.
7 Miles	†	786.	34.
8 Princeps	†	781.	28.
9 Ammiralis			
<i>Summus</i>	β		
<i>Ordinarius</i>	γ		
<i>Occidentalis</i>	δ		
<i>Cedo Nulli</i>	ε		
10 Vicarius			
11 Senator			
12 Nobilis			

CONE SHELL.

1 Black Tiger Cone.

4 The Flambeaux Cone.

7 The Girdle, or Bastard Admiral Cone.

CONUS.

		Tab.	Fig.
13 Genuanus			
<i>Papilio</i>	β †	An. 767.	16.
14 Glaucus			
15 Monachus			
16 Minimus			
17 Rusticus			
18 Mercator	†	788.	41.
19 Betulinus			
20 Figulinus	†	785.	32.
21 Ebræus	†	779.	25.
22 Stercus muscarum	†	757.	9.
23 Varius	†	An. 759.	4.
24 Clavus			
25 Nuffatella	†	744.	35.
26 Granulatus			
27 Aurisiacus			
28 Magus			
29 Striatus	†	755.	7.
30 Textile			
31 Aulicus	†	744.	34.
32 Spectrum	†	785.	33.
33 Bullatus			
34 Tulipa	†	764.	13.
35 Geographus	†	747.	41.

13 β Butterfly's Wing Cone.

20 Brown striped Cone.

21 Rustic music Cone. Hebrew Cone.

22 Flea-bitten Cone.

25 Shagreen Cone.

32 The Spectre.

35 Silk Brocade.

• M

C Y P R Æ A.

		Tab.	Fig.
1 Exanthema			
2 Mappa			
3 Arabica	†	658.	3.
4 Argus	†	705.	54.
5 Testudinaria	†	689.	36.
<i>Larva</i>	β †	748.	42.
6 Stercoraria	†	An. 682.	29.
7 Carneola	†	668.	14.
8 Zebra	†	679.	26.
9 Talpa	†	665.	2.
10 Amethystea	†	An. 663.	7.
11 Lurida	†	671.	17.
12 Vanelli			
13 Lota			
14 Fragilis			
15 Caput Serpentis	†	An. 696.	43.
16 Mauritiana	†	An. 701.	49.
17 Vitellus	†	676.	23.
18 Mus	†	657.	2.
19 Tigris	†	An. { 681. 682.	28. 28.
20 Lynx			
21 Ifabella	†	660.	4.
22 Onyx			
23 Clandestina			

GOWRY. COWRY.

3 Nutmeg Gowry.

4 The true Argus.

7 Burned Mouth Gowry.

9 The Mole Gowry.

11 The Mouse Gowry.

15 Viper's Head. J. P.

16 The Lesser Surinam Toad.

17 The Fallow Deer.

21 The Orange tipped Gowry, or Porcelain.

CYPRÆA.

			Tab.	Fig.
24	Succineta			
25	Ziczac	†	661.	5.
26	Hirundo	†	An. 674.	21.
27	Afellus	†	666.	10.
28	Errones			
29	Cribraria	†	695.	42.
30	Moneta	†	709.	59.
31	Annulus			
32	Caurica	†	677.	24.
33	Erofa	†	692.	39.
34	Flaveola			
35	Spurca			
36	Stolida			
37	Helvola			
38	Ocellata	†	An. 696.	43.
39	Poraria			
40	Pediculus	†	706. 707.	56. 57. A.
41	Nucleus	†	710.	62.
42	Staphylea	†	710.	60.
43	Cicerula			
44	Globulus			

25 The Zigzag.

27 The Wasp.

30 The Truffed Fowl: Common Money Gowry. Blackmoor's Teeth.

32 Dark spotted Gowry.

33 White spotted Gowry.

40 Sea Lice.

41 Ditto.

42 Wood Louse.

B U L L A.

		Tab.	Fig.
1 Ovum	†	711.	65.
2 Volva	†	711.	63.
3 Birostris	†	711.	66.
4 Spelta			
5 Verrucosa	†	712.	ult.
6 Gibbosa	†	711.	64.
7 Naucum	†	714.	73.
8 Aperta			
9 Hydatis			
10 Ampulla	†	{ 713. 1056.	{ 69. 8.
11 Lignaria	†	714.	71.
12 Physis	†	715.	75.
13 Amplustre			
14 Ficus	†	750.	46.
15 Rapa			
16 Canaliculata			
17 Conoidea			
18 Fontinalis			
19 Hypnorum			
20 Terebellum	†	736.	30.
21 Cypræa			
22 Virginea	†	12.	7.
23 Achatina	†	579.	84.

DIPPER.

1 Poached Egg.

2 Weaver's Shuttle.

3 The Bastard Weaver's Shuttle.

6 Short Gibbous Shuttle. The Gondola.

10 The Nut.

11 Open mouthed Nut.

14 The Fig.

20 The Auger.

22 The Prince of Orange's Flag.

23 The broad striped Zebra Snail.

VOLUTA.

		Tab.	Fig.
1 Auris Midæ	†	32.	30.
2 Auris Judæ			
3 Tornatilis			
4 Solidula			
5 Livida			
6 Coffea			
7 Porphyria	†	727.	14.
8 Oliva	†	718.	2.
9 Ispidula	†	An. { 745- 729.	36. 17.
10 Dactylus			
11 Miliaria			
12 Monilis			
13 Perficula	β †	803.	9-10.
14 Pallida	†	714.	70. A.
15 Faba			
16 Glabella			
17 Reticulata			
18 Mercatoria	†	An. 823.	42.
19 Rustica			
20 Paupercula	†	819.	35.
21 Mendicaria			
22 Cancellata	†	939.	34.
23 Tringa	†	An. 827.	49. b.
24 Cornicula			

R H O M B S H E L L.

1 Midas's Ear.

7 Large clouded Rhomb, or Cylinder.

8 Yellow Rhomb, or Olive.

20 Zebra Rhomb, or Buccinum.

V O L U T A.

		Tab.	Fig.
25	Virgo		
26	Scabricula		
27	Ruffina		
28	Sanguifuga †	822.	38.
29	Caffra		
30	Morio		
31	Vulpecula †	An. 820.	37.
32	Plicaria		
33	Pertusa		
34	Mitra		
	<i>Episcopalis</i> †	839.	66.
35	<i>Papalis</i> †	839.	67.
36	Musica †	805.	14.
37	Vespertilo †	808.	17.
38	Ebræa †	809.	18.
39	Turbinellus		
40	Capitellum †	An. 810.	19.
41	Ceramica †	829.	51.
42	Pyrum		
43	Lapponica		
44	Æthiopica †	801.	
45	Cymbium †	796.	3.
46	Olla †	794.	1.

34 The Bishops Mitre.

35 The Papal Mitre, or Crown.

36 West India Music Shell.

37 The Wild Music.

38 The Oriental Music.

40 The White Music.

41 The larger Devil.

44 The wide mouthed Melon. Æthiopic Crown.

45 The clouded Melon.

46 The Melon.

BUCCINUM.

		Tab.	Fig.
1 Olcarium	†	898.	13.
2 Galea			
3 Perdix	†	984.	43.
4 Pomum			
5 Dolium	†	899.	19.
6 Echinophorum	†	1003.	68.
7 Plicatum			
8 Cornutum	†	1006.	70.
9 Rufum	†	1009.	
10 Tuberosum			
11 Flammeum			
12 Testiculus	†	1001.	66.
13 Decussatum	†	1000.	65.
14 Areola	†	1012.	76.
15 Erinaceus	†	An. 1002.	67.
16 Glaucum			
17 Vibex	†	An. { 1013. 1015.	77. 73.
18 Papillosum	†	969.	23.
19 Glans			
20 Arcularia	†	970.	25.
21 Pullus	†	971.	26.
22 Gibbosulum			
23 Mutabile			
24 Neriteum			

W H E L K.

1 The Ton.

3 The Partridge Ton.

5 Spotted Ton.

8 Thimbled Helmet. Triangular Whelk.

9 Red or variagated Helmet.

10—12 Casket.

20 Fingers and Thumbs.

21 Ditto.

BUCCINUM.

		Tab.	Fig.
25 Harpa	†	992.	55.
26 Costatum			
27 Perficum	†	987.	46.
28 Patulum	†	An. { 989. 955.	49. 6.
29 Hæmastoma			
30 Lapillus	†	965. a.	18. } A. 19. }
31 Smaragdulus			
32 Spiratum			
33 Glabratum	†	982.	42.
34 Prærosum			
35 Undosum			
36 Bezoar			
37 Glaciale			
38 Undatum	†	962.	14. A.
39 Reticulatum	†	966.	21. A.
40 Nitidulum			
41 Lævigatum			
42 Maculatum	†	846.	74.
43 Subulatum	†	842.	70.
44 Crenulatum	†	846.	75.
45 Hæcticum			
46 Vittatum			
47 Strigillatum			
48 Duplicatum			

I N D E X II.

47

25 The Musical Harp.

27 The Persian Music.

28 The Mulberry.

42 The Brown Mitre. The Marline Spike.

43 The Tiger Spire.

BUCCINUM.

- 49 Lanceatum
50 Dimidiatum
51 Murinum

Tab. Fig.

STROMBUS.

1 Fufus	†	916.	9.
2 Pes Pelecani	†	866.	inf.
3 Chiragra	†	869.	23.
4 Scorpius	†	867.	22.
5 Lambis	†	866.	21.
6 Millepeda	†	An. { 868. 869.	23. 23. b.
7 Lentiginofus	†	860.	17.
8 Gallus	†	863.	18. c.
9 Auris Dianæ	†	872.	28.
10 Pugilis	†	864.	19.
11 Marginatus			
12 Luhuanus			
13 Gibberulus	†	847.	1.
14 Oniscus			
15 Lucifer	†	888.	9.
16 Gigas	†	An. { 862. 882.	18. 4.
17 Latissimus			
18 Epidromis			
19 Canarium			

S C R E W.

- 1 The Spindle.
- The Pelecan's foot.
- 4 The Scorpion.
- 5 The Spider.
- 6 The Millepede.
- 7 The African Pink Conch.
- 9 Ploughs. Frogs.
- 13 Spotted Pouter.
- 16 { The large Conch.
The large Roller.

STROMBUS.

- 20 Vittatus
 21 Cinctus
 22 Spinofus
 23 Fiffurella
 24 Urceus
 25 Dentatus
 26 Tuberculatus
 27 Palustris
 28 Ater
 29 Lividus

Tab. Fig.

MUREX.

- 1 Haustellum †
 2 Tribulus †
 3 Cornutus †
 4 Brandaris β †
 5 Trunculus †
 6 Ramofus †
 7 Scorpio
 8 Saxatilis
 9 Erinaceus
 10 Rana
 11 Gyrinus

Tab. Fig.

903. 23.

902. 22.

901. 21.

900. 20.

An. 947. 42.

946. 41.

CALTROP or ROCK SHELL

- 1 The Snipe.
- 2 Thorny Woodcock.
- 3 Thorny Snipe.
- 4 Thorny Snipe's Head.
- 6 Cheval de Frize.

M U R E X.

			Tab.	Fig.
12 Lampas				
	<i>Bubo</i>	β		
	<i>Rubeta</i>	γ		
13 Olearium	†		{ 932. 936. 937.	27. 31. 32.
14 Femorale	†		941.	37.
15 Cutaceus				
16 Lotorium	†		934.	29.
17 Pileare				
18 Pyrum				
19 Rubecula				
20 Scrobilator	†		939.	34.
21 Reticularis				
22 Anus	†		833.	57.
23 Ricinus				
24 Nodus				
25 Neritoideus	†		804.	13.
26 Hystrix	†	An.	955.	6.
27 Mancinella	†		956.	7.
28 Hippocastanum	†		957.	{ 9. 10.
29 Senticofus				
30 Melongena	†	An.	904.	24.
31 Cariofus				
32 Babylonius	†		917.	11.
33 Javanus				

14 The Triangular Whelk.

22 The Grimace.

26 {
27 { Mulberrys. q ?
28 {

32 Tower of *Babel*.

* R

M U R E X.

		Tab.	Fig.
34 Colus	†	918.	
35 Morio			
36 Cochlidium			
37 Spirillus			
38 Canaliculatus			
<i>Granum</i>	β		
39 Aruanus	†	908.	28.
40 Perverfus	†	An. 907.	27.
41 Antiquus			
42 Despectus			A.
43 Tritonis			
44 Pufio	†	914.	7.
45 Tulipa	†	911.	2.
46 Clathratus			
47 Dolarium			
48 Corneus	†	913.	5. A.
49 Lignarius			
50 Trapezium	†	931.	26.
51 Syracusanus			
52 Craticulatus			
53 Scriptus			
54 Vertagus	†	1020.	83.
55 Aluco	†	1017.	79.
56 Fuscatus			

40 Left Handed Fig.

50 The Persian Robe.

55 The Caterpillar.

M U R E X.

		Tab.	Fig.
57	Torulosa		
58	Radula		
59	Asper		
60	Granulatus	†	An. 1020. 84.
61	Decollatus		

T R O C H U S.

1	Niloticus	†	617.	3
2	Maculatus	†	An. 631.	
3	Perspectivus	†	636.	
4	Hybridus			
5	Cruciatus			
6	Pharaonius	†	637.	25.
7	Magus			
8	Modulus			
9	Muricatus			
10	Scaber			
11	Varius			
12	Cinerarius			
13	Divaricatus			
14	Umbilicaris			
15	Solaris	†	An. 608.	46.
16	Vestiaris	†	651.	48.

60 The Silk Worm.

TOP SHELL. BUTTON SHELL

1 Large marbled Trochus.

3 The Stair Cafe.

6 The Strawberry Trochus.

15 The Spur. q ?

T R O C H U S.

		Tab.	Fig.
17	Labio		
18	Tuber		
19	Striatus		
20	Conulus		A.
21	Zizyphinus		A.
22	Telescopium †	624.	10.
23	Dolabratus		
24	Perversus		
25	Punctatus		
26	Striatellus		

T U R B O.

1	Obtusatus		
2	Neritoides		
3	Littoreus †	585.	43.A.
4	Muricatus		
5	Cimex		
6	Pullus		
7	Perfonatus		
8	Petholatus †	584.	39.
9	Cochlus		
10	Chrysofornus		
11	Tectum Perficum		
12	Pagodus †	644.	36.

22 The Telescope.

WHIRL or WREATH.

8 High headed Oriental Ribband Snail, or Whirl.

12 The Pagoda.

T U R B O.			Tab.	Fig.
13 Calcar	†	An.	608.	46.
14 Rugosus	†		647.	41.
15 Marmoratus	†		587.	46.
16 Sarmaticus				
17 Olearius				
18 Pica	†		640.	30.
19 Sanguineus				
20 Argyrostomus	†		584.	40.
21 Margaritaceus				
22 Delphinus	†	An.	608.	45.
23 Distortus	†	An.	608.	45.
24 Crenellus				
25 Thermalis				
26 Sclaris				
27 Clathrus	†		588.	51.
28 Ambiguus				
29 Crenatus				
30 Lacteus				
31 Striatulus				
32 Uva	†		588.	47.
33 Corneus				
34 Reflexus				
35 Lincina			26.	24.
36 Imbricatus				

13 The Spur.

14 Large Silver-mouth Whirl. q ?

15 Large Green Whirl.

18 The Magpye Whirl.

22 The Dolphin.

27 The Bastard Wenteltrap.

T U R B O.

		Tab.	Fig.
37	Replicatus †	590.	55.
38	Acutangulus †	591.	59. A.
39	Duplicatus †	591.	58. A.
40	Exoletus		
41	Terebra †	591.	56.
42	Variegatus		
43	Ungulinus		
44	Annulatus		
45	Bidens †	An. 40.	38.
46	Perversus		A.
47	Mulcorum		A.
48	Auriscalpium		
49	Politus		
50	Nautilus		

H E L I X.

1	Scarabæus †	577.	31.
2	Lapicida †	69.	68. A.
3	Oculus Capri		
4	Albella		
5	Striatula		
6	Algira		
7	Leucas		
8	Planorbis †	138.	42. A.

I N D E X H.

63

38 The Press Screw.

S N A I L or P E R I W I N C L E.

1 The Witch or Cockchafer.

HELIX.

		Tab.	Fig.
9	Complanata		
10	Ringens †	99.	100.
11	Carocolla †	94.	95.
12	Cornu Militare		
13	Vortex †	138.	43. A.
14	Scabra		
15	Gothica		
16	Gualteriana		
17	Cornea †	An. 137.	41.
18	Spirorbis		
19	Contorta		
20	Cornu Arietis †	136.	40.
21	Hispida		
22	Ampullacea		
23	Pomatia †	48.	46. A.
24	Glauca		
25	Citrina		
26	Arbustorum		A.
27	Zonaria †	{ 67. 68.	66. 67.
28	Ungulina		
29	Itala		
30	Lusitanica		
31	Mammilaris		
32	Hispana		

I N D E X . II.

65

H E L I X.			Tab.	Fig.
33	Lutraria			
34	Perverfa	†	34.	33.
35	Ianthina			A.
36	Vivipara.	†	126.	26. A.
37	Nemoralis	†	57.	54. A.
38	Lucorum	†	49.	47.
39	Grisea			
40	Hæmaftoma			
41	Decollata	†	17.	12.
42	Subcylindrica			
43	Stagnalis			
44	Octona			
45	Pella			
46	Pupa			
47	Barbara			
48	Amarula			
49	Stagnalis	†	123.	21. A.
50	Fragilis			
51	Putris	†	123.	23. A.
52	Limosa			
53	Tentaculata		132.	32. A.
54	Auricularia	†	123.	22. A.
55	Levigata			
56	Balthica			

I N D E X

H E L I X.

		Tab.	Fig.
57	Neritoidea		
58	Perpicua		
59	Halitoidea †	570.	21.
60	Ambigua		

N E R I T A.

1	Canrena		
2	Glaucina		
3	Vitellus		
4	Albumen		
5	Mammilla	571.	22.
6	Corona		
7	Radula		
8	Cornea		
9	Fluviatilis †	141.	38. A.
10	Littoralis †	607.	39. A.
11	Lacustris		
12	Pulligera		
13	Pupa		
14	Bidens		
15	Viridis		
16	Virginea		
17	Polita †	An. 602.	20.

59 Ear Snail.

N E R I T E.

5 White Nipple Nerite.

NERITA.

		Tab.	Fig.
18	Peloronta		
19	Albicila		
20	Histrion	†	604. 27.
21	Plicata		
22	Grossa		
23	Chamaelion	†	An. 596. 8. &c.
24	Undata		
25	Exuvia	†	An. 596. 5.

HALIOTIS.

1	Midæ		
2	Tuberculata	†	611. 2.A.
3	Striata		
4	Varia		
5	Marmorata		
6	Afinina	†	610. 1.
7	Parva		

PATELLA.

1	Equestris		
2	Neritoidea	†	545. 33.
3	Chinensis	†	546. 19.
4	Porcellana		

I N D E X II.

71

20 Guinea-Hen Nerite.

23 Hoofs.

25 Hoofs.

VENUS'S EAR. SEA EAR.

2 Common Ear Shell.

6 Venus's Ear Shell, or Affes Ear Shell.

L I M P E T.

2 Chambered Limpet.

3 Chinefe-Bonnet Limpet.

P A T E L L A.

		Tab.	Fig.
5	Fornicata †	545.	34.
6	Crepitula		
7	Laciniosa		
8	Saccharina †	532.	10.
9	Barbara		
10	Granularis †	534.	13.
11	Granatina †	536.	15.
12	Vulgata		A.
13	Cærulea		
14	Tuberculata		
15	Ungarica		
16	Antiquata		
17	Mammillaris †	537.	17.
18	Tricarinata		
19	Pectinata		
20	Lutea		
21	Unguis		
22	Cristata		
23	Lacustris †	141.	39. A.
24	Pellucida		
25	Testudinaria †	531.	9.
26	Compressa		
27	Rufica †	541.	25.
28	Fusca		

5 Vaulted Limpet.

8 Star Limpet.

10 Striated and small pointed Limpet.

11 Garnet Limpet or Carbuncle.

25 The Buckler or Tortoise Limpet.

27 Dutch Bonnet Limpet.

* Y

P A T E L L A.

		Tab.	Fig.
29	Notata		
30	Cruciata		
31	Reticulata		
32	Fissura †	543.	28, A.
33	Pustula †	An. 528.	4.
34	Græca		
35	Nimbofa †	An. 527.	1.
36	Nubecula		

D E N T A L I U M.

1	Elephantinum †	547.	3.
2	Aprinum		
3	Dentalis		
4	Entalis †	547.	2.
5	Corneum		
6	Politum		
7	Eburneum		
8	Minutum		

S E R P U L A.

1	Seminulum	
2	Planorbis	
3	Spirillum	

33 Masked Limpet.

TOOTH SHELL.

1 Fluted Elephants Tooth — Horn — Green Pencil.

4 The striated Tooth Shell.

WORM SHELL.

SERPULA.

		Tab.	Fig.
4	Spirorbis †	553.	5. A.
5	Triquetra		
6	Imbricata		
7	Filograna		
8	Granulata		
9	Contortuplicata		
10	Glomerata		
11	Lumbricalis †	548.	1.
12	Polythalamia		
13	Arenaria		
14	Anguina †	548.	2.
15	Vermicularis		
16	Penis †	548.	3.

FINIS INDICUM.

I N D E X II.

77


11 Spiraly twisted Worm Shell.

14 Fiffurated Worm Shell.

16 The Watering Pot.

THE END OF THE INDEXES.

* Z



Oster
Room
folio
L7735his
1770
#21804914

